

Package ‘sasLM’

August 19, 2021

Version 0.6.2

Title 'SAS' Linear Model

Description This is a core implementation of 'SAS' procedures for linear models - GLM, REG, and ANOVA. Some R packages provide type II and type III SS. However, the results of nested and complex designs are often different from those of 'SAS.' Different results does not necessarily mean incorrectness. However, many wants the same results to SAS. This package aims to achieve that.

Reference: Littell RC, Stroup WW, Freund RJ (2002, ISBN:0-471-22174-0).

Depends R (>= 3.0.0), mvtnorm

Imports methods

Author Kyun-Seop Bae [aut]

Maintainer Kyun-Seop Bae <k@acr.kr>

Copyright 2020-, Kyun-Seop Bae

License GPL-3

Repository CRAN

URL <https://cran.r-project.org/package=sasLM>

R topics documented:

| | |
|---------------|----|
| sasLM-package | 3 |
| af | 4 |
| ANOVA | 4 |
| aov1 | 5 |
| aov2 | 6 |
| aov3 | 7 |
| BEdata | 8 |
| bk | 8 |
| BY | 9 |
| CIest | 10 |
| Coll | 11 |
| CONTR | 12 |
| Cor.test | 13 |
| cSS | 14 |
| CV | 15 |
| Diffogram | 15 |
| e1 | 16 |

| | |
|---------------|----|
| e2 | 17 |
| e3 | 17 |
| EMS | 18 |
| est | 19 |
| ESTM | 20 |
| estmb | 21 |
| G2SWEEP | 21 |
| geoCV | 23 |
| geoMean | 23 |
| GLM | 24 |
| is.cor | 25 |
| Kurtosis | 25 |
| KurtosisSE | 26 |
| LCL | 26 |
| lfit | 27 |
| lr | 28 |
| lr0 | 29 |
| LSM | 30 |
| Max | 31 |
| Mean | 31 |
| Median | 32 |
| Min | 33 |
| ModelMatrix | 33 |
| N | 34 |
| pB | 35 |
| Pcor.test | 36 |
| pD | 37 |
| PDIFF | 37 |
| QuartileRange | 39 |
| Range | 39 |
| REG | 40 |
| regD | 41 |
| satt | 42 |
| SD | 42 |
| SEM | 43 |
| Skewness | 43 |
| SkewnessSE | 44 |
| SLICE | 45 |
| SS | 46 |
| T3MS | 46 |
| T3test | 47 |
| trimmedMean | 48 |
| tsum | 48 |
| tsum0 | 49 |
| tsum1 | 50 |
| tsum2 | 51 |
| tsum3 | 52 |
| UCL | 53 |

Description

This is a core implementation of 'SAS' procedures for linear models - GLM, REG, and ANOVA. Some packages provide type II and type III SS. However, the results of nested and complex designs are often different from those of 'SAS'. Different results does not necessarily mean incorrectness. However, many wants the same results to 'SAS'. This package aims to achieve that. Reference: Littell RC, Stroup WW, Freund RJ (2002, ISBN:0-471-22174-0).

Details

This will serve those who want SAS PROC GLM, REG, and ANOVA in R.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
## SAS PROC GLM Script for Typical Bioequivalence Data
# PROC GLM DATA=BEdata;
# CLASS SEQ SUBJ PRD TRT;
# MODEL LNCMAX = SEQ SUBJ(SEQ) PRD TRT;
# RANDOM SUBJ(SEQ)/TEST;
# LSMEANS TRT / DIFF=CONTROL("R") CL ALPHA=0.1;
# ODS OUTPUT LSMeanDiffCL=LSMD;

# DATA LSMD; SET LSMD;
# PE = EXP(DIFFERENCE);
# LL = EXP(LowerCL);
# UL = EXP(UpperCL);
# PROC PRINT DATA=LSMD; RUN;
##

## SAS PROC GLM equivalent
BEdata = af(BEdata, c("SEQ", "SUBJ", "PRD", "TRT")) # Columns as factor
formula1 = log(CMAX) ~ SEQ/SUBJ + PRD + TRT # Model
GLM(formula1, BEdata) # ANOVA tables of Type I, II, III SS
EMS(formula1, BEdata) # EMS table
T3test(formula1, BEdata, Error="SEQ:SUBJ") # Hypothesis test
ci0 = CIest(formula1, BEdata, "TRT", c(-1, 1), 0.90) # 90% CI
exp(ci0[, c("Estimate", "Lower CL", "Upper CL")]) # 90% CI of GMR

## 'nlme' or SAS PROC MIXED is preferred for an unbalanced case
## SAS PROC MIXED equivalent
# require(nlme)
# Result = lme(log(CMAX) ~ SEQ + PRD + TRT, random=~1|SUBJ, data=BEdata)
# summary(Result)
# VarCorr(Result)
# ci = intervals(Result, 0.90) ; ci
# exp(ci$fixed["TRT",])
##
```

| | |
|----|--|
| af | <i>Convert some columns of a data.frame to factors</i> |
|----|--|

Description

Conveniently convert some columns of data.frame into factors.

Usage

```
af(DataFrame, Cols)
```

Arguments

| | |
|-----------|---|
| DataFrame | a data.frame |
| Cols | column names or indices to be converted |

Details

It performs conversion of some columns in a data.frame into factors conveniently.

Value

Returns a data.frame with converted columns.

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-------|---|
| ANOVA | <i>Analysis of Variance similar to SAS PROC ANOVA</i> |
|-------|---|

Description

Analysis of variance with type I, II, and III sum of squares.

Usage

```
ANOVA(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model. |
| Data | a data.frame to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It performs the core function of SAS PROC ANOVA.

Value

The result is comparable to that of SAS PROC ANOVA.

| | |
|----------|------------------------------|
| ANOVA | ANOVA table for the model |
| Type I | Type I sum of square table |
| Type II | Type II sum of square table |
| Type III | Type III sum of square table |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
ANOVA(uptake ~ Plant + Type + Treatment + conc, C02)
```

| | |
|------|-----------------------------|
| aov1 | <i>ANOVA with Type I SS</i> |
|------|-----------------------------|

Description

ANOVA with Type I SS.

Usage

```
aov1(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model. |
| Data | a data.frame to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It performs the core function of SAS PROC ANOVA.

Value

The result table is comparable to that of SAS PROC ANOVA.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
aov1(uptake ~ Plant + Type + Treatment + conc, C02)
```

| | |
|------|------------------------------|
| aov2 | <i>ANOVA with Type II SS</i> |
|------|------------------------------|

Description

ANOVA with Type II SS.

Usage

```
aov2(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model. |
| Data | a data.frame to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It performs the core function of SAS PROC ANOVA.

Value

The result table is comparable to that of SAS PROC ANOVA.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
aov2(uptake ~ Plant + Type + Treatment + conc, C02)
aov2(uptake ~ Type, C02)
aov2(uptake ~ Type - 1, C02)
```

| | |
|------|-------------------------------|
| aov3 | <i>ANOVA with Type III SS</i> |
|------|-------------------------------|

Description

ANOVA with Type III SS.

Usage

```
aov3(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model. |
| Data | a <code>data.frame</code> to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It performs the core function of SAS PROC ANOVA.

Value

The result table is comparable to that of SAS PROC ANOVA.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
aov3(uptake ~ Plant + Type + Treatment + conc, C02)
```

BEdata

*An Example Data of Bioequivalence Study***Description**

Contains Cmax data from a real bioequivalence study.

Usage

```
BEdata
```

Format

A data frame with 91 observations on the following 6 variables.

ADM Admission or Hospitalization Group Code: 1, 2, or 3

SEQ Group or Sequence character code: 'RT' or 'TR'

PRD Period numeric value: 1 or 2

TRT Treatment or Drug code: 'R' or 'T'

SUBJ Subject ID

CMAx Cmax values

Details

This contains a real data of 2x2 bioequivalence study, which have three different hospitalization groups. See Bae KS, Kang SH. Bioequivalence data analysis for the case of separate hospitalization. Transl Clin Pharmacol. 2017;25(2):93-100. doi.org/10.12793/tcp.2017.25.2.93

bk

*Beautify the output of knitr::kable***Description**

Trailing zeros after integer is somewhat annoying. This removes those in the vector of strings.

Usage

```
bk(ktab, rpltag=c("n", "N"), dig=10)
```

Arguments

ktab an output of knitr::kable

rpltag tag string of replacement rows. This is usually "n" which means the sample count.

dig maximum digits of decimals in the kable output

Details

This is convenient if used with tsum0, tsum1, tsum2, tsum3, This requires knitr::kable.

Value

A new processed vector of strings. The class is still `knitr_kable`.

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum0](#), [tsum1](#), [tsum2](#), [tsum3](#)

Examples

```
## OUTPUT example
# t0 = tsum0(CO2, "uptake", c("mean", "median", "sd", "length", "min", "max"))
# bk(kable(t0)) # requires knitr package
#
# |          |          x|
# |:-----|-----:|
# |mean  | 27.21310|
# |median| 28.30000|
# |sd    | 10.81441|
# |n     | 84      |
# |min   | 7.70000|
# |max   | 45.50000|

# t1 = tsum(uptake ~ Treatment, CO2,
#           e=c("mean", "median", "sd", "min", "max", "length"),
#           ou=c("chilled", "nonchilled"),
#           repl=list(c("median", "length"), c("med", "N")))
#
# bk(kable(t1, digits=3)) # requires knitr package
#
# |      | chilled| nonchilled| Combined|
# |:----|-----:|-----:|-----:|
# |mean | 23.783| 30.643| 27.213|
# |med  | 19.700| 31.300| 28.300|
# |sd   | 10.884| 9.705| 10.814|
# |min  | 7.700| 10.600| 7.700|
# |max  | 42.400| 45.500| 45.500|
# |N    | 42   | 42   | 84   |
```

 BY

Analysis BY variable

Description

GLM, REG, aov1 etc. functions can be run by levels of a variable.

Usage

```
BY(FUN, Formula, Data, By, ...)
```

Arguments

| | |
|----------------------|---|
| <code>FUN</code> | Function name to be called such as GLM, REG |
| <code>Formula</code> | a conventional formula for a linear model. |
| <code>Data</code> | a <code>data.frame</code> to be analyzed |
| <code>By</code> | a variable name in the <code>Data</code> |
| <code>...</code> | arguments to be passed to <code>FUN</code> function |

Details

This mimics SAS procedues' BY clause.

Value

a list of `FUN` function outputs. The names are after each level.

Author(s)

Kyun-Seop Bae `k@acr.kr`

Examples

```
BY(GLM, uptake ~ Treatment + as.factor(conc), C02, By="Type")
BY(REG, uptake ~ conc, C02, By="Type")
```

| | |
|-------|---------------------------------------|
| CIest | <i>Confidence Interval Estimation</i> |
|-------|---------------------------------------|

Description

Get point estimate and its confidence interval with given contrast and alpha value using t distribution.

Usage

```
CIest(Formula, Data, Term, Contrast, conf.level=0.95)
```

Arguments

| | |
|-------------------------|---|
| <code>Formula</code> | a conventional formula for a linear model |
| <code>Data</code> | a <code>data.frame</code> to be analyzed |
| <code>Term</code> | a factor name to be estimated |
| <code>Contrast</code> | a level vector. Level is alphabetically ordered by default. |
| <code>conf.level</code> | confidence level of confidence interval |

Details

Get point estimate and its confidence interval with given contrast and alpha value using t distribution.

Value

| | |
|------------|---|
| Estimate | point estimate of the input linear constrast |
| Lower CL | lower confidence limit |
| Upper CL | upper confidence limit |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Df | degree of freedom |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
CIest(log(CMAX) ~ SEQ/SUBJ + PRD + TRT, BEdata, "TRT", c(-1, 1), 0.90) # 90% CI
```

| | |
|------|---------------------------------|
| Coll | <i>Collinearity Diagnostics</i> |
|------|---------------------------------|

Description

Collinearity diagnostics with tolerance, VIF, eigenvalue, condition index, variance proportions

Usage

```
Coll(Formula, Data)
```

Arguments

| | |
|---------|--------------------------------------|
| Formula | formula of the model |
| Data | input data as a matrix or data.frame |

Details

Sometimes collinearity diagnostics after multiple linear regression are necessary.

Value

| | |
|---------------------------------|--|
| Tol | tolerance of independent variables |
| VIF | variance inflation factor of independent variables |
| Eigenvalue | eigenvalue of $Z'Z$ (crossproduct) of standardized independent variables |
| Cond. Index | condition index |
| under the names of coefficients | proportions of variances |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
Coll(mpg ~ disp + hp + drat + wt + qsec, mtcars)
```

 CONTR

F Test with a Set of Contrasts

Description

Do F test with a given set of contrasts.

Usage

```
CONTR(L, Formula, Data, mu=0)
```

Arguments

| | |
|---------|--|
| L | contrast matrix. Each row is a contrast. |
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| mu | a vector of mu for the hypothesis L. The length should be equal to the row count of L. |

Details

It performs F test with a given set of contrasts (a matrix). It is similar to the CONTRAST clause of SAS PROC GLM. This can test the hypothesis that the linear combination (function)'s mean vector is mu.

Value

Returns sum of square and its F value and p-value.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[cSS](#)

Examples

```
CONTR(t(c(0, -1, 1)), uptake ~ Type, CO2) # sum of square
ANOVA(uptake ~ Type, CO2) # compare with the above
```

| | |
|----------|---|
| Cor.test | <i>Correlation test of multiple numeric columns</i> |
|----------|---|

Description

Testing correlation between numerics columns of data with Pearson method.

Usage

```
Cor.test(Data, conf.level=0.95)
```

Arguments

| | |
|------------|--------------------------|
| Data | a matrix or a data.frame |
| conf.level | confidence level |

Details

It uses all numeric columns of input data. It uses "pairwise.complete.obs" rows.

Value

Row names show which columns are used for the test

| | |
|----------|-------------------------------------|
| Estimate | point estimate of correlation |
| Lower CL | upper confidence limit |
| Upper CL | lower confidence limit |
| t value | t value of the t distribution |
| Df | degree of freedom |
| Pr(> t) | probability with the t distribution |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
Cor.test(mtcars)
```

cSS

*Sum of Square with a Given Contrast Set***Description**

Calculates sum of squares of a contrast from a `lfit` result.

Usage

```
cSS(K, rx, mu=0, eps=1e-8)
```

Arguments

| | |
|-----|--|
| K | contrast matrix. Each row is a contrast. |
| rx | a result of <code>lfit</code> function |
| mu | a vector of mu for the hypothesis K. The length should be equal to the row count of K. |
| eps | Less than this value is considered as zero. |

Details

It calculates sum of squares with given a contrast matrix and a `lfit` result. It corresponds to SAS PROC GLM CONTRAST. This can test the hypothesis that the linear combination (function)'s mean vector is mu.

Value

Returns sum of square and its F value and p-value.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[CONTR](#)

Examples

```
rx = REG(uptake ~ Type, CO2, summarize=FALSE)
cSS(t(c(0, -1, 1)), rx) # sum of square
ANOVA(uptake ~ Type, CO2) # compare with the above
```

| | |
|----|---|
| CV | <i>Coefficient of Variation in percentage</i> |
|----|---|

Description

Coefficient of variation in percentage.

Usage

```
CV(x)
```

Arguments

x a numeric vector

Details

It removes NA.

Value

Coefficient of variation in percentage.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
CV(mtcars$mpg)
```

| | |
|-----------|----------------------------------|
| Diffogram | <i>Plot Pairwise Differences</i> |
|-----------|----------------------------------|

Description

Plot pairwise differences by a common.

Usage

```
Diffogram(Formula, Data, Term, conf.level=0.95, adj="lsd", ...)
```

Arguments

| | |
|------------|--|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| Term | a factor name to be estimated |
| conf.level | confidence level of confidence interval |
| adj | "lsd", "tukey", "scheffe", "bon", or "duncan" to adjust p-value and confidence limit |
| ... | arguments to be passed to plot |

Details

This usually shows the shortest interval. It corresponds to SAS PROC GLM PDIF.

Value

no return value, but a plot on the current device

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
Diffogram(uptake ~ Type*Treatment + as.factor(conc), C02, "as.factor(conc)")
```

| | |
|----|--|
| e1 | <i>Get a Contrast Matrix for Type I SS</i> |
|----|--|

Description

Makes a contrast matrix for type I SS using forward Doolittle method.

Usage

```
e1(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It makes a contrast matrix for type I SS.

Value

A contrast matrix for type I SS.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
round(e1(uptake ~ Plant + Type + Treatment + conc, C02), 12)
```

e2*Get a Contrast Matrix for Type II SS*

Description

Makes a contrast matrix for type II SS.

Usage

```
e2(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It makes a contrast matrix for type II SS.

Value

Returns a contrast matrix for type II SS.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
round(e2(uptake ~ Plant + Type + Treatment + conc, C02), 12)
round(e2(uptake ~ Type, C02), 12)
round(e2(uptake ~ Type - 1, C02), 12)
```

e3*Get a Contrast Matrix for Type III SS*

Description

Makes a contrast matrix for type III SS.

Usage

```
e3(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It makes a contrast matrix for type III SS.

Value

Returns a contrast matrix for type III SS.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
round(e3(uptake ~ Plant + Type + Treatment + conc, C02), 12)
```

| EMS | <i>Expected Mean Square Formula</i> |
|-----|-------------------------------------|
|-----|-------------------------------------|

Description

Calculates a formula table for expected mean square of the given contrast. The default is for Type III SS.

Usage

```
EMS(Formula, Data, Type=3, eps=1e-8)
```

Arguments

| | |
|---------|--|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| Type | type of sum of squares. The default is 3. Type 4 is not supported yet. |
| eps | Less than this value is considered as zero. |

Details

This is necessary for further hypothesis test of nesting factors.

Value

A coefficient matrix for Type III expected mean square

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
f1 = log(CMAX) ~ SEQ/SUBJ + PRD + TRT
EMS(f1, BEdata)
EMS(f1, BEdata, Type=1)
EMS(f1, BEdata, Type=2)
```

| | |
|-----|----------------------------------|
| est | <i>Estimate Linear Functions</i> |
|-----|----------------------------------|

Description

Estimates Linear Functions with a given GLM result.

Usage

```
est(L, X, rx, conf.level=0.95, adj="lsd")
```

Arguments

| | |
|------------|---|
| L | a matrix of linear contrast rows to be tested |
| X | a model (design) matrix from <code>ModelMatrix</code> |
| rx | a result of <code>lfit</code> function |
| conf.level | confidence level of confidence limit |
| adj | "lsd" or "tukey" to adjust p-value and confidence limit |

Details

It tests rows of linear function. Linear function means linear combination of estimated coefficients. It corresponds to SAS PROC GLM ESTIMATE. Same sample size per group is assumed for the Tukey adjustment.

Value

| | |
|------------|---|
| Estimate | point estimate of the input linear contrast |
| Lower CL | lower confidence limit |
| Upper CL | upper confidence limit |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Df | degree of freedom |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[ESTM](#)

Examples

```
x = ModelMatrix(uptake ~ Type, CO2)
rx = REG(uptake ~ Type, CO2, summarize=FALSE)
est(t(c(0, -1, 1)), x$X, rx) # Quevec - Mississippi
t.test(uptake ~ Type, CO2) # compare with the above
```

ESTM

*Estimate Linear Function***Description**

Estimates Linear Function with a formula and a dataset.

Usage

```
ESTM(L, Formula, Data, conf.level=0.95)
```

Arguments

| | |
|------------|--|
| L | a matrix of linear functions rows to be tested |
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| conf.level | confidence level of confidence limit |

Details

It tests rows of linear functions. Linear function means linear combination of estimated coefficients. It is similar to SAS PROC GLM ESTIMATE. This is a little convenient version of est function.

Value

| | |
|------------|---|
| Estimate | point estimate of the input linear constrast |
| Lower CL | lower confidence limit |
| Upper CL | upper confidence limit |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Df | degree of freedom |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[est](#)

Examples

```
ESTM(t(c(0, -1, 1)), uptake ~ Type, CO2) # Quevec - Mississippi
```

| | |
|-------|---------------------------|
| estmb | <i>Estimability Check</i> |
|-------|---------------------------|

Description

Check the estimability of row vectors of coefficients.

Usage

```
estmb(L, X, g2, eps=1e-8)
```

Arguments

| | |
|-----|---|
| L | row vectors of coefficients |
| X | a model (design) matrix from <code>ModelMatrix</code> |
| g2 | g2 generalized inverse of <code>crossprod(X)</code> |
| eps | absolute value less than this is considered to be zero. |

Details

It checks estimability of L, row vectors of coefficients. This corresponds to SAS PROC GLM ESTIMATE. See <Kennedy Jr. WJ, Gentle JE. Statistical Computing. 1980> p361 or <Golub GH, Styan GP. Numerical Computations for Univariate Linear Models. 1971>.

Value

a vector of logical values indicating which row is estimable (as TRUE)

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[G2SWEEP](#)

| | |
|---------|---|
| G2SWEEP | <i>Generalized inverse matrix of type 2, g2 inverse</i> |
|---------|---|

Description

Generalized inverse is usually not unique. Some programs use this algorithm to get a unique generalized inverse matrix.

Usage

```
G2SWEEP(A, Augmented=FALSE, eps=1e-08)
```

Arguments

| | |
|-----------|---|
| A | a matrix to be inverted |
| Augmented | If this is TRUE and A is a model(design) matrix X, the last column should be $X'y$, the last row $y'X$, and the last cell $y'y$. See the reference and example for the detail. |
| eps | Less than this value is considered as zero. |

Details

Generalized inverse of g2-type is used by some softwares to do linear regression. See 'SAS Technical Report R106, The Sweep Operator: Its importance in Statistical Computing' by J. H. Goodnight for the detail.

Value

| | |
|----------------------|--|
| when Augmented=FALSE | ordinary g2 inverse |
| when Augmented=TRUE | g2 inverse and beta hats in the last column and the last row, and sum of square error (SSE) in the last cell |
| attribute "rank" | the rank of input matrix |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[lfit](#), [ModelMatrix](#)

Examples

```
f1 = uptake ~ Type + Treatment # formula
x = ModelMatrix(f1, C02) # Model matrix and relevant information
y = model.frame(f1, C02)[,1] # observation vector
nc = ncol(x$X) # number of columns of model matrix
XpY = crossprod(x$X, y)
aXpX = rbind(cbind(crossprod(x$X), XpY), cbind(t(XpY), crossprod(y)))
ag2 = G2SWEEP(aXpX, Augmented=TRUE)
b = ag2[1:nc, (nc + 1)] ; b # Beta hat
iXpX = ag2[1:nc, 1:nc] ; iXpX # g2 inverse of X'X
SSE = ag2[(nc + 1), (nc + 1)] ; SSE # Sum of Square Error
DFr = nrow(x$X) - attr(ag2, "rank") ; DFr # Degree of freedom for the residual

# Compare the below with the above
REG(f1, C02)
aov1(f1, C02)
```

`geoCV`*Geometric Coefficient of Variation in percentage*

Description

Geometric coefficient of variation in percentage.

Usage

```
geoCV(x)
```

Arguments

`x` a numeric vector

Details

It removes NA. This is $\sqrt{\exp(\text{var}(\log(x))) - 1} \times 100$.

Value

Geometric coefficient of variation in percentage.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
CV(mtcars$mpg)
```

`geoMean`*Geometric Mean without NA*

Description

mean without NA values.

Usage

```
geoMean(x)
```

Arguments

`x` a vector of numerics

Details

It removes NA in the input vector.

Value

geometric mean value

Author(s)

Kyun-Seop Bae k@acr.kr

GLM

General Linear Model similar to SAS PROC GLM

Description

GLM is the main function of this package.

Usage

```
GLM(Formula, Data, lsm=FALSE, conf.level=0.95, eps=1e-8)
```

Arguments

| | |
|------------|--|
| Formula | a conventional formula for a linear model. |
| Data | a data.frame to be analyzed |
| lsm | if TRUE, least square mean will be in the output |
| conf.level | confidence level for the confidence limit of the least square mean |
| eps | Less than this value is considered as zero. |

Details

It performs the core function of SAS PROC GLM. Least square means for the interaction term of three variables is not supported yet.

Value

The result is comparable to that of SAS PROC GLM.

| | |
|-------------------|---|
| ANOVA | ANOVA table for the model |
| Type I | Type I sum of square table |
| Type II | Type II sum of square table |
| Type III | Type III sum of square table |
| Parameter | Parameter table with standard error, t value, p value. TRUE is 1, and FALSE is 0 in the Estimable column. |
| Least Square Mean | Least square mean table with confidence limit |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
GLM(uptake ~ Type*Treatment + conc, C02[-1,]) # Making data unbalanced
GLM(uptake ~ Type*Treatment + conc, C02[-1,], lsm=TRUE)
```

| | |
|--------|------------------------------------|
| is.cor | <i>Is it a correlation matrix?</i> |
|--------|------------------------------------|

Description

Testing if the input matrix is a correlation matrix or not

Usage

```
is.cor(m, eps=1e-16)
```

Arguments

| | |
|-----|---|
| m | a presumed correlation matrix |
| eps | epsilon value. Absolute value less than this is considered as zero. |

Details

Diagonal component should not be necessarily 1. But it should be close to 1.

Value

TRUE or FALSE

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|----------|-----------------|
| Kurtosis | <i>Kurtosis</i> |
|----------|-----------------|

Description

Kurtosis with a conventional formula.

Usage

```
Kurtosis(x)
```

Arguments

| | |
|---|----------------------|
| x | a vector of numerics |
|---|----------------------|

Details

It removes NA in the input vector.

Value

Estimate of kurtosis

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|------------|-----------------------------------|
| KurtosisSE | <i>Standard Error of Kurtosis</i> |
|------------|-----------------------------------|

Description

Standard error of the estimated kurtosis with a conventional formula.

Usage

```
KurtosisSE(x)
```

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

Standard error of the estimated kurtosis

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-----|-------------------------------|
| LCL | <i>Lower Confidence Limit</i> |
|-----|-------------------------------|

Description

The estimate of the lower bound of confidence limit using t-distribution

Usage

```
LCL(x, conf.level=0.95)
```

Arguments

x a vector of numerics
 conf.level confidence level

Details

It removes NA in the input vector.

Value

The estimate of the lower bound of confidence limit using t-distribution

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|------|-------------------|
| lfit | <i>Linear Fit</i> |
|------|-------------------|

Description

Fits a least square linear model.

Usage

```
lfit(x, y, eps=1e-8)
```

Arguments

| | |
|-----|---|
| x | a result of ModelMatrix |
| y | a column vector of response, dependent variable |
| eps | Less than this value is considered as zero. |

Details

Minimum version of least square fit of a linear model

Value

| | |
|--------------|------------------------------------|
| coefficients | beta coefficients |
| g2 | g2 inverse |
| rank | rank of the model matrix |
| DfR | degree of freedom for the residual |
| SSE | sum of squares error |
| SST | sum of squares total |
| R2 | R-squared |
| n | count of observations |
| R2ADJ | Adjusted R-squared |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[ModelMatrix](#)

Examples

```
f1 = uptake ~ Type*Treatment + conc
x = ModelMatrix(f1, C02)
y = model.frame(f1, C02)[,1]
lfit(x, y)
```

lr

*Linear Regression with g2 inverse***Description**

Coefficients calculated with g2 inverse. Output is similar to `summary(lm())`.

Usage

```
lr(Formula, Data, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| eps | Less than this value is considered as zero. |

Details

It uses G2SWEEP to get g2 inverse. The result is similar to `summary(lm())` without options.

Value

The result is comparable to that of SAS PROC REG.

| | |
|------------|---|
| Estimate | point estimate of parameters, coefficients |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
lr(uptake ~ Plant + Type + Treatment + conc, C02)
lr(uptake ~ Plant + Type + Treatment + conc - 1, C02)
lr(uptake ~ Type, C02)
lr(uptake ~ Type - 1, C02)
```

lr0

Simple Linear Regressions with Each Independent Variable

Description

Usually the first step to multiple linear regression is the simple linear regressions with single independent variable.

Usage

```
lr0(Formula, Data)
```

Arguments

| | |
|---------|--|
| Formula | a conventional formula for a linear model. Intercept will be added always. |
| Data | a <code>data.frame</code> to be analyzed |

Details

It performs .

Value

Each row means one simple linear regression with that row name as the only independent variable.

| | |
|---------------|---------------------------------------|
| Intercept | estimate of the intercept |
| SE(Intercept) | standard error of the intercept |
| Slope | estimate of the slope |
| SE(Slope) | standard error of the slope |
| Rsquared | R-squared for the simple linear model |
| Pr(>F) | p-value of slope or the model |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
lr0(uptake ~ Plant + Type + Treatment + conc, CO2)
lr0(mpg ~ ., mtcars)
```

LSM

*Least Square Means***Description**

Estimates least square means using g2 inverse.

Usage

```
LSM(Formula, Data, Term, conf.level=0.95, adj="lsd", hideNonEst=TRUE,
    PLOT=FALSE, ...)
```

Arguments

| | |
|------------|--|
| Formula | a conventional formula of model |
| Data | data.frame |
| Term | term name to be returned |
| conf.level | confidence level for the confidence limit |
| adj | adjustment method for grouping, "lsd"(default), "tukey", "bon", "duncan", "scheffe" are available. This does not affects SE, Lower CL, Upper CL of the output table. |
| hideNonEst | hide non-estimables |
| PLOT | whether to plot LSMs and their confidence intervals |
| ... | arguments to be passed to plot |

Details

It corresponds to SAS PROC GLM LSMEANS. The result of the second example below may be different from emmeans. This is because SAS or this function calculates mean of the transformed continuous variable. However, emmeans calculates the average before the transformation. Interaction of three variables is not supported yet.

Value

Returns a table of expectations, t values and p-values.

| | |
|---------|--|
| Group | group character. This only appears with grouping=TRUE option |
| LSmean | point estimate of least square mean |
| LowerCL | lower confidence limit with the given confidence level by "lsd" method |
| UpperCL | upper confidence limit with the given confidence level by "lsd" method |
| SE | standard error of the point estimate |
| Df | degree of freedom of point estimate |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
LSM(uptake ~ Type, C02[-1,])
LSM(uptake ~ Type - 1, C02[-1,])
LSM(uptake ~ Type*Treatment + conc, C02[-1,])
LSM(uptake ~ Type*Treatment + conc - 1, C02[-1,])
LSM(log(uptake) ~ Type*Treatment + log(conc), C02[-1,])
LSM(log(uptake) ~ Type*Treatment + log(conc) - 1, C02[-1,])
LSM(log(uptake) ~ Type*Treatment + as.factor(conc), C02[-1,])
LSM(log(uptake) ~ Type*Treatment + as.factor(conc) - 1, C02[-1,])
LSM(log(CMAX) ~ SEQ/SUBJ + PRD + TRT, BEdata)
LSM(log(CMAX) ~ SEQ/SUBJ + PRD + TRT - 1, BEdata)
```

| | |
|-----|-----------------------|
| Max | <i>Max without NA</i> |
|-----|-----------------------|

Description

maximum without NA values.

Usage

```
Max(x)
```

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

maximum value

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|------|------------------------|
| Mean | <i>Mean without NA</i> |
|------|------------------------|

Description

mean without NA values.

Usage

```
Mean(x)
```

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

mean value

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|--------|--------------------------|
| Median | <i>Median without NA</i> |
|--------|--------------------------|

Description

median without NA values.

Usage

Median(x)

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

median value

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-----|-----------------------|
| Min | <i>Min without NA</i> |
|-----|-----------------------|

Description

minimum without NA values.

Usage

```
Min(x)
```

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

minimum value

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-------------|---------------------|
| ModelMatrix | <i>Model Matrix</i> |
|-------------|---------------------|

Description

This model matrix is similar to `model.matrix`. But it does not omit unnecessary columns.

Usage

```
ModelMatrix(Formula, Data, KeepOrder=FALSE)
```

Arguments

Formula a conventional formula for a linear model
 Data a `data.frame` to be analyzed
 KeepOrder If `KeepOrder` is TRUE, terms in `Formula` will be kept. This is for Type I SS.

Details

It makes the `model(design)` matrix for GLM.

Value

| | |
|--|---|
| Model matrix and attributes similar to the output of <code>model.matrix</code> . | |
| <code>X</code> | design matrix, i.e. model matrix |
| <code>terms</code> | detailed information about terms such as formula and labels |
| <code>termsIndices</code> | term indices |
| <code>assign</code> | assignment of columns for each terms in order, different way of expressing term indices |

Author(s)

Kyun-Seop Bae `k@acr.kr`

| | |
|----------|-------------------------------|
| <i>N</i> | <i>Number of observations</i> |
|----------|-------------------------------|

Description

Number of observations excluding NA values

Usage

`N(x)`

Arguments

`x` a vector of numerics

Details

It removes NA in the input vector.

Value

Count of the observation

Author(s)

Kyun-Seop Bae `k@acr.kr`

pB

Plot Confidence and Prediction Bands for Simple Linear Regression

Description

It plots bands of confidence interval and prediction interval for simple linear regression.

Usage

```
pB(Formula, Data, Resol=300, conf.level=0.95, lx, ly, ...)
```

Arguments

| | |
|------------|--------------------------------|
| Formula | a formula |
| Data | a data.frame |
| Resol | resolution for the output |
| conf.level | confidence level |
| lx | x position of legend |
| ly | y position of legend |
| ... | arguments to be passed to plot |

Details

It plots. Discard return values. If lx or ly is missing, legend position is calculated automatically.

Value

Ignore return values.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
pB(hp ~ disp, mtcars)
pB(mpg ~ disp, mtcars)
```

`Pcor.test`*Partial Correlation test of multiple columns*

Description

Testing partial correlation between many columns of data with Pearson method.

Usage

```
Pcor.test(Data, x, y)
```

Arguments

| | |
|-------------------|--------------------------------|
| <code>Data</code> | a numeric matrix or data.frame |
| <code>x</code> | names of to be tested columns |
| <code>y</code> | names of control columns |

Details

It performs multiple partial correlation test. It uses "complete.obs" rows of x and y columns.

Value

Row names show which columns are used for the test

| | |
|--------------------------|-------------------------------------|
| <code>Estimate</code> | point estimate of correlation |
| <code>Df</code> | degree of freedom |
| <code>t value</code> | t value of the t distribution |
| <code>Pr(> t)</code> | probability with the t distribution |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
Pcor.test(mtcars, c("mpg", "hp", "qsec"), c("drat", "wt"))
```

| | |
|----|---------------------------------------|
| pD | <i>Diagnostic Plot for Regression</i> |
|----|---------------------------------------|

Description

Four standard diagnostic plots for regression.

Usage

```
pD(rx, Title=NULL)
```

Arguments

| | |
|-------|--|
| rx | a result of lm, which can give fitted, residuals, and rstandard. |
| Title | title to be printed on the plot |

Details

Most frequently used diagnostic plots are 'observed vs. fitted', 'standarized residual vs. fitted', 'distribution plot of standard residuals', and 'Q-Q plot of standardized residuals'.

Value

Four diagnostic plots in a page.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
pD(lm(uptake ~ Plant + Type + Treatment + conc, C02), "Diagnostic Plot")
```

| | |
|-------|----------------------------|
| PDIFF | <i>Pairwise Difference</i> |
|-------|----------------------------|

Description

Estimates pairwise difference by a common method.

Usage

```
PDIFF(Formula, Data, Term, conf.level=0.95, adj="lsd", ref, PLOT=FALSE,
       reverse=FALSE, ...)
```

Arguments

| | |
|------------|---|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| Term | a factor name to be estimated |
| conf.level | confidence level of confidence interval |
| adj | "lsd", "tukey", "scheffe", "bon", "duncan", or "dunnett" to adjust p-value and confidence limit |
| ref | reference or control level for Dunnett test |
| PLOT | whether to plot or not the diffogram |
| reverse | reverse A - B to B - A |
| ... | arguments to be passed to <code>plot</code> |

Details

It corresponds to PDIFF option of SAS PROC GLM.

Value

Returns a table of expectations, t values and p-values. Output columns may vary according to the adjustment option.

| | |
|------------|---|
| Estimate | point estimate of the input linear contrast |
| Lower CL | lower confidence limit |
| Upper CL | upper confidence limit |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Df | degree of freedom |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
PDIFF(uptake ~ Type*Treatment + as.factor(conc), C02, "as.factor(conc)")
PDIFF(uptake ~ Type*Treatment + as.factor(conc), C02, "as.factor(conc)", adj="tukey")
```

| | |
|---------------|-----------------------------|
| QuartileRange | <i>Inter-Quartile Range</i> |
|---------------|-----------------------------|

Description

Interquartile range (Q3 - Q1) with a conventional formula.

Usage

```
QuartileRange(x, Type=6)
```

Arguments

| | |
|------|---|
| x | a vector of numerics |
| Type | a type specifier to be passed to IQR function |

Details

It removes NA in the input vector.

Value

The value of interquartile range

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-------|--------------|
| Range | <i>Range</i> |
|-------|--------------|

Description

The range, maximum - minimum, as a scalar value.

Usage

```
Range(x)
```

Arguments

| | |
|---|----------------------|
| x | a vector of numerics |
|---|----------------------|

Details

It removes NA in the input vector.

Value

A scalar value of range

Author(s)

Kyun-Seop Bae k@acr.kr

REG

Regression of Linear Least Square, similar to SAS PROC REG

Description

REG is similar to SAS PROC REG.

Usage

REG(Formula, Data, eps=1e-8, summarize=TRUE)

Arguments

| | |
|-----------|---|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| eps | Less than this value is considered as zero. |
| summarize | If this is FALSE, REG returns just lfit result. |

Details

It performs the core function of SAS PROC REG.

Value

The result is comparable to that of SAS PROC REG.

| | |
|------------|---|
| Estimate | point estimate of parameters, coefficients |
| Estimable | estimability: 1=TRUE, 0=FALSE. This appears only when at least one inestimability occurs. |
| Std. Error | standard error of the point estimate |
| t value | value for t distribution |
| Pr(> t) | probability of larger than absolute t value from t distribution with residual's degree of freedom |

If summarize=FALSE, REG returns;

| | |
|--------------|------------------------------------|
| coefficients | beta coefficients |
| g2 | g2 inverse |
| rank | rank of the model matrix |
| DFr | degree of freedom for the residual |
| SSE | sum of square error |

Author(s)

Kyun-Seop Bae k@acr.kr

See Also[lr](#)**Examples**

```
REG(uptake ~ Plant + Type + Treatment + conc, C02)
REG(uptake ~ conc, C02, summarize=FALSE)
```

| | |
|------|---|
| regD | <i>Regression of Conventional Way with Rich Diagnostics</i> |
|------|---|

Description

regD provides rich diagnostics such as student residual, leverage(hat), Cook's D, studentized deleted residual, DFFITS, and DFBETAS.

Usage

```
regD(Formula, Data)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |

Details

It performs the conventional regression analysis. This does not use g2 inverse, therefore it cannot handle singular matrix. If the model(design) matrix is not full rank, use REG or less parameters.

Value

| | |
|--------------|--|
| Coefficients | conventional coefficients summary with Wald statistics |
| Diagnostics | Diagnostics table for detecting outlier or influential/leverage points. This includes fitted (Predicted), residual (Residual), standard error of residual(se_resid), studentized residual(RStudent), hat(Leverage), Cook's D, studentized deleted residual(sdResid), DFFITS, and COVRATIO. |
| DFBETAS | Column names are the names of coefficients. Each row shows how much each coefficient is affected by deleting the corresponding row of observation. |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
regD(uptake ~ conc, C02)
```

| | |
|------|---|
| satt | <i>Satterthwaite Approximation of Pooled Variance and Degree of Freedom</i> |
|------|---|

Description

Calculates pooled variance and degree of freedom using Satterthwaite equation.

Usage

```
satt(vars, dfs, ws=c(1, 1))
```

Arguments

| | |
|------|--------------------------------|
| vars | a vector of variances |
| dfs | a vector of degree of freedoms |
| ws | a vector of weights |

Details

The input can be more than two variances.

Value

| | |
|----------|-------------------|
| Variance | pooled variance |
| Df | degree of freedom |

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|----|---------------------------|
| SD | <i>Standard Deviation</i> |
|----|---------------------------|

Description

Standard deviation of sample.

Usage

```
SD(x)
```

Arguments

| | |
|---|----------------------|
| x | a vector of numerics |
|---|----------------------|

Details

It removes NA in the input vector. The length of the vector should be larger than 1.

Value

Sample standard deviation

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|-----|--|
| SEM | <i>Standard Error of the Sample Mean</i> |
|-----|--|

Description

The estimate of the standard error of the sample mean

Usage

SEM(x)

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

The estimate of the standard error of the sample mean

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|----------|-----------------|
| Skewness | <i>Skewness</i> |
|----------|-----------------|

Description

Skewness with a conventional formula.

Usage

Skewness(x)

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

Estimate of skewness

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|------------|-----------------------------------|
| SkewnessSE | <i>Standard Error of Skewness</i> |
|------------|-----------------------------------|

Description

Standard error of the skewness with a conventional formula.

Usage

SkewnessSE(x)

Arguments

x a vector of numerics

Details

It removes NA in the input vector.

Value

Standard error of the estimated skewness

Author(s)

Kyun-Seop Bae k@acr.kr

SLICE*F Test with Slice*

Description

Do F test with a given slice term.

Usage

```
SLICE(Formula, Data, mTerm, sTerm)
```

Arguments

| | |
|---------|--|
| Formula | a conventional formula for a linear model |
| Data | a <code>data.frame</code> to be analyzed |
| mTerm | a factor name (not interaction) to calculate sum of square and do F test with least square means |
| sTerm | a factor name to be used for slice |

Details

It performs F test with a given slice term. It is similar to the SLICE option SAS PROC GLM.

Value

Returns sum of square and its F value and p-value.

| | |
|---------|--|
| Df | degree of freedom |
| Sum Sq | sum of square for the set of contrasts |
| Mean Sq | mean square |
| F value | F value for the F distribution |
| Pr(>F) | probability of larger than F value |

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
SLICE(uptake ~ Type*Treatment, C02, "Type", "Treatment")
SLICE(uptake ~ Type*Treatment, C02, "Treatment", "Type")
```

| | |
|----|----------------------|
| SS | <i>Sum of Square</i> |
|----|----------------------|

Description

Sum of squares with ANOVA.

Usage

```
SS(x, rx, L, eps=1e-8)
```

Arguments

| | |
|-----|--|
| x | a result of <code>ModelMatrix</code> containing design information |
| rx | a result of <code>lfit</code> |
| L | linear hypothesis, a full matrix matching the information in x |
| eps | Less than this value is considered as zero. |

Details

It calculates sum of squares and completes the ANOVA table.

Value

| | |
|-------------|---|
| ANOVA table | a classical ANOVA table without the residual(Error) part. |
|-------------|---|

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[ModelMatrix](#), [lfit](#)

| | |
|------|--|
| T3MS | <i>Type III Expected Mean Square Formula</i> |
|------|--|

Description

Calculates a formula table for expected mean square of Type III SS.

Usage

```
T3MS(Formula, Data, L0, eps=1e-8)
```

Arguments

| | |
|---------|---|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| L0 | a matrix of row linear contrasts, if missed, e3 is used |
| eps | Less than this value is considered as zero. |

Details

This is necessary for further hypothesis test of nesting factors.

Value

A coefficient matrix for Type III expected mean square

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
T3MS(log(CMAX) ~ SEQ/SUBJ + PRD + TRT, BEdata)
```

| | |
|--------|---|
| T3test | <i>Test Type III SS using error term other than MSE</i> |
|--------|---|

Description

Hypothesis test of Type III SS using an error term other than MSE. This corresponds to SAS PROC GLM's RANDOM /TEST clause.

Usage

```
T3test(Formula, Data, Error="", eps=1e-8)
```

Arguments

| | |
|---------|--|
| Formula | a conventional formula for a linear model |
| Data | a data.frame to be analyzed |
| Error | an error term. Term name should be exactly same one listed the ANOVA output. |
| eps | Less than this value is considered as zero. |

Details

It tests a factor of type III SS using some other term as an error term. Here the error term should not be MSE.

Value

Returns one or more ANOVA table(s) of type III SS.

Author(s)

Kyun-Seop Bae k@acr.kr

Examples

```
T3test(log(CMAX) ~ SEQ/SUBJ + PRD + TRT, BEdata, "SEQ:SUBJ")
```

| | |
|-------------|---------------------|
| trimmedMean | <i>Trimmed Mean</i> |
|-------------|---------------------|

Description

Trimmed mean wrapping mean function .

Usage

```
trimmedMean(x, Trim=0.05)
```

Arguments

| | |
|------|--------------------------------------|
| x | a vector of numerics |
| Trim | trimming proportion. Default is 0.05 |

Details

It removes NA in the input vector.

Value

The value of trimmed mean

Author(s)

Kyun-Seop Bae k@acr.kr

| | |
|------|----------------------|
| tsum | <i>Table Summary</i> |
|------|----------------------|

Description

Summarize a continuous dependent variable with or without independent variables.

Usage

```
tsum(Formula=NULL, Data=NULL, ColNames=NULL, MaxLevel=30, ...)
```


Arguments

| | |
|----------|---|
| Formula | a conventional formula |
| Data | a data.frame or a matrix |
| ColNames | If there is no Formula, this will be used. |
| MaxLevel | More than this will not be handled. |
| ... | arguments to be passed to tsum0, tsum1, tsum2, or tsum3 |

Details

A convenient summarization function for a continuous variable. This is a wrapper function to tsum0, tsum1, tsum2, or tsum3.

Value

A data.frame of descriptive summarization values.

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum0](#), [tsum1](#), [tsum2](#), [tsum3](#)

Examples

```
tsum(lh)
t(tsum(CO2))
t(tsum(uptake ~ Treatment, CO2))
tsum(uptake ~ Type + Treatment, CO2)
print(tsum(uptake ~ conc + Type + Treatment, CO2), digits=3)
```

| | |
|-------|--|
| tsum0 | <i>Table Summary 0 independent(x) variable</i> |
|-------|--|

Description

Summarize a continuous dependent(y) variable without any independent(x) variable.

Usage

```
tsum0(d, y, e=c("Mean", "SD", "N"), repl=list(c("length"), c("n")))
```

Arguments

| | |
|------|---|
| d | a data.frame or matrix with colnames |
| y | y variable name, a continuous variable |
| e | a vector of summarize function names |
| repl | list of strings to replace after summarize. Length of list should be 2, and both should have the same length. |

Details

A convenient summarization function for a continuous variable.

Value

A vector of summarized values

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum](#), [tsum1](#), [tsum2](#), [tsum3](#)

Examples

```
tsum0(CO2, "uptake")
tsum0(CO2, "uptake", repl=list(c("mean", "length"), c("Mean", "n")))
```

| | |
|-------|--|
| tsum1 | <i>Table Summary 1 independent(x) variable</i> |
|-------|--|

Description

Summarize a continuous dependent(y) variable with one independent(x) variable.

Usage

```
tsum1(d, y, u, e=c("Mean", "SD", "N"), ou="", repl=list(c("length"), ("n")))
```

Arguments

- d a data.frame or matrix with colnames
- y y variable name. a continuous variable
- u x variable name, upper side variable
- e a vector of summarize function names
- ou order of levels of upper side x variable
- repl list of strings to replace after summarize. Length of list should be 2, and both should have the same length.

Details

A convenient summarization function for a continuous variable with one x variable.

Value

A data.frame of summarized values. Row names are from e names. Column names are from the levels of x variable.

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum](#), [tsum0](#), [tsum2](#), [tsum3](#)

Examples

```
tsum1(CO2, "uptake", "Treatment")
tsum1(CO2, "uptake", "Treatment",
      e=c("mean", "median", "sd", "min", "max", "length"),
      ou=c("chilled", "nonchilled"),
      repl=list(c("median", "length"), c("med", "n")))
```

| | |
|-------|---|
| tsum2 | <i>Table Summary 2 independent(x) variables</i> |
|-------|---|

Description

Summarize a continuous dependent(y) variable with two independent(x) variables.

Usage

```
tsum2(d, y, l, u, e=c("Mean", "SD", "N"), h=NULL, ol="", ou="", rm.dup=TRUE,
      repl=list(c("length"), c("n")))
```

Arguments

- d a data.frame or matrix with colnames
- y y variable name. a continuous variable
- l x variable name to be shown on the left side
- u x variable name to be shown on the upper side
- e a vector of summarize function names
- h a vector of summarize function names for the horizontal subgroup. If NULL, it becomes same to e argument.
- ol order of levels of left side x variable
- ou order of levels of upper side x variable
- rm.dup if TRUE, duplicated name of levels are specified on the first occurrence only.
- repl list of strings to replace after summarize. Length of list should be 2, and both should have the same length.

Details

A convenient summarization function for a continuous variable with two x variables; one on the left side, the other on the upper side.

Value

A data.frame of summarized values. Column names are from the levels of u. Row names are basically from the levels of l.

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum](#), [tsum0](#), [tsum1](#), [tsum3](#)

Examples

```
tsum2(CO2, "uptake", "Type", "Treatment")
tsum2(CO2, "uptake", "Type", "conc")
tsum2(CO2, "uptake", "Type", "Treatment",
      e=c("mean", "median", "sd", "min", "max", "length"),
      ou=c("chilled", "nonchilled"),
      repl=list(c("median", "length"), c("med", "n")))
```

| | |
|-------|---|
| tsum3 | <i>Table Summary 3 independent(x) variables</i> |
|-------|---|

Description

Summarize a continuous dependent(y) variable with three independent(x) variables.

Usage

```
tsum3(d, y, l, u, e=c("Mean", "SD", "N"), h=NULL, ol1="", ol2="", ou="",
      rm.dup=TRUE, repl=list(c("length"), c("n")))
```

Arguments

- d a data.frame or matrix with colnames
- y y variable name. a continuous variable
- l a vector of two x variable name to be shown on the left side. The length should be 2.
- u x variable name to be shown on the upper side
- e a vector of summarize function names
- h a list of two vectors of summarize function names for the first and second horizontal subgroups. If NULL, it becomes same to e argument.
- ol1 order of levels of 1st left side x variable
- ol2 order of levels of 2nd left side x variable
- ou order of levels of upper side x variable
- rm.dup if TRUE, duplicated name of levels are specified on the first occurrence only.
- repl list of strings to replace after summarize. Length of list should be 2, and both should have the same length.

Details

A convenient summarization function for a continuous variable with three x variables; two on the left side, the other on the upper side.

Value

A data.frame of summarized values. Column names are from the levels of u. Row names are basically from the levels of l.

Author(s)

Kyun-Seop Bae k@acr.kr

See Also

[tsum](#), [tsum0](#), [tsum1](#), [tsum2](#)

Examples

```
tsum3(CO2, "uptake", c("Type", "Treatment"), "conc")
tsum3(CO2, "uptake", c("Type", "Treatment"), "conc",
      e=c("mean", "median", "sd", "min", "max", "length"),
      h=list(c("mean", "sd", "length"), c("mean", "length")),
      ol2=c("chilled", "nonchilled"),
      repl=list(c("median", "length"), c("med", "n")))
```

UCL

Upper Confidence Limit

Description

The estimate of the upper bound of confidence limit using t-distribution

Usage

```
UCL(x, conf.level=0.95)
```

Arguments

| | |
|------------|----------------------|
| x | a vector of numerics |
| conf.level | confidence level |

Details

It removes NA in the input vector.

Value

The estimate of the upper bound of confidence limit using t-distribution

Author(s)

Kyun-Seop Bae k@acr.kr

Index

* Table Summary

tsum, [48](#)
tsum0, [49](#)
tsum1, [50](#)
tsum2, [51](#)
tsum3, [52](#)

* datasets

BEdata, [8](#)

af, [4](#)
ANOVA, [4](#)
aov1, [5](#)
aov2, [6](#)
aov3, [7](#)

BEdata, [8](#)
bk, [8](#)
BY, [9](#)

CIest, [10](#)
Coll, [11](#)
CONTR, [12](#), [14](#)
Cor.test, [13](#)
cSS, [12](#), [14](#)
CV, [15](#)

Diffogram, [15](#)

e1, [16](#)
e2, [17](#)
e3, [17](#)
EMS, [18](#)
est, [19](#), [20](#)
ESTM, [19](#), [20](#)
estmb, [21](#)
ESTMIMATE (ESTM), [20](#)

G2SWEEP, [21](#), [21](#)
geoCV, [23](#)
geoMean, [23](#)
GLM, [24](#)

is.cor, [25](#)

Kurtosis, [25](#)

KurtosisSE, [26](#)

LCL, [26](#)
lfit, [22](#), [27](#), [46](#)
lr, [28](#), [41](#)
lr0, [29](#)
LSM, [30](#)

Max, [31](#)
Mean, [31](#)
Median, [32](#)
Min, [33](#)
ModelMatrix, [22](#), [27](#), [33](#), [46](#)

N, [34](#)

pB, [35](#)
Pcor.test, [36](#)
pD, [37](#)
PDIFF, [37](#)

QuartileRange, [39](#)

Range, [39](#)
REG, [40](#)
regD, [41](#)

sasLM (sasLM-package), [3](#)
sasLM-package, [3](#)
satt, [42](#)
SD, [42](#)
SEM, [43](#)
Skewness, [43](#)
SkewnessSE, [44](#)
SLICE, [45](#)
SS, [46](#)

T3MS, [46](#)
T3test, [47](#)
trimmedMean, [48](#)
tsum, [48](#), [50–53](#)
tsum0, [9](#), [49](#), [49](#), [51–53](#)
tsum1, [9](#), [49](#), [50](#), [50](#), [52](#), [53](#)
tsum2, [9](#), [49–51](#), [51](#), [53](#)
tsum3, [9](#), [49–52](#), [52](#)

UCL, [53](#)