

Package ‘explorer’

October 13, 2022

Title Easy DataOps for R Users

Version 0.2.2

Description Create and view tickets in 'gitea', a self-hosted git service <<https://gitea.io>>, using an 'RStudio' addin, and use helper functions to publish documentation and use git.

License AGPL (>= 3)

Depends R (>= 3.4)

Imports dplyr (>= 0.8.1), gitgear (>= 0.0.2), kableExtra (>= 1.1.0), lubridate (>= 1.7.4), miniUI (>= 0.1.1.1), RColorBrewer (>= 1.1.2), shiny.i18n (>= 0.2.0), shiny (>= 1.3.2), stringr (>= 1.4.0), shinyWidgets (>= 0.2.1), purrr (>= 0.3.4), gert (>= 1.5.0), keyring (>= 1.3.0), methods

Suggests knitr (>= 1.23), git2r (>= 0.30.1), here (>= 1.0.1), tibble (>= 3.1.6), readr (>= 1.3.1), rmarkdown (>= 1.12), rstudioapi (>= 0.10), testthat (>= 3.0.0), tidyr (>= 0.8.3),

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.2.0

URL <https://github.com/ixpantia/explorer>

BugReports <https://github.com/ixpantia/explorer/issues>

Config/testthat/edition 3

NeedsCompilation no

Author ixpantia, SRL [cph],
Frans van Dunne [cre, aut] (<<https://orcid.org/0000-0002-7853-2811>>),
Ronny Hernández Mora [aut] (<<https://orcid.org/0000-0001-6225-7096>>),
Daniel Granados Campos [ctb],
Nayib Vargas Zuñiga [ctb]

Maintainer Frans van Dunne <frans@ixpantia.com>

Repository CRAN

Date/Publication 2022-07-02 10:20:02 UTC

R topics documented:

actualizar_rama	2
add_token	3
add_upstream	3
crear_tiquetes	4
create_tickets	4
current_tickets	5
dashboard	5
delete_credentials	6
eliminar_credenciales	6
fijar_tiempo_credenciales	7
get_instance	8
incluye_upstream	8
ixplorer	9
listar_tiquetes_abiertos	9
listar_tiquetes_cerrados	10
list_closed_tickets	10
list_open_pr	11
list_open_tickets	11
publica_wiki	12
publish_wiki	13
set_authentication	14
set_git_credentials_cache	15
set_git_timeout	15
synch_branch	16
tiquetes_actuales	16
verify_ixplorer_file	17
verify_ixproject	17
verify_ixrepo	18
verify_ixtoken	18
verify_ixurl	19
verify_ixuser	19
Index	20

actualizar_rama

Actualice la rama master desde el upstream

Description

actualiza su rama master con su upstream por medio de git rebase

Usage

```
actualizar_rama()
```

Value

No hay valor de retorno - se llama por su efecto secundario

add_token	<i>Authentication in iexplorer</i>
-----------	------------------------------------

Description

Saves to your computer through the authentication system of your computer's OS.

Usage

```
add_token()
```

Details

Currently needs to be done everytime a new session is started. In case the credentials already exist, just enter the url and confirm if you want to keep the credentials on your computer or want to delete them after the next query.

Value

No return value, called for side effects

add_upstream	<i>Add the upstream to the repository that is active in RStudio.</i>
--------------	--

Description

Add the upstream to the repository that is active in RStudio at the moment

Usage

```
add_upstream(instance = "saved")
```

Arguments

instance iexplorer instance (Eg: "secure", "masterclass", "prueba")

Value

No return value, called for side effects

`crear_tiquetes`*Crear tiquete*

Description

Cree tiquetes (título y cuerpo) desde el add-in de iexplorer sin perder las ideas durante su flujo de trabajo

Usage

```
crear_tiquetes(instancia = "guardada")
```

Arguments

`instancia` instancia de iexplorer (Ejemplo: "secure", "masterclass", "prueba")

Value

No hay valor de retorno - se llama por su efecto secundario

`create_tickets`*Create ticket*

Description

Create tickets (title and body) from the iexplorer addin without losing ideas during your workflow.

Usage

```
create_tickets(instance = "saved")
```

Arguments

`instance` iexplorer instance (Eg: "secure", "masterclass", "prueba")

Value

No return value, called for side effects

current_tickets	<i>Current tickets</i>
-----------------	------------------------

Description

View tickets for a specific user on a computer and get links to your explorer based on the credentials used in the authentication gadget.

Usage

```
current_tickets(instance = "saved")
```

Arguments

instance explorer instance (Eg: "secure", "masterclass", "prueba")

Value

No return value, called for side effects

dashboard	<i>Show explorer dashboard</i>
-----------	--------------------------------

Description

Show explorer dashboard

Usage

```
dashboard()
```

Value

No return value, called for side effects

delete_credentials *Delete your iexplorer credentials*

Description

Delete your iexplorer credentials

Usage

```
delete_credentials(instance = "current")
```

Arguments

instance an instance from iexplorer such as "prueba" or "masterclass"

Details

Delete the credentials saved by add_token() in your computer. This can be useful when you are using the iexplorer package on a shared computer or any other case you don't want to keep the credentials stored

Value

Delete credentials saved by add_token()

Examples

```
## Not run:  
delete_credentials("masterclass")  
  
## End(Not run)
```

eliminar_credenciales *Elimina tus credenciales de iexplorer*

Description

Elimina tus credenciales de iexplorer

Usage

```
eliminar_credenciales(instancia = "actual")
```

Arguments

instancia una instancia de iexplorer como "masterclass" o "prueba"

Details

Borre las credenciales guardadas por `add_token()` en su computadora. Esto puede ser útil cuando está usando el paquete `ixplorer` en una computadora compartida o en cualquier otro caso en el que no desee mantener las credenciales almacenadas.

Value

Elimina las credenciales guardadas por `add_token()`

Examples

```
## Not run:  
delete_credentials("masterclass")  
  
## End(Not run)
```

`fijar_tiempo_credenciales`

Extienda el tiempo de sus credenciales de git

Description

Esta es una función traducida que llama a `set_git_timeout`. Establezca la cantidad de segundos para que se agote el tiempo de espera del caché de credenciales de git. Tenga en cuenta que esto está escrito para trabajar en servidores remotos donde no queremos almacenar nuestras credenciales de git (otros pueden tener acceso o hacerse pasar por nosotros). En una máquina confiable, la configuración más común sería (en una máquina Linux) `git credential.helper store`. Sin embargo, se requiere algo de almacenamiento en caché cuando se trabaja en un servidor remoto porque los ciclos frecuentes de envío y confirmación en los que tiene que escribir su nombre de usuario y contraseña cada vez no son agradables.

De forma predeterminada, esto solo se aplicará al repositorio en el que está trabajando. Si llama a la versión `global`, asegúrese de que esto es lo que desea. También por defecto, el tiempo de espera se establece en 4 horas (14400 segundos).

Usage

```
fijar_tiempo_credenciales(pausa = 14400, global = FALSE)
```

Arguments

<code>pausa</code>	número de segundos antes del tiempo de espera
<code>global</code>	si el cambio debe ser global o local para el repositorio

Value

No hay valor de retorno - se llama por su efecto secundario

get_instance	<i>Get the active instance in the session</i>
--------------	---

Description

By default, functions that get tickets and pull requests use the active instance in the session. This functions gets this active instance.

Usage

```
get_instance()
```

Value

a character of the active issue in the session

incluye_upstream	<i>Title Agregue el upstream al repositorio que está activo en RStudio.</i>
------------------	---

Description

Title Agregue el upstream al repositorio que está activo en RStudio.

Usage

```
incluye_upstream(instancia = "guardada")
```

Arguments

instancia instancia de explorer (Ej: "secure", "masterclass", "prueba")

Details

Esta función es la versión en español de add_upstream(). Permite agregar el upstream al repositorio que está activo en RStudio en este momento

Value

No hay valor de retorno - se llama por su efecto secundario

ixplorer	<i>ixplorer package</i>	<i>ixplorer.es package</i>	<i>ixplorer package</i>
----------	-------------------------	----------------------------	-------------------------

Description

ixplorer for dataops

Details

See the README on

listar_tiquetes_abiertos	<i>Lista de tiquetes abiertos</i>
--------------------------	-----------------------------------

Description

Listado de tiquetes abiertos del repositorio indicado.

Usage

```
listar_tiquetes_abiertos(instancia = "guardada", dias = NULL)
```

Arguments

instancia	instancia de ixplorer (Ejm: "secure", "masterclass", "prueba")
dias	es el tiempo en días que se quiere ver hacia atrás. Por ejemplo si se quiere ver los tiquetes creados en los últimos 7 días, lag = 7. Por defecto muestra todos los tiquetes sin ningún lag.

Value

No hay valor de retorno - se llama por su efecto secundario

listar_tiquetes_cerrados

Lista de tiquetes cerrados

Description

Listado de tiquetes cerrados del repositorio indicado.

Usage

```
listar_tiquetes_cerrados(instancia = "guardada", dias = NULL)
```

Arguments

instancia	instancia de iexplorer (Ejm: "secure", "masterclass", "prueba")
dias	es el tiempo en días que se quiere ver hacia atrás. Por ejemplo si se quiere ver los tiquetes cerrados en los últimos 7 días, lag = 7. Por defecto muestra todos los tiquetes sin ningún lag.

Value

No hay valor de retorno - se llama por su efecto secundario

list_closed_tickets *List closed tickets*

Description

List of closed tickets from the indicated repository.

Usage

```
list_closed_tickets(instance = "saved", lag = NULL)
```

Arguments

instance	instance from iexplorer (Ejm: "secure", "masterclass", "prueba") iexplorer
lag	is the time in days that you want to look back. For example if you want to see the issues closed in the last 7 days, lag = 7. By default it shows all the issues without any lag..

Value

No return value, called for side effects

list_open_pr	<i>List open pull requests</i>
--------------	--------------------------------

Description

Lists your open pull requests in iexplorer

Usage

```
list_open_pr(instance = "all", assignee = "team")
```

Arguments

instance	an instance from iexplorer such as "masterclass" or "prueba". Default value "all" lists the pull requests of all your saved instances. Value "saved" lists pull requests from your current instance
assignee	name of a person from your team. Default "team" lists all the pull requests in the instance with all assignees. When the value is "me" it filters the pull requests list for assigned to you according to your username provided in add_token()

Value

tibble of list instances

Examples

```
## Not run:  
list_open_pr(instance = "prueba",  
             assignee = "daniel")  
  
## End(Not run)
```

list_open_tickets	<i>List open tickets</i>
-------------------	--------------------------

Description

List of open tickets in the repository

Usage

```
list_open_tickets(instance = "saved", lag = NULL)
```

Arguments

instance	instance from explorer (E.g. "secure", "masterclass", "prueba")
lag	is the time in days that you want to look back. For example if you want to see the tickets closed in the last 7 days, lag = 7. By default it shows all the tickets without any lag..

Value

No return value, called for side effects

publica_wiki	<i>Publica en el wiki repo</i>
--------------	--------------------------------

Description

Publique un rmarkdown específico en el repositorio wiki, especificando la ruta del repositorio wiki una vez que ya haya clonado este repositorio en su máquina. Consulte Detalles si es la primera vez que publica en un repositorio wiki.

Usage

```
publica_wiki(
  rmarkdown = rmarkdown,
  ruta_repo_wiki = path_wiki_repo,
  auto_actualizar = TRUE,
  silenciar_bitacora = FALSE
)
```

Arguments

rmarkdown	la ruta al archivo rmarkdown
ruta_repo_wiki	la ruta completa al repositorio wiki.
auto_actualizar	Si desea hacer automáticamente el pull, commit y push establecido en TRUE, si desea hacerlo manualmente, establezca FALSE. El valor predeterminado es TRUE.
silenciar_bitacora	Si desea ver la bitacora de renderización establezca TRUE, de lo contrario establezca FALSE. El valor default es TRUE

Details

Publica un rmarkdown en un wiki repo

Si es la primera vez que va a publicar en una wiki, se deben seguir estos pasos:

- 1.El repositorio wiki debe clonarse en una carpeta de trabajo local. Para hacer esto, primero vaya a la pestaña wiki de su repositorio y deberá crear manualmente la primera página wiki. Si no lo hace, le dirá que el repositorio no existe.

1. Una vez que haya creado la página de inicio de la wiki, deberá clonar el repositorio de la wiki como lo haría con cualquier otro repositorio en su computadora (usando el enlace que está disponible para usted una vez que haya creado la página de inicio de la wiki).
2. Una vez que haya clonado la wiki en su computadora, lo que debe indicar en la función `publica_wiki` es la `path_wiki_repo`. Esta es la dirección completa en su computadora donde se encuentra este repositorio que clonó. Por ejemplo: `/home/client/project/wiki_repo`

Value

Publica un md en un repositorio wiki.

Examples

```
## Not run:
publish_wiki(rmarkdown = "eda.Rmd",
            path_wiki_repo = "/home/cliente/proyecto/wiki_repo")

## End(Not run)
```

publish_wiki	<i>Publish into wiki repo</i>
--------------	-------------------------------

Description

Publish an specific rmarkdown into wiki repository, specifying the path of the wiki repository once that you already clone this repository into your machine. See Details if is your first time publishing in a wiki repository.

Usage

```
publish_wiki(
  rmarkdown,
  path_wiki_repo,
  automatic_update = FALSE,
  quiet_render_logs = FALSE
)
```

Arguments

`rmarkdown` the path of rmarkdown file

`path_wiki_repo` the complete path of wiki repository.

`automatic_update`
if you like to do automatically the pull, commit and push set in TRUE, if you like to do manually, set FALSE. Default is TRUE.

`quiet_render_logs`
if you like to see the render logs of rmarkdown, set in TRUE, in otherwise set FALSE. Default is TRUE.

Details

Publish an rmarkdown into wiki repo

If this is the first time you are going to publish in a wiki, you must follow these steps:

1. The wiki repository must be cloned to a local working folder. To do this first go to the wiki tab of your repository and you will need to manually create the first wiki page. If you don't do this it will tell you that the repository does not exist.
2. Once you have created the wiki home page, you will need to clone the wiki repository just like you would any other repository on your computer (using the link that is made available to you once you create the wiki home page).
3. Once you have cloned the wiki on your computer, what you should indicate in the publica_wiki function is the path_wiki_repo. This is the full address on your computer where this repository you cloned is located. For example: /home/client/project/wiki_repo

Value

Publish a md into wiki repository

Examples

```
## Not run:
publish_wiki(rmarkdown = "eda.Rmd",
            path_wiki_repo = "/home/cliente/proyecto/wiki_repo")

## End(Not run)
```

set_authentication *Set authentication*

Description

Set the authentication into explorer

Usage

```
set_authentication(access_data)
```

Arguments

access_data Data needed to get into explorer

Value

No return value, called for side effects

set_git_credentials_cache
Set git credential cache time

Description

Set the amount of time that the git credentials will be available on the system you are working on.

Usage

```
set_git_credentials_cache(hours = 4, global = TRUE)
```

Arguments

hours	the amount of hours that the credentials should be stored. Defaults to 4 hours.
global	if TRUE then the setting will be set as a global setting. If FALSE it will only be for the current git repository

Details

As we move between servers to work we oftentimes do not want to store our git passwords there. For instance when we are working on servers of third parties. The extreme is to include the username and password for every single git call. But with git we can have a middle way where we store the credentials in cache for a limited amount of time.

Value

No return value, called for side effects

set_git_timeout *Extend git credential cache time-out*

Description

Set the number of seconds before the git credential cache times out. Note that this is written for work on remote servers where we do not want to store our git credentials because other might have access to it, or impersonate us. On a trusted machine the most common setting would be (on a linux machine) git credential.helper store. However, some caching is required when working on a remote server because frequent commit-push cycles where you have to write out your username and password every time is not nice.

By default this will only apply to the repo you are working in. If you call the global version take care that this is what you want. Also by default the timeout is set to 4 hours (14400 seconds).

Usage

```
set_git_timeout(timeout = 14400, global = FALSE)
```

Arguments

timeout	number of seconds before timeout
global	whether the change should be global or local to the repo

Value

No return value, called for side effects

synch_branch	<i>Synch your master branch with upstream</i>
--------------	---

Description

Runs steps to synch your master branch to upstream automatically

Usage

```
synch_branch(default_branch_name = "master")
```

Arguments

default_branch_name	defines a default branch name to be able to synchronize it
---------------------	--

Value

No return value, called for side effects

tiquetes_actuales	<i>Tiquetes actuales</i>
-------------------	--------------------------

Description

Vea tiquetes para un usuario específico en una computadora y obtenga enlaces a su iexplorer según las credenciales utilizadas en el gadget de autenticación.

Usage

```
tiquetes_actuales(instancia = "guardada")
```

Arguments

instancia	instancia de iexplorer (Ej: "secure", "masterclass", "prueba")
-----------	--

Value

No hay valor de retorno - se llama por su efecto secundario

verify_explorer_file *Verificar autentificacion del explorer.*

Description

Verifique si hay un archivo .explorer en el directorio de trabajo y configure las variables.

Usage

```
verify_explorer_file()
```

Value

No return value, called for side effects

verify_ixproject *Verifies explorer project*

Description

Verifies if the project's name exists in the repository.

Usage

```
verify_ixproject(gitear_access)
```

Arguments

gitear_access parameters to access into an explorer instance

Value

No return value, called for side effects

verify_ixrepo	<i>Verifies explorer repo</i>
---------------	-------------------------------

Description

Verifies if explorer repository's name exists.

Usage

```
verify_ixrepo(gitear_access)
```

Arguments

gitear_access parameters to access into an explorer instance

Value

No return value, called for side effects

verify_ixtoken	<i>Verifies explorer user</i>
----------------	-------------------------------

Description

Verifies token exists for a repository.

Usage

```
verify_ixtoken(gitear_access)
```

Arguments

gitear_access parameters to access into an explorer instance

Value

No return value, called for side effects

verify_ixurl	<i>Verifies explorer url</i>
--------------	------------------------------

Description

Verifies if the url exists in the repository

Usage

```
verify_ixurl(gitear_access)
```

Arguments

gitear_access parameters to access into an explorer instance

verify_ixuser	<i>Verifies explorer user</i>
---------------	-------------------------------

Description

Verifies if user name exists.

Usage

```
verify_ixuser(gitear_access)
```

Arguments

gitear_access parameters to access into an explorer instance

Value

No return value, called for side effects

Index

actualizar_rama, 2
add_token, 3
add_upstream, 3

crear_tiquetes, 4
create_tickets, 4
current_tickets, 5

dashboard, 5
delete_credentials, 6

eliminar_credenciales, 6

fijar_tiempo_credenciales, 7

get_instance, 8

incluye_upstream, 8
ixplorer, 9

list_closed_tickets, 10
list_open_pr, 11
list_open_tickets, 11
listar_tiquetes_abiertos, 9
listar_tiquetes_cerrados, 10

publica_wiki, 12
publish_wiki, 13

set_authentication, 14
set_git_credentials_cache, 15
set_git_timeout, 15
synch_branch, 16

tiquetes_actuales, 16

verify_ixplorer_file, 17
verify_ixproject, 17
verify_ixrepo, 18
verify_ixtoken, 18
verify_ixurl, 19
verify_ixuser, 19