

Package ‘mlr3pipelines’

November 7, 2025

Title Preprocessing Operators and Pipelines for 'mlr3'

Version 0.10.0

Description Dataflow programming toolkit that enriches 'mlr3' with a diverse set of pipelining operators ('PipeOps') that can be composed into graphs. Operations exist for data preprocessing, model fitting, and ensemble learning. Graphs can themselves be treated as 'mlr3' 'Learners' and can therefore be resampled, benchmarked, and tuned.

License LGPL-3

URL <https://mlr3pipelines.mlr-org.com>,
<https://github.com/mlr-org/mlr3pipelines>

BugReports <https://github.com/mlr-org/mlr3pipelines/issues>

Depends R (>= 4.1.0)

Imports backports, checkmate, cli, data.table, digest, lgr, mlr3 (>= 0.20.0), mlr3misc (>= 0.17.0), paradox (>= 1.0.0), R6

Suggests ggplot2, glmnet, igraph, knitr, lme4, mlbench, bbotk (>= 0.3.0), mlr3filters (>= 0.8.1), mlr3learners, mlr3measures, nloptr, quanteda, rmarkdown, rpart, stopwords, testthat, visNetwork, bestNormalize, fastICA, kernlab, smotefamily, evaluate, NMF, MASS, GenSA, methods, vtreat, future, htmlwidgets, ranger, themis, dimRed, RSpectra, RANN

ByteCompile true

Encoding UTF-8

Config/testthat/edition 3

Config/testthat/parallel true

NeedsCompilation no

RoxygenNote 7.3.3

VignetteBuilder knitr, rmarkdown

Collate 'CnfAtom.R' 'CnfClause.R' 'CnfFormula.R'
'CnfFormula_simplify.R' 'CnfSymbol.R' 'CnfUniverse.R'
'FilterEnsemble.R' 'Graph.R' 'GraphLearner.R' 'mlr_pipeops.R'

'multiplicity.R' 'utils.R' 'PipeOp.R' 'PipeOpEnsemble.R'
 'LearnerAvg.R' 'NO_OPR' 'PipeOpTaskPreproc.R' 'PipeOpADAS.R'
 'PipeOpBLSmote.R' 'PipeOpBoxCox.R' 'PipeOpBranch.R'
 'PipeOpChunk.R' 'PipeOpClassBalancing.R' 'PipeOpClassWeights.R'
 'PipeOpClassifAvg.R' 'PipeOpColApply.R' 'PipeOpColRoles.R'
 'PipeOpCollapseFactors.R' 'PipeOpCopy.R' 'PipeOpDateFeatures.R'
 'PipeOpDecode.R' 'PipeOpEncode.R' 'PipeOpEncodeImpact.R'
 'PipeOpEncodeLmer.R' 'PipeOpEncodePL.R' 'PipeOpFeatureUnion.R'
 'PipeOpFilter.R' 'PipeOpFixFactors.R' 'PipeOpHistBin.R'
 'PipeOpICA.R' 'PipeOpImpute.R' 'PipeOpImputeConstant.R'
 'PipeOpImputeHist.R' 'PipeOpImputeLearner.R'
 'PipeOpImputeMean.R' 'PipeOpImputeMedian.R'
 'PipeOpImputeMode.R' 'PipeOpImputeOOR.R' 'PipeOpImputeSample.R'
 'PipeOpInfo.R' 'PipeOpIsomap.R' 'PipeOpKernelPCA.R'
 'PipeOpLearner.R' 'PipeOpLearnerCV.R' 'PipeOpLearnerPICVPlus.R'
 'PipeOpLearnerQuantiles.R' 'PipeOpMissingIndicators.R'
 'PipeOpModelMatrix.R' 'PipeOpMultiplicity.R' 'PipeOpMutate.R'
 'PipeOpNMF.R' 'PipeOpNOP.R' 'PipeOpNearmiss.R' 'PipeOpOVR.R'
 'PipeOpPCA.R' 'PipeOpProxy.R' 'PipeOpQuantileBin.R'
 'PipeOpRandomProjection.R' 'PipeOpRandomResponse.R'
 'PipeOpRegrAvg.R' 'PipeOpRemoveConstants.R'
 'PipeOpRenameColumns.R' 'PipeOpRowApply.R' 'PipeOpScale.R'
 'PipeOpScaleMaxAbs.R' 'PipeOpScaleRange.R' 'PipeOpSelect.R'
 'PipeOpSmote.R' 'PipeOpSmoteNC.R' 'PipeOpSpatialSign.R'
 'PipeOpSubsample.R' 'PipeOpTextVectorizer.R'
 'PipeOpThreshold.R' 'PipeOpTomek.R' 'PipeOpTrafo.R'
 'PipeOpTuneThreshold.R' 'PipeOpUnbranch.R' 'PipeOpVtreat.R'
 'PipeOpYeoJohnson.R' 'Selector.R' 'TaskRegr_boston_housing.R'
 'assert_graph.R' 'bibentries.R' 'grePLICATE.R' 'gunion.R'
 'mlr_graphs.R' 'operators.R' 'pipeline_bagging.R'
 'pipeline_branch.R' 'pipeline_convert_types.R'
 'pipeline_greplicate.R' 'pipeline_ovr.R' 'pipeline_robustify.R'
 'pipeline_stacking.R' 'pipeline_targettrafo.R' 'po.R' 'ppl.R'
 'preproc.R' 'reexports.R' 'typecheck.R' 'zzz.R'

Author Martin Binder [aut, cre],

Florian Pfisterer [aut] (ORCID:

<https://orcid.org/0000-0001-8867-762X>),

Lennart Schneider [aut] (ORCID:

<https://orcid.org/0000-0003-4152-5308>),

Bernd Bischl [aut] (ORCID: <https://orcid.org/0000-0001-6002-6980>),

Michel Lang [aut] (ORCID: <https://orcid.org/0000-0001-9754-0393>),

Sebastian Fischer [aut] (ORCID:

<https://orcid.org/0000-0002-9609-3197>),

Susanne Dandl [aut],

Keno Mersmann [ctb],

Maximilian Mücke [ctb] (ORCID: <https://orcid.org/0009-0000-9432-9795>),

Lona Koers [ctb],

Alexander Winterstetter [ctb]

Maintainer Martin Binder <mlr.developer@mb706.com>

Repository CRAN

Date/Publication 2025-11-07 06:10:08 UTC

Contents

mlr3pipelines-package	5
add_class_hierarchy_cache	6
as.Multiplicity	7
assert_graph	7
assert_pipeop	8
as_graph	8
as_pipeop	9
chain_graphs	10
filter_noop	11
Graph	11
grePLICATE	15
gunion	16
is.Multiplicity	17
is_noop	17
mlr_filters_ensemble	18
mlr_graphs	19
mlr_graphs_bagging	20
mlr_graphs_branch	22
mlr_graphs_convert_types	23
mlr_graphs_grePLICATE	24
mlr_graphs_ovr	25
mlr_graphs_robustify	26
mlr_graphs_stacking	28
mlr_graphs_targettrafo	30
mlr_learners_avg	31
mlr_learners_graph	32
mlr_pipeops	37
mlr_pipeops_adas	39
mlr_pipeops_blsmote	41
mlr_pipeops_boxcox	43
mlr_pipeops_branch	45
mlr_pipeops_chunk	48
mlr_pipeops_classbalancing	49
mlr_pipeops_classifavg	52
mlr_pipeops_classweights	55
mlr_pipeops_colapply	57
mlr_pipeops_collapsefactors	60
mlr_pipeops_colroles	62
mlr_pipeops_copy	64
mlr_pipeops_datefeatures	67
mlr_pipeops_decode	69

mlr_pipeops_encode	73
mlr_pipeops_encodeimpact	76
mlr_pipeops_encodeimer	78
mlr_pipeops_encodeplquantiles	80
mlr_pipeops_encodepltree	83
mlr_pipeops_featureunion	85
mlr_pipeops_filter	88
mlr_pipeops_fixfactors	91
mlr_pipeops_histbin	93
mlr_pipeops_ica	95
mlr_pipeops_imputeconstant	98
mlr_pipeops_imputehist	100
mlr_pipeops_imputelearner	102
mlr_pipeops_imputemean	105
mlr_pipeops_imputemedian	106
mlr_pipeops_imputemode	108
mlr_pipeops_imputeoor	110
mlr_pipeops_imputesample	113
mlr_pipeops_info	115
mlr_pipeops_isomap	117
mlr_pipeops_kernelpca	119
mlr_pipeops_learner	121
mlr_pipeops_learner_cv	124
mlr_pipeops_learner_pi_cvplus	127
mlr_pipeops_learner_quantiles	130
mlr_pipeops_missind	133
mlr_pipeops_modelmatrix	135
mlr_pipeops_multiplicityexply	137
mlr_pipeops_multiplicityimply	139
mlr_pipeops_mutate	141
mlr_pipeops_nearmiss	143
mlr_pipeops_nmf	145
mlr_pipeops_nop	148
mlr_pipeops_ovrsplit	150
mlr_pipeops_ovrunite	152
mlr_pipeops_pca	154
mlr_pipeops_proxy	156
mlr_pipeops_quantilebin	158
mlr_pipeops_randomprojection	160
mlr_pipeops_randomresponse	162
mlr_pipeops_regravg	164
mlr_pipeops_removeconstants	168
mlr_pipeops_renamecolumns	170
mlr_pipeops_replicate	172
mlr_pipeops_rowapply	174
mlr_pipeops_scale	175
mlr_pipeops_scalexmaxabs	178
mlr_pipeops_scalerange	179

mlr_pipeops_select	181
mlr_pipeops_smote	183
mlr_pipeops_smotenc	186
mlr_pipeops_spatialsign	188
mlr_pipeops_subsample	190
mlr_pipeops_targetinvert	192
mlr_pipeops_targetmutate	194
mlr_pipeops_targettrafoscalerange	197
mlr_pipeops_textvectorizer	199
mlr_pipeops_threshold	203
mlr_pipeops_tomek	205
mlr_pipeops_tunethreshold	207
mlr_pipeops_unbranch	209
mlr_pipeops_updatetarget	211
mlr_pipeops_vtreat	213
mlr_pipeops_yeojohnson	217
mlr_tasks_boston_housing	219
Multiplicity	219
NO_OP	220
PipeOp	221
PipeOpEncodePL	227
PipeOpEnsemble	230
PipeOpImpute	232
PipeOpTargetTrafo	236
PipeOpTaskPreproc	239
PipeOpTaskPreprocSimple	243
po	247
ppl	248
preproc	249
register_autoconvert_function	251
reset_autoconvert_register	252
reset_class_hierarchy_cache	252
Selector	253
set_validate.GraphLearner	256
%>>%	257
Index	260

mlr3pipelines-package *mlr3pipelines: Preprocessing Operators and Pipelines for 'mlr3'*

Description

Dataflow programming toolkit that enriches 'mlr3' with a diverse set of pipelining operators ('PipeOps') that can be composed into graphs. Operations exist for data preprocessing, model fitting, and ensemble learning. Graphs can themselves be treated as 'mlr3' 'Learners' and can therefore be resampled, benchmarked, and tuned.

Author(s)

Maintainer: Martin Binder <mlr.developer@mb706.com>

Authors:

- Florian Pfisterer <pfistererf@googlemail.com> ([ORCID](#))
- Lennart Schneider <lennart.sch@web.de> ([ORCID](#))
- Bernd Bischl <bernd_bischl@gmx.net> ([ORCID](#))
- Michel Lang <michellang@gmail.com> ([ORCID](#))
- Sebastian Fischer <sebf.fischer@gmail.com> ([ORCID](#))
- Susanne Dandl <dandl.susanne@googlemail.com>

Other contributors:

- Keno Mersmann <keno.mersmann@gmail.com> [contributor]
- Maximilian Mücke <muecke.maximilian@gmail.com> ([ORCID](#)) [contributor]
- Lona Koers <lona.koers@gmail.com> [contributor]

See Also

Useful links:

- <https://mlr3pipelines.mlr-org.com>
- <https://github.com/mlr-org/mlr3pipelines>
- Report bugs at <https://github.com/mlr-org/mlr3pipelines/issues>

add_class_hierarchy_cache

Add a Class Hierarchy to the Cache

Description

Add a class hierarchy to the class hierarchy cache. This is necessary whenever an S3 class's class hierarchy is important when inferring compatibility between types.

Usage

```
add_class_hierarchy_cache(hierarchy)
```

Arguments

hierarchy	character the class hierarchy to add; should correspond to the class() of the lowest object in the hierarchy.
-----------	---

Value

NULL

See Also

Other class hierarchy operations: [register_autoconvert_function\(\)](#), [reset_autoconvert_register\(\)](#), [reset_class_hierarchy_cache\(\)](#)

Examples

```
# This lets mlr3pipelines handle "data.table" as "data.frame".
# This is an example and not necessary, because mlr3pipelines adds it by default.

add_class_hierarchy_cache(c("data.table", "data.frame"))
```

as.Multiplicity	<i>Convert an object to a Multiplicity</i>
-----------------	--

Description

Convert an object to a [Multiplicity](#).

Usage

```
as.Multiplicity(x)
```

Arguments

x	(any) Object to convert.
---	-----------------------------

Value

[Multiplicity](#)

assert_graph	<i>Assertion for mlr3pipelines Graph</i>
--------------	--

Description

Function that checks that a given object is a Graph and throws an error if not.

Usage

```
assert_graph(x)
```

Arguments

x	(any) Object to check.
---	---------------------------

Value

[Graph](#) invisible(x)

See Also

Other Graph operators: [%>>%\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [greplicate\(\)](#), [gunion\(\)](#), [mlr_graphs_greplicate](#)

assert_pipeop	<i>Assertion for mlr3pipelines PipeOp</i>
---------------	---

Description

Function that checks that a given object is a PipeOp and throws an error if not.

Usage

assert_pipeop(x)

Arguments

x	(any) Object to check.
---	---------------------------

Value

[PipeOp](#) invisible(x)

See Also

Other Graph operators: [%>>%\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [chain_graphs\(\)](#), [greplicate\(\)](#), [gunion\(\)](#), [mlr_graphs_greplicate](#)

as_graph	<i>Conversion to mlr3pipelines Graph</i>
----------	--

Description

The argument is turned into a [Graph](#) if possible. If `clone` is `TRUE`, a deep copy is made if the incoming object is a [Graph](#) to ensure the resulting object is a different reference from the incoming object.

[as_graph\(\)](#) is an S3 method and can therefore be implemented by other packages that may add objects that can naturally be converted to [Graphs](#).

By default, [as_graph\(\)](#) tries to

- apply [gunion\(\)](#) to `x` if it is a list, which recursively applies [as_graph\(\)](#) to all list elements first
- create a [Graph](#) with only one element if `x` is a [PipeOp](#) or can be converted to one using [as_pipeop\(\)](#).

Usage

```
as_graph(x, clone = FALSE)
```

Arguments

<code>x</code>	(any) Object to convert.
<code>clone</code>	(logical(1)) Whether to return a (deep copied) clone if <code>x</code> is a Graph .

Value

[Graph](#) `x` or a deep clone of it.

See Also

Other Graph operators: [%>%\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [grepligate\(\)](#), [gunion\(\)](#), [mlr_graphs_grepligate](#)

as_pipeop

Conversion to mlr3pipelines PipeOp

Description

The argument is turned into a [PipeOp](#) if possible. If `clone` is `TRUE`, a deep copy is made if the incoming object is a [PipeOp](#) to ensure the resulting object is a different reference from the incoming object.

[as_pipeop\(\)](#) is an S3 method and can therefore be implemented by other packages that may add objects that can naturally be converted to [PipeOps](#). Objects that can be converted are for example [Learner](#) (using [PipeOpLearner](#)) or [Filter](#) (using [PipeOpFilter](#)).

Usage

```
as_pipeop(x, clone = FALSE)
```

Arguments

x	(any) Object to convert.
clone	(logical(1)) Whether to return a (deep copied) clone if x is a PipeOp.

Value

[PipeOp](#) x or a deep clone of it.

See Also

Other Graph operators: [%>>%\(\)](#), [as_graph\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [grepligate\(\)](#), [gunion\(\)](#), [mlr_graphs_grepligate](#)

chain_graphs	<i>Chain a Series of Graphs</i>
--------------	---------------------------------

Description

Takes an arbitrary amount of [Graphs](#) or [PipeOps](#) (or objects that can be automatically converted into [Graphs](#) or [PipeOps](#), see [as_graph\(\)](#) and [as_pipeop\(\)](#)) as inputs and joins them in a serial [Graph](#), as if connecting them using [%>>%](#).

Care is taken to avoid unnecessarily cloning of components. A call of `chain_graphs(list(g1, g2, g3, g4, ...), in_place = FALSE)` is equivalent to `g1 %>>% g2 %>> !% g3 %>> !% g4 %>> !% ...`. A call of `chain_graphs(list(g1, g2, g3, g4, ...), in_place = TRUE)` is equivalent to `g1 %>> !% g2 %>> !% g3 %>> !% g4 %>> !% ...` (differing in the first operator being `%>> !%` as well).

Usage

```
chain_graphs(graphs, in_place = FALSE)
```

Arguments

graphs	list of (Graph PipeOp NULL ...) List of elements which are the Graphs to be joined. Elements must be convertible to Graph or PipeOp using as_graph() and as_pipeop() . NULL is the neutral element of %>>% and skipped.
in_place	(logical(1)) Whether to try to avoid cloning the first element of graphs, similar to the difference of %>> !% over %>>% . This can only be avoided if <code>graphs[[1]]</code> is already a Graph . Beware that, if <code>chain_graphs()</code> fails because of id collisions, then <code>graphs[[1]]</code> will possibly be in an incompletely modified state when <code>in_place</code> is TRUE.

Value

[Graph](#) the resulting [Graph](#), or NULL if there are no non-null values in graphs.

See Also

Other Graph operators: [%>>%\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [greplicate\(\)](#), [gunion\(\)](#), [mlr_graphs_greplicate](#)

filter_noop

*Remove NO_OPs from a List***Description**

Remove all [NO_OP](#) elements from a list.

Usage

```
filter_noop(x)
```

Arguments

x	list
	List to filter.

Value

list: The input list, with all [NO_OP](#) elements removed.

See Also

Other Path Branching: [NO_OP](#), [is_noop\(\)](#), [mlr_pipeops_branch](#), [mlr_pipeops_unbranch](#)

Graph

*Graph Base Class***Description**

A Graph is a representation of a machine learning pipeline graph. It can be *trained*, and subsequently used for *prediction*.

A Graph is most useful when used together with [Learner](#) objects encapsulated as [PipeOpLearner](#). In this case, the Graph produces [Prediction](#) data during its `$predict()` phase and can be used as a [Learner](#) itself (using the [GraphLearner](#) wrapper). However, the Graph can also be used without [Learner](#) objects to simply perform preprocessing of data, and, in principle, does not even need to handle data at all but can be used for general processes with dependency structure (although the [PipeOps](#) for this would need to be written).

Format

`R6Class`.

Construction

`Graph$new()`

Internals

A Graph is made up of a list of `PipeOps`, and a `data.table` of edges. Both for training and prediction, the Graph performs topological sorting of the `PipeOps` and executes their respective `$train()` or `$predict()` functions in order, moving the `PipeOp` results along the edges as input to other `PipeOps`.

Fields

- `pipeops` :: named list of `PipeOp`
Contains all `PipeOps` in the Graph, named by the `PipeOp`'s `$ids`.
- `edges` :: `data.table` with columns `src_id` (character), `src_channel` (character), `dst_id` (character), `dst_channel` (character)
Table of connections between the `PipeOps`. A `data.table`. `src_id` and `dst_id` are `$ids` of `PipeOps` that must be present in the `$pipeops` list. `src_channel` and `dst_channel` must respectively be `$output` and `$input` channel names of the respective `PipeOps`.
- `is_trained` :: `logical(1)`
Is the Graph, i.e. are all of its `PipeOps`, trained, and can the Graph be used for prediction?
- `lhs` :: character
Ids of the 'left-hand-side' `PipeOps` that have some unconnected input channels and therefore act as Graph input layer.
- `rhs` :: character
Ids of the 'right-hand-side' `PipeOps` that have some unconnected output channels and therefore act as Graph output layer.
- `input` :: `data.table` with columns `name` (character), `train` (character), `predict` (character), `op.id` (character), `channel.name` (character)
Input channels of the Graph. For each channel lists the name, input type during training, input type during prediction, `PipeOp` `$id` of the `PipeOp` the channel pertains to, and channel name as the `PipeOp` knows it.
- `output` :: `data.table` with columns `name` (character), `train` (character), `predict` (character), `op.id` (character), `channel.name` (character)
Output channels of the Graph. For each channel lists the name, output type during training, output type during prediction, `PipeOp` `$id` of the `PipeOp` the channel pertains to, and channel name as the `PipeOp` knows it.
- `packages` :: character
Set of all required packages for the various methods in the Graph, a set union of all required packages of all contained `PipeOp` objects.
- `state` :: named list
Get / Set the `$state` of each of the members of `PipeOp`.

- `param_set :: ParamSet`
Parameters and parameter constraints. Parameter values are in `$param_set$values`. These are the union of `$param_sets` of all `PipeOps` in the Graph. Parameter names as seen by the Graph have the naming scheme `<PipeOp$id>.<PipeOp original parameter name>`. Changing `$param_set$values` also propagates the changes directly to the contained `PipeOps` and is an alternative to changing a `PipeOps` `$param_set$values` directly.
- `hash :: character(1)`
Stores a checksum calculated on the Graph configuration, which includes all `PipeOp` hashes (and therefore their `$param_set$values`) and a hash of `$edges`.
- `phash :: character(1)`
Stores a checksum calculated on the Graph configuration, which includes all `PipeOp` hashes *except* their `$param_set$values`, and a hash of `$edges`.
- `keep_results :: logical(1)`
Whether to store intermediate results in the `PipeOp`'s `$.result` slot, mostly for debugging purposes. Default FALSE.
- `man :: character(1)`
Identifying string of the help page that shows with `help()`.

Methods

- `ids(sorted = FALSE)`
(`logical(1)`) -> `character`
Get IDs of all `PipeOps`. This is in order that `PipeOps` were added if `sorted` is FALSE, and topologically sorted if `sorted` is TRUE.
- `add_pipeop(op, clone = TRUE)`
(`PipeOp | Learner | Filter | ...`, `logical(1)`) -> `self`
Mutates Graph by adding a `PipeOp` to the Graph. This does not add any edges, so the new `PipeOp` will not be connected within the Graph at first.
Instead of supplying a `PipeOp` directly, an object that can naturally be converted to a `PipeOp` can also be supplied, e.g. a `Learner` or a `Filter`; see `as_pipeop()`. The argument given as `op` is cloned if `clone` is TRUE (default); to access a Graph's `PipeOps` by-reference, use `$pipeops`. Note that `$add_pipeop()` is a relatively low-level operation, it is recommended to build graphs using `%>%`.
- `add_edge(src_id, dst_id, src_channel = NULL, dst_channel = NULL)`
(`character(1)`, `character(1)`, `character(1) | numeric(1) | NULL`, `character(1) | numeric(1) | NULL`) -> `self`
Add an edge from `PipeOp` `src_id`, and its channel `src_channel` (identified by its name or number as listed in the `PipeOp`'s `$output`), to `PipeOp` `dst_id`'s channel `dst_channel` (identified by its name or number as listed in the `PipeOp`'s `$input`). If source or destination `PipeOp` have only one input / output channel and `src_channel` / `dst_channel` are therefore unambiguous, they can be omitted (i.e. left as NULL).
- `chain(g, clone = TRUE)`
(`list of Graphs`, `logical(1)`) -> `self`
Takes a list of Graphs or `PipeOps` (or objects that can be automatically converted into Graphs or `PipeOps`, see `as_graph()` and `as_pipeop()`) as inputs and joins them in a serial Graph coming after `self`, as if connecting them using `%>%`.

- `plot(html = FALSE, horizontal = FALSE)`
`(logical(1), logical(1)) -> NULL`
 Plot the Graph, using either the **igraph** package (for `html = FALSE`, default) or the `visNetwork` package for `html = TRUE` producing a `htmlWidget`. The `htmlWidget` can be rescaled using `visOptions`. For `html = FALSE`, the orientation of the plotted graph can be controlled through `horizontal`.
- `print(dot = FALSE, dotname = "dot", fontsize = 24L)`
`(logical(1), character(1), integer(1)) -> NULL`
 Print a representation of the Graph on the console. If `dot` is `FALSE`, output is a table with one row for each contained `PipeOp` and columns ID (`$id` of `PipeOp`), State (short representation of `$state` of `PipeOp`), `scissors` (`PipeOps` that take their input directly from the `PipeOp` on this line), and `prdcissors` (the `PipeOps` that produce the data that is read as input by the `PipeOp` on this line). If `dot` is `TRUE`, print a DOT representation of the Graph on the console. The DOT output can be named via the argument `dotname` and the `fontsize` can also be specified.
- `set_names(old, new)`
`(character, character) -> self`
 Rename `PipeOps`: Change ID of each `PipeOp` as identified by `old` to the corresponding item in `new`. This should be used instead of changing a `PipeOp`'s `$id` value directly!
- `update_ids(prefix = "", postfix = "")`
`(character, character) -> self`
 Pre- or postfix `PipeOp`'s existing ids. Both `prefix` and `postfix` default to `""`, i.e. no changes.
- `train(input, single_input = TRUE)`
`(any, logical(1)) -> named list`
 Train Graph by traversing the Graphs' edges and calling all the `PipeOp`'s `$train` methods in turn. Return a named list of outputs for each unconnected `PipeOp` out-channel, named according to the Graph's `$output` name column. During training, the `$state` member of each `PipeOps` will be set and the `$is_trained` slot of the Graph (and each individual `PipeOp`) will consequently be set to `TRUE`.
 If `single_input` is `TRUE`, the input value will be sent to each unconnected `PipeOp`'s input channel (as listed in the Graph's `$input`). Typically, input should be a `Task`, although this is dependent on the `PipeOps` in the Graph. If `single_input` is `FALSE`, then input should be a list with the same length as the Graph's `$input` table has rows; each list item will be sent to a corresponding input channel of the Graph. If input is a named list, names must correspond to input channel names (`$input$name`) and inputs will be sent to the channels by name; otherwise they will be sent to the channels in order in which they are listed in `$input`.
- `predict(input, single_input = TRUE)`
`(any, logical(1)) -> list of any`
 Predict with the Graph by calling all the `PipeOp`'s `$train` methods. Input and output, as well as the function of the `single_input` argument, are analogous to `$train()`.
- `help(help_type)`
`(character(1)) -> help file`
 Displays the help file of the concrete `PipeOp` instance. `help_type` is one of `"text"`, `"html"`, `"pdf"` and behaves as the `help_type` argument of R's `help()`.

See Also

Other `mlr3` pipelines backend related: `PipeOp`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_graphs`, `mlr_pipeops`, `mlr_pipeops_updatetarget`

Examples

```

library("mlr3")

g = Graph$new()$
  add_pipeop(PipeOpScale$new(id = "scale"))$
  add_pipeop(PipeOpPCA$new(id = "pca"))$
  add_edge("scale", "pca")
g$input
g$output

task = tsk("iris")
trained = g$train(task)
trained[[1]]$data()

task$filter(1:10)
predicted = g$predict(task)
predicted[[1]]$data()

```

 greplicate

 Create Disjoint Graph Union of Copies of a Graph

Description

Create a new [Graph](#) containing n copies of the input Graph / [PipeOp](#). To avoid ID collisions, PipeOp IDs are suffixed with `_i` where i ranges from 1 to n .

This function is deprecated and will be removed in the next version in favor of using `pipeline_greplicate` / `ppl("greplicate")`.

Usage

```
greplicate(graph, n)
```

Arguments

<code>graph</code>	Graph Graph to replicate.
<code>n</code>	<code>integer(1)</code> Number of copies to create.

Value

[Graph](#) containing n copies of input graph.

See Also

Other Graph operators: [%>>%\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [gunion\(\)](#), [mlr_graphs_greplicate](#)

gunion

*Disjoint Union of Graphs***Description**

Takes an arbitrary amount of [Graphs](#) or [PipeOps](#) (or objects that can be automatically converted into [Graphs](#) or [PipeOps](#), see [as_graph\(\)](#) and [as_pipeop\(\)](#)) as inputs and joins them in a new [Graph](#).

The [PipeOps](#) of the input [Graphs](#) are not joined with new edges across [Graphs](#), so if `length(graphs) > 1`, the resulting [Graph](#) will be disconnected.

This operation always creates deep copies of its input arguments, so they cannot be modified by reference afterwards. To access individual [PipeOps](#) after composition, use the resulting [Graph](#)'s `$pipeops` list.

Usage

```
gunion(graphs, in_place = FALSE)
```

Arguments

<code>graphs</code>	list of (Graph PipeOp NULL ...) List of elements which are the Graphs to be joined. Elements must be convertible to Graph or PipeOp using as_graph() and as_pipeop() . NULL values automatically get converted to PipeOpNOP with a random ID of the format <code>nop_*****</code> . The list can be named, in which case the IDs of the elements are prefixed with the names, separated by a dot (<code>.</code>).
<code>in_place</code>	(logical(1) logical) Whether to try to avoid cloning the first element of <code>graphs</code> , similar to the difference of <code>%>>!</code> over <code>%>>%</code> . This can only be avoided if <code>graphs[[1]]</code> is already a Graph . Unlike chain_graphs() , gunion() does all checks <i>before</i> mutating <code>graphs[[1]]</code> , so it will not leave <code>graphs[[1]]</code> in an incompletely modified state when it fails. <code>in_place</code> may also be of length <code>graph</code> , in which case it determines for each element of <code>graphs</code> whether it is cloned. This is for internal usage and is not recommended.

Value

[Graph](#) the resulting [Graph](#).

See Also

Other Graph operators: [%>>\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [grepluate\(\)](#), [mlr_graphs_grepluate](#)

is.Multiplicity	<i>Check if an object is a Multiplicity</i>
-----------------	---

Description

Check if an object is a [Multiplicity](#).

Usage

```
is.Multiplicity(x)
```

Arguments

x	(any) Object to check.
---	---------------------------

Value

```
logical(1)
```

is_noop	<i>Test for NO_OP</i>
---------	-----------------------

Description

Test whether a given object is a [NO_OP](#).

Usage

```
is_noop(x)
```

Arguments

x	any Object to test.
---	------------------------

Value

```
logical(1): Whether x is a NO_OP.
```

See Also

Other Path Branching: [NO_OP](#), [filter_noop\(\)](#), [mlr_pipeops_branch](#), [mlr_pipeops_unbranch](#)

mlr_filters_ensemble *Filter Ensemble*

Description

FilterEnsemble aggregates several [Filters](#) by averaging their scores (or ranks) with user-defined weights. Each wrapped filter is evaluated on the supplied task, and the resulting feature scores are combined feature-wise by a convex combination determined through the weights parameter. This allows leveraging complementary inductive biases of multiple filters without committing to a single criterion. The concept was introduced by Binder et al. (2020). This implementation follows the idea but leaves the exact choice of weights to the user.

Format

[R6Class](#) object inheriting from [Filter](#).

Construction

```
FilterEnsemble$new(filters)
```

- `filters` :: list of [Filter](#)
Filters that are evaluated and aggregated. Each filter must be cloneable and support the task type and feature types of the ensemble. The ensemble identifier defaults to the wrapped filter ids concatenated by ". ".

Parameters

- `weights` :: `numeric()`
Required non-negative weights, one for each wrapped filter, with at least one strictly positive value. Values are used as given when calculating the weighted mean. If named, names must match the wrapped filter ids.
- `rank_transform` :: `logical(1)`
If TRUE, ranks of individual filter scores are used instead of the raw scores before averaging. Initialized to FALSE.

Parameters of wrapped filters are available via `$param_set` and can be referenced using the wrapped filter id followed by ". ", e.g. "variance.na.rm".

Fields

- `$wrapped` :: named list of [Filter](#)
Read-only access to the wrapped filters.

Methods

- `get_weights_search_space(weights_param_name = "weights", normalize_weights = "uniform", prefix = "w")`
(`character(1)`, `character(1)`, `character(1)`) -> [ParamSet](#)
Construct a [ParamSet](#) describing a weight search space.

- `get_weights_tunetoken(normalize_weights = "uniform")`
(character(1)) -> [TuneToken](#)
Shortcut returning a [TuneToken](#) for tuning the weights.
- `set_weights_to_tune(normalize_weights = "uniform")`
(character(1)) -> self
Convenience wrapper that stores the [TuneToken](#) returned by `get_weights_tunetoken()` in `$param_set$values$weights`.

Internals

All wrapped filters are called with `nfeat` equal to the number of features to ensure that complete score vectors are available for aggregation. Scores are combined per feature by computing the weighted (optionally rank-based) mean.

References

Binder M, Moosbauer J, Thomas J, Bischl B (2020). “Multi-objective hyperparameter tuning and feature selection using filter ensembles.” In *Proceedings of the 2020 Genetic and Evolutionary Computation Conference*, 471–479. doi:[10.1145/3377930.3389815](https://doi.org/10.1145/3377930.3389815).

Examples

```
library("mlr3")
library("mlr3filters")

task = tsk("sonar")

flt = mlr_filters$get("ensemble",
  filters = list(FilterVariance$new(), FilterAUC$new()))
flt$param_set$values$weights = c(variance = 0.5, auc = 0.5)
flt$calculate(task)
head(as.data.table(flt))
```

mlr_graphs

Dictionary of (sub-)graphs

Description

A simple [Dictionary](#) storing objects of class [Graph](#). The dictionary contains a collection of often-used graph structures, and its aim is solely to make often-used functions more accessible. Each [Graph](#) has an associated help page, which can be accessed via `?mlr_graphs_<key>`, i.e. `?mlr_graphs_bagging`.

Format

[R6Class](#) object inheriting from `mlr3misc::Dictionary`.

Methods

Methods inherited from [Dictionary](#), as well as:

- `add(key, value)`
(character(1), function)
Adds constructor value to the dictionary with key key, potentially overwriting a previously stored item.

S3 methods

- `as.data.table(dict)`
[Dictionary](#) -> [data.table::data.table](#)
Returns a `data.table` with column key (character).

See Also

Other mlr3pipelines backend related: [Graph](#), [PipeOp](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_updatetarget](#)

Other Dictionaries: [mlr_pipeops](#)

Examples

```
library(mlr3)
lrn = lrn("regr.rpart")
task = mlr_tasks$get("boston_housing")

# Robustify the learner for the task.
gr = pipeline_robustify(task, lrn) %>% po("learner", lrn)
# or equivalently
gr = mlr_graphs$get("robustify", task = task, learner = lrn) %>% po(lrn)
# or equivalently
gr = ppl("robustify", task, lrn) %>% po("learner", lrn)

# all Graphs currently in the dictionary:
as.data.table(mlr_graphs)
```

mlr_graphs_bagging	Create a bagging learner
--------------------	--------------------------

Description

Creates a [Graph](#) that performs bagging for a supplied graph. This is done as follows:

- Subsample the data in each step using [PipeOpSubsample](#), afterwards apply graph
- Replicate this step iterations times (in parallel via [multiplicities](#))
- Average outputs of replicated graphs predictions using the averager (note that setting `collect_multipliciy = TRUE` is required)

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_bagging(
  graph,
  iterations = 10,
  frac = 0.7,
  averager = NULL,
  replace = FALSE
)
```

Arguments

graph	PipeOp Graph A PipeOpLearner or Graph to create a robustifying pipeline for. Outputs from the replicated graphs are connected with the averager.
iterations	integer(1) Number of bagging iterations. Defaults to 10.
frac	numeric(1) Percentage of rows to keep during subsampling. See PipeOpSubsample for more information. Defaults to 0.7.
averager	PipeOp Graph A PipeOp or Graph that averages the predictions from the replicated and subsampled graph's. In the simplest case, <code>po("classifavg")</code> and <code>po("regravg")</code> can be used in order to perform simple averaging of classification and regression predictions respectively. If <code>NULL</code> (default), no averager is added to the end of the graph. Note that setting <code>collect_multipliciy = TRUE</code> during construction of the averager is required.
replace	logical(1) Whether to sample with replacement. Default <code>FALSE</code> .

Value

[Graph](#)

Examples

```
library(mlr3)
lrn_po = po("learner", lrn("regr.rpart"))
task = mlr_tasks$get("boston_housing")
gr = pipeline_bagging(lrn_po, 3, averager = po("regravg", collect_multiplicity = TRUE))
resample(task, GraphLearner$new(gr), rsmp("holdout"))$aggregate()

# The original bagging method uses boosting by sampling with replacement.
gr = ppl("bagging", lrn_po, frac = 1, replace = TRUE,
  averager = po("regravg", collect_multiplicity = TRUE))
resample(task, GraphLearner$new(gr), rsmp("holdout"))$aggregate()
```

mlr_graphs_branch *Branch Between Alternative Paths*

Description

Create a multiplexed graph.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_branch(graphs, prefix_branchops = "", prefix_paths = FALSE)
```

Arguments

graphs	list of Graph Multiple graphs, possibly named. They all must have exactly one output. If any of the arguments are named, then all must have unique names.
prefix_branchops	character(1) Optional id prefix to prepend to PipeOpBranch and PipeOpUnbranch id. Their resulting IDs will be "[prefix_branchops]branch" and "[prefix_branchops]unbranch". Default is "".
prefix_paths	logical(1) character(1) Whether to add prefixes to graph IDs when performing gunion. Can be helpful to avoid ID clashes in resulting graph. Default FALSE. If this is TRUE, the prefixes are taken from the names of the input arguments if present or "poX" where X counts up. If this is a character(1), it is a prefix that is added to the PipeOp IDs <i>additionally</i> to the input argument list.

Value

[Graph](#)

Examples

```
library("mlr3")

po_pca = po("pca")
po_nop = po("nop")

branches = pipeline_branch(list(pca = po_pca, nothing = po_nop))
# gives the same as
branches = c("pca", "nothing")
po("branch", branches) %>%
  gunion(list(po_pca, po_nop)) %>%
  po("unbranch", branches)

pipeline_branch(list(pca = po_pca, nothing = po_nop),
```

```

  prefix_branchops = "br_", prefix_paths = "xy_")
# gives the same as
po("branch", branches, id = "br_branch") %>%
  union(list(xy_pca = po_pca, xy_nothing = po_nop)) %>%
  po("unbranch", branches, id = "br_unbranch")

```

mlr_graphs_convert_types

Convert Column Types

Description

Converts all columns of type `type_from` to `type_to`, using the corresponding R function (e.g. `as.numeric()`, `as.factor()`). It is possible to further subset the columns that should be affected using the `affect_columns` argument. The resulting [Graph](#) contains a [PipeOpColApply](#), followed, if appropriate, by a [PipeOpFixFactors](#).

Unlike R's `as.factor()` function, `ppl("convert_types")` will convert ordered types into (un-ordered) factor vectors.

Usage

```

pipeline_convert_types(
  type_from,
  type_to,
  affect_columns = NULL,
  id = NULL,
  fixfactors = NULL,
  more_args = list()
)

```

Arguments

<code>type_from</code>	character Which column types to convert. May be any combination of "logical", "integer", "numeric", "factor", "ordered", "character", or "POSIXct".
<code>type_to</code>	character(1) Which type to convert to. Must be a scalar value, exactly one of the types allowed in <code>type_from</code> .
<code>affect_columns</code>	function Selector NULL Which columns to affect. This argument can further restrict the columns being converted, beyond the <code>type_from</code> argument. Must be a Selector -like function, which takes a Task as argument and returns a character of features to use.
<code>id</code>	character(1) NULL ID to give to the constructed PipeOps . Defaults to an ID built automatically from <code>type_from</code> and <code>type_to</code> . If a PipeOpFixFactors is appended, its ID will be <code>paste0(id, "_ff")</code> .

<code>fixfactors</code>	logical(1) NULL Whether to append a PipeOpFixFactors . Defaults to TRUE if and only if <code>type_to</code> is "factor" or "ordered".
<code>more_args</code>	list Additional arguments to give to the conversion function. This could e.g. be used to pass the timezone to <code>as.POSIXct</code> .

Value[Graph](#)**Examples**

```
library("mlr3")

data_chr = data.table::data.table(
  x = factor(letters[1:3]),
  y = letters[1:3],
  z = letters[1:3]
)
task_chr = TaskClassif$new("task_chr", data_chr, "x")
str(task_chr$data())

graph = ppl("convert_types", "character", "factor")
str(graph$train(task_chr)[[1]]$data())

graph_z = ppl("convert_types", "character", "factor",
  affect_columns = selector_name("z"))
graph_z$train(task_chr)[[1]]$data()

# `affect_columns` and `type_from` are both applied. The following
# looks for a 'numeric' column with name 'z', which is not present;
# the task is therefore unchanged.
graph_z = ppl("convert_types", "numeric", "factor",
  affect_columns = selector_name("z"))
graph_z$train(task_chr)[[1]]$data()
```

mlr_graphs_greplicate *Create Disjoint Graph Union of Copies of a Graph*

Description

Create a new [Graph](#) containing `n` copies of the input [Graph](#) / [PipeOp](#). To avoid ID collisions, [PipeOp](#) IDs are suffixed with `_i` where `i` ranges from 1 to `n`.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_greplicate(graph, n)
```


Arguments

graph	Graph Graph to replicate.
n	<code>integer(1)</code> Number of copies to create.

Value

[Graph](#) containing n copies of input graph.

See Also

Other Graph operators: [%>%\(\)](#), [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [grePLICATE\(\)](#), [gunion\(\)](#)

Examples

```
library("mlr3")

po_pca = po("pca")
pipeline_greplicate(po_pca, n = 2)
```

mlr_graphs_ovr	Create A Graph to Perform "One vs. Rest" classification.
----------------	--

Description

Create a new [Graph](#) for a [classification Task](#) to perform "One vs. Rest" classification.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_ovr(graph)
```

Arguments

graph	Graph Graph being wrapped between PipeOpOVRSplit and PipeOpOVRUnite . The Graph should return NULL during training and a classification Prediction during prediction.
-------	--

Value

[Graph](#)

Examples

```
library("mlr3")

task = tsk("wine")

learner = lrn("classif.rpart")
learner$predict_type = "prob"

# Simple OVR
g1 = pipeline_ovr(learner)
g1$train(task)
g1$predict(task)

# Bagged Learners
gr = po("replicate", reps = 3) %>%
  po("subsample") %>%
  learner %>%
  po("classifavg", collect_multiplicity = TRUE)
g2 = pipeline_ovr(gr)
g2$train(task)
g2$predict(task)

# Bagging outside OVR
g3 = po("replicate", reps = 3) %>%
  pipeline_ovr(po("subsample") %>% learner) %>%
  po("classifavg", collect_multiplicity = TRUE)
g3$train(task)
g3$predict(task)
```

mlr_graphs_robustify *Robustify a learner*

Description

Creates a [Graph](#) that can be used to robustify any subsequent learner. Performs the following steps:

- Drops empty factor levels using [PipeOpFixFactors](#)
- Imputes numeric features using [PipeOpImputeHist](#) and [PipeOpMissInd](#)
- Imputes factor features using [PipeOpImputeOOR](#)
- Encodes factors using one-hot-encoding. Factors with a cardinality > max_cardinality are collapsed using [PipeOpCollapseFactors](#)

The graph is built conservatively, i.e. the function always tries to assure everything works. If a learner is provided, some steps can be left out, i.e. if the learner can deal with factor variables, no encoding is performed.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_robustify(
  task = NULL,
  learner = NULL,
  impute_missings = NULL,
  factors_to_numeric = NULL,
  max_cardinality = 1000,
  ordered_action = "factor",
  character_action = "factor",
  POSIXct_action = "numeric"
)
```

Arguments

task	Task A Task to create a robustifying pipeline for. Optional, if omitted, the "worst possible" Task is assumed and the full pipeline is created.
learner	Learner A learner to create a robustifying pipeline for. Optional, if omitted, the "worst possible" Learner is assumed and a more conservative pipeline is built.
impute_missings	logical(1) NULL Should missing values be imputed? Defaults to NULL: imputes if the task has missing values (or factors that are not encoded to numerics) and the learner can not handle them.
factors_to_numeric	logical(1) NULL Should (ordered and unordered) factors be encoded? Defaults to NULL: encodes if the task has factors (or character columns that get converted to factor) and the learner can not handle factors.
max_cardinality	integer(1) Maximum number of factor levels allowed. See above. Default: 1000.
ordered_action	character(1) How to handle ordered columns: "factor" (default) or "factor!": convert to factor columns; "numeric" or "numeric!": convert to numeric columns; "integer" or "integer!": convert to integer columns; "ignore" or "ignore!": ignore. When task is given and has no ordered columns, or when learner is given and can handle ordered, then "factor", "numeric" and "integer" are treated like "ignore". This means it is necessary to add the exclamation point to override Task or Learner properties when given. "ignore" and "ignore!" therefore behave completely identically, "ignore!" is only present for consistency. When ordered features are converted to factor, then they are treated like factor features further down in the pipeline, and are possibly eventually converted to numerics, but in a different way: factors get one-hot encoded, ordered_action = "numeric" converts ordered using as.numeric to their integer-valued rank.

character_action

character(1)

How to handle character columns: "factor" (default) or "factor!": convert to factor columns; "matrix" or "matrix!": Use [PipeOpTextVectorizer](#). "ignore" or "ignore!": ignore. When task is given and has no character columns, or when learner is given and can handle character, then "factor" and "matrix" are treated like "ignore". This means it is necessary to add the exclamation point to override [Task](#) or [Learner](#) properties when given. "ignore" and "ignore!" therefore behave completely identically, "ignore!" is only present for consistency.

When character columns are converted to factor, then they are treated like factor further down in the pipeline, and are possibly eventually converted to numerics, using one-hot encoding.

POSIXct_action character(1)

How to handle POSIXct columns: "numeric" (default) or "numeric!": convert to numeric columns; "datefeatures" or "datefeatures!": Use [PipeOpDateFeatures](#). "ignore" or "ignore!": ignore. When task is given and has no POSIXct columns, or when learner is given and can handle POSIXct, then "numeric" and "datefeatures" are treated like "ignore". This means it is necessary to add the exclamation point to override [Task](#) or [Learner](#) properties when given. "ignore" and "ignore!" therefore behave completely identically, "ignore!" is only present for consistency.

Value

[Graph](#)

Examples

```
library(mlr3)
lrn = lrn("regr.rpart")
task = mlr_tasks$get("boston_housing")
gr = pipeline_robustify(task, lrn) %>% po("learner", lrn)
resample(task, GraphLearner$new(gr), rsmp("holdout"))
```

mlr_graphs_stacking *Create A Graph to Perform Stacking.*

Description

Create a new [Graph](#) for stacking. A stacked learner uses predictions of several base learners and fits a super learner using these predictions as features in order to predict the outcome.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_stacking(  
  base_learners,  
  super_learner,  
  method = "cv",  
  folds = 3,  
  use_features = TRUE  
)
```

Arguments

base_learners	list of Learner A list of base learners.
super_learner	Learner The super learner that makes the final prediction based on the base learners.
method	character(1) "cv" (default) for building a super learner using cross-validated predictions of the base learners or "insample" for building a super learner using the predictions of the base learners trained on all training data.
folds	integer(1) Number of cross-validation folds. Only used for method = "cv". Default 3.
use_features	logical(1) Whether the original features should also be passed to the super learner. Default TRUE.

Value

[Graph](#)

Examples

```
library(mlr3)  
library(mlr3learners)  
  
base_learners = list(  
  lrn("classif.rpart", predict_type = "prob"),  
  lrn("classif.nnet", predict_type = "prob")  
)  
super_learner = lrn("classif.log_reg")  
  
graph_stack = pipeline_stacking(base_learners, super_learner)  
graph_learner = as_learner(graph_stack)  
graph_learner$train(tsk("german_credit"))
```

mlr_graphs_targettrafo

Transform and Re-Transform the Target Variable

Description

Wraps a [Graph](#) that transforms a target during training and inverts the transformation during prediction. This is done as follows:

- Specify a transformation and inversion function using any subclass of [PipeOpTargetTrafo](#), defaults to [PipeOpTargetMutate](#), afterwards apply graph.
- At the very end, during prediction the transformation is inverted using [PipeOpTargetInvert](#).
- To set a transformation and inversion function for [PipeOpTargetMutate](#) see the parameters `trafo` and `inverter` of the `param_set` of the resulting [Graph](#).
- Note that the input graph is not explicitly checked to actually return a [Prediction](#) during prediction.

All input arguments are cloned and have no references in common with the returned [Graph](#).

Usage

```
pipeline_targettrafo(
  graph,
  trafo_pipeop = PipeOpTargetMutate$new(),
  id_prefix = ""
)
```

Arguments

<code>graph</code>	PipeOpLearner Graph A PipeOpLearner or Graph to wrap between a transformation and re-transformation of the target variable.
<code>trafo_pipeop</code>	PipeOp A PipeOp that is a subclass of PipeOpTargetTrafo . Default is PipeOpTargetMutate .
<code>id_prefix</code>	<code>character(1)</code> Optional id prefix to prepend to PipeOpTargetInvert ID. The resulting ID will be <code>"[id_prefix]targetinvert"</code> . Default is <code>""</code> .

Value

[Graph](#)

Examples

```
library("mlr3")

tt = pipeline_targettrafo(PipeOpLearner$new(LearnerRegrRpart$new()))
tt$param_set$values$targetmutate.trafo = function(x) log(x, base = 2)
tt$param_set$values$targetmutate.inverter = function(x) list(response = 2 ^ x$response)

# gives the same as
g = Graph$new()
g$add_pipeop(PipeOpTargetMutate$new(param_vals = list(
  trafo = function(x) log(x, base = 2),
  inverter = function(x) list(response = 2 ^ x$response)
)))
g$add_pipeop(LearnerRegrRpart$new())
g$add_pipeop(PipeOpTargetInvert$new())
g$add_edge(src_id = "targetmutate", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 1)
g$add_edge(src_id = "targetmutate", dst_id = "regr.rpart",
  src_channel = 2, dst_channel = 1)
g$add_edge(src_id = "regr.rpart", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 2)
```

mlr_learners_avg

Optimized Weighted Average of Features for Classification and Regression

Description

Computes a weighted average of inputs. Used in the context of computing weighted averages of predictions.

Predictions are averaged using weights (in order of appearance in the data) which are optimized using nonlinear optimization from the package **nloptr** for a measure provided in measure. (defaults to `classif.ce` for `LearnerClassifAvg` and `regr.mse` for `LearnerRegrAvg`). Learned weights can be obtained from `$model`. This Learner implements and generalizes an approach proposed in LeDell (2015) that uses non-linear optimization in order to learn base-learner weights that optimize a given performance metric (e.g AUC). The approach is similar but not exactly the same as the one implemented as AUC in the **SuperLearner** R package (when metric is `"classif.auc"`). For a more detailed analysis and the general idea, the reader is referred to LeDell (2015).

Note, that weights always sum to 1 by division by `sum(weights)` before weighting incoming features.

Usage

```
mlr_learners_classif_avg
```

```
mlr_learners_regr_avg
```

Format

[R6Class](#) object inheriting from [mlr3::LearnerClassif](#)/[mlr3::Learner](#).

Parameters

The parameters are the parameters inherited from [LearnerClassif](#), as well as:

- `measure` :: [Measure](#) | character
[Measure](#) to optimize for. Will be converted to a [Measure](#) in case it is character. Initialized to "classif.ce", i.e. misclassification error for classification and "regr.mse", i.e. mean squared error for regression.
- `optimizer` :: [Optimizer](#) | character(1)
[Optimizer](#) used to find optimal thresholds. If character, converts to [Optimizer](#) via [opt](#). Initialized to `OptimizerNloptr`. Nloptr hyperparameters are initialized to `xtol_rel = 1e-8`, `algorithm = "NLOPT_LN_COBYLA"` and equal initial weights for each learner. For more fine-grained control, it is recommended to supply a instantiated [Optimizer](#).
- `log_level` :: character(1) | integer(1)
Set a temporary log-level for `lgr::get_logger("mlr3/bbotk")`. Initialized to: "warn".

Methods

- `LearnerClassifAvg$new()`, `id = "classif.avg"`
(chr) -> self
Constructor.
- `LearnerRegrAvg$new()`, `id = "regr.avg"`
(chr) -> self
Constructor.

References

LeDell, Erin (2015). *Scalable Ensemble Learning and Computationally Efficient Variance Estimation*. Ph.D. thesis, UC Berkeley.

See Also

Other Learners: [mlr_learners_graph](#)

Other Ensembles: [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#)

Description

A [Learner](#) that encapsulates a [Graph](#) to be used in [mlr3](#) resampling and benchmarks.

The Graph must return a single [Prediction](#) on its `$predict()` call. The result of the `$train()` call is discarded, only the internal state changes during training are used.

The `predict_type` of a [GraphLearner](#) can be obtained or set via its `predict_type` active binding. Setting a new predict type will try to set the `predict_type` in all relevant [PipeOp](#) / [Learner](#) encapsulated within the [Graph](#). Similarly, the `predict_type` of a Graph will always be the smallest denominator in the [Graph](#).

A [GraphLearner](#) is always constructed in an untrained state. When the `graph` argument has a non-NULL `$state`, it is ignored.

Format

[R6Class](#) object inheriting from `mlr3::Learner`.

Construction

```
GraphLearner$new(graph, id = NULL, param_vals = list(), task_type = NULL, predict_type = NULL)
```

- `graph` :: [Graph](#) | [PipeOp](#)
[Graph](#) to wrap. Can be a [PipeOp](#), which is automatically converted to a [Graph](#). This argument is usually cloned, unless `clone_graph` is FALSE; to access the [Graph](#) inside [GraphLearner](#) by-reference, use `$graph`.
- `id` :: `character(1)` Identifier of the resulting [Learner](#).
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings. Default `list()`.
- `task_type` :: `character(1)`
What `task_type` the [GraphLearner](#) should have; usually automatically inferred for [Graphs](#) that are simple enough.
- `predict_type` :: `character(1)`
What `predict_type` the [GraphLearner](#) should have; usually automatically inferred for [Graphs](#) that are simple enough.
- `clone_graph` :: `logical(1)`
Whether to clone `graph` upon construction. Unintentionally changing `graph` by reference can lead to unexpected behaviour, so TRUE (default) is recommended. In particular, note that the `$state` of `$graph` is set to NULL by reference on construction of [GraphLearner](#), during `$train()`, and during `$predict()` when `clone_graph` is FALSE.

Fields

Fields inherited from [Learner](#), as well as:

- `graph` :: [Graph](#)
[Graph](#) that is being wrapped. This field contains the prototype of the [Graph](#) that is being trained, but does *not* contain the model. Use `graph_model` to access the trained [Graph](#) after `$train()`. Read-only.

- `graph_model` :: [Learner](#)
[Graph](#) that is being wrapped. This [Graph](#) contains a trained state after `$train()`. Read-only.
- `pipeops` :: named list of [PipeOp](#)
Contains all [PipeOps](#) in the underlying [Graph](#), named by the [PipeOp](#)'s `$ids`. Shortcut for `$graph_model$pipeops`. See [Graph](#) for details.
- `edges` :: [data.table](#) with columns `src_id` (character), `src_channel` (character), `dst_id` (character), `dst_channel` (character)
Table of connections between the [PipeOps](#) in the underlying [Graph](#). Shortcut for `$graph$edges`. See [Graph](#) for details.
- `param_set` :: [ParamSet](#)
Parameters of the underlying [Graph](#). Shortcut for `$graph$param_set`. See [Graph](#) for details.
- `pipeops_param_set` :: named list()
Named list containing the [ParamSets](#) of all [PipeOps](#) in the [Graph](#). See there for details.
- `pipeops_param_set_values` :: named list()
Named list containing the set parameter values of all [PipeOps](#) in the [Graph](#). See there for details.
- `internal_tuned_values` :: named list() or NULL
The internal tuned parameter values collected from all [PipeOps](#). NULL is returned if the learner is not trained or none of the wrapped learners supports internal tuning.
- `internal_valid_scores` :: named list() or NULL
The internal validation scores as retrieved from the [PipeOps](#). The names are prefixed with the respective IDs of the [PipeOps](#). NULL is returned if the learner is not trained or none of the wrapped learners supports internal validation.
- `validate` :: `numeric(1)`, "predefined", "test" or NULL
How to construct the validation data. This also has to be configured for the individual [PipeOps](#) such as [PipeOpLearner](#), see [set_validate.GraphLearner](#). For more details on the possible values, see [mlr3::Learner](#).
- `marshaled` :: `logical(1)`
Whether the learner is marshaled.
- `impute_selected_features` :: `logical(1)`
Whether to heuristically determine `$selected_features()` as all `$selected_features()` of all "base learner" Learners, even if they do not have the "selected_features" property / do not implement `$selected_features()`. If `impute_selected_features` is TRUE and the base learners do not implement `$selected_features()`, the [GraphLearner](#)'s `$selected_features()` method will return all features seen by the base learners. This is useful in cases where feature selection is performed inside the Graph: The `$selected_features()` will then be the set of features that were selected by the Graph. If `impute_selected_features` is FALSE, the `$selected_features()` method will throw an error if `$selected_features()` is not implemented by the base learners.
This is a heuristic and may report more features than actually used by the base learners, in cases where the base learners do not implement `$selected_features()`. The default is FALSE.

Methods

Methods inherited from [Learner](#), as well as:

- `ids(sorted = FALSE)`
(logical(1)) -> character
Get IDs of all [PipeOps](#). This is in order that [PipeOps](#) were added if sorted is FALSE, and topologically sorted if sorted is TRUE.
- `plot(html = FALSE, horizontal = FALSE)`
(logical(1), logical(1)) -> NULL
Plot the [Graph](#), using either the [igraph](#) package (for `html = FALSE`, default) or the `visNetwork` package for `html = TRUE` producing a [htmlWidget](#). The [htmlWidget](#) can be rescaled using [visOptions](#). For `html = FALSE`, the orientation of the plotted graph can be controlled through `horizontal`.
- `marshal`
(any) -> self
Marshal the model.
- `unmarshal`
(any) -> self
Unmarshal the model.
- `base_learner(recursive = Inf, return_po = FALSE, return_all = FALSE, resolve_branching = TRUE)`
(numeric(1), logical(1), logical(1), character(1)) -> [Learner](#) | [PipeOp](#) | list of [Learner](#) | list of [PipeOp](#)
Return the base learner of the [GraphLearner](#). If `recursive` is 0, the [GraphLearner](#) itself is returned. Otherwise, the [Graph](#) is traversed backwards to find the first [PipeOp](#) containing a `$learner_model` field. If `recursive` is 1, that `$learner_model` (or containing [PipeOp](#), if `return_po` is TRUE) is returned. If `recursive` is greater than 1, the discovered base learner's `base_learner()` method is called with `recursive - 1`. `recursive` must be set to 1 if `return_po` is TRUE, and must be set to at most 1 if `return_all` is TRUE.
If `return_po` is TRUE, the container-[PipeOp](#) is returned instead of the [Learner](#). This will typically be a [PipeOpLearner](#) or a [PipeOpLearnerCV](#).
If `return_all` is TRUE, a list of [Learners](#) or [PipeOps](#) is returned. If `return_po` is FALSE, this list may contain [Multiplicity](#) objects, which are not unwrapped. If `return_all` is FALSE and there are multiple possible base learners, an error is thrown. This may also happen if only a single [PipeOpLearner](#) is present that was trained with a [Multiplicity](#).
If `resolve_branching` is TRUE, and when a [PipeOpUnbranch](#) is encountered, the corresponding [PipeOpBranch](#) is searched, and its hyperparameter configuration is used to select the base learner. There may be multiple corresponding [PipeOpBranchs](#), which are all considered. If `resolve_branching` is FALSE, [PipeOpUnbranch](#) is treated as any other [PipeOp](#) with multiple inputs; all possible branch paths are considered equally.

The following standard extractors as defined by the [Learner](#) class are available. Note that these typically only extract information from the `$base_learner()`. This works well for simple [Graphs](#) that do not modify features too much, but may give unexpected results for [Graphs](#) that add new features or move information between features.

As an example, consider a feature A with missing values, and a feature B that is used for imputation, using a `po("imputelearner")`. In a case where the following [Learner](#) performs embedded feature selection and only selects feature A, the `selected_features()` method could return only feature A, and `$importance()` may even report 0 for feature B. This would not be entirely accurate when considering the entire [GraphLearner](#), as feature B is used for imputation and would therefore have

an impact on predictions. The following should therefore only be used if the [Graph](#) is known to not have an impact on the relevant properties.

- `importance()`
`() -> numeric`
 The `$importance()` returned by the base learner, if it has the "importance" property. Throws an error otherwise.
- `selected_features()`
`() -> character`
 The `$selected_features()` returned by the base learner, if it has the "selected_features" property. If the base learner does not have the "selected_features" property and `impute_selected_features` is TRUE, all features seen by the base learners are returned. Throws an error otherwise.
- `oob_error()`
`() -> numeric(1)`
 The `$oob_error()` returned by the base learner, if it has the "oob_error" property. Throws an error otherwise.
- `loglik()`
`() -> numeric(1)`
 The `$loglik()` returned by the base learner, if it has the "loglik" property. Throws an error otherwise.

Internals

`as_graph()` is called on the `graph` argument, so it can technically also be a list of things, which is automatically converted to a [Graph](#) via `gunion()`; however, this will usually not result in a valid [Graph](#) that can work as a [Learner](#). `graph` can furthermore be a [Learner](#), which is then automatically wrapped in a [Graph](#), which is then again wrapped in a `GraphLearner` object; this usually only adds overhead and is not recommended.

See Also

Other Learners: [mlr_learners_avg](#)

Examples

```
library("mlr3")

graph = po("pca") %>>% lrn("classif.rpart")

lr = GraphLearner$new(graph)
lr = as_learner(graph) # equivalent

lr$train(tsk("iris"))

lr$graph$state # untrained version!
# The following is therefore NULL:
lr$graph$pipeops$classif.rpart$learner_model$model

# To access the trained model from the PipeOpLearner's Learner, use:
lr$graph_model$pipeops$classif.rpart$learner_model$model
```

```
# Feature importance (of principal components):
lr$graph_model$pipeops$classif.rpart$learner_model$importance()
```

mlr_pipeops

Dictionary of PipeOps

Description

A simple [Dictionary](#) storing objects of class [PipeOp](#). Each [PipeOp](#) has an associated help page, see `mlr_pipeops_[id]`.

Format

[R6Class](#) object inheriting from `mlr3misc::Dictionary`.

Fields

Fields inherited from [Dictionary](#), as well as:

- `metainf` :: environment
Environment that stores the `metainf` argument of the `$add()` method. Only for internal use.

Methods

Methods inherited from [Dictionary](#), as well as:

- `add(key, value, metainf = NULL)`
(`character(1)`, `R6ClassGenerator`, `NULL` | `list`)
Adds constructor value to the dictionary with key `key`, potentially overwriting a previously stored item. If `metainf` is not `NULL` (the default), it must be a `list` of arguments that will be given to the value constructor (i.e. `value$new()`) when it needs to be constructed for `as.data.table` [PipeOp](#) listing.

S3 methods

- `as.data.table(dict)`
[Dictionary](#) -> `data.table::data.table`
Returns a `data.table` with the following columns:
 - `key` :: (`character`)
Key with which the [PipeOp](#) was registered to the [Dictionary](#) using the `$add()` method.
 - `label` :: (`character`)
Description of the [PipeOp](#)'s functionality.
 - `packages` :: (`character`)
Set of all required packages for the [PipeOp](#)'s train and predict methods.
 - `tags` :: (`character`)
A set of tags associated with the [PipeOp](#) describing its purpose.

- `feature_types` :: (character)
Feature types the [PipeOp](#) operates on. Is NA for [PipeOps](#) that do not directly operate on a [Task](#).
- `input.num, output.num` :: (integer)
Number of the [PipeOp](#)'s input and output channels. Is NA for [PipeOps](#) which accept a varying number of input and/or output channels depending a construction argument. See input and output fields of [PipeOp](#).
- `input.type.train, input.type.predict, output.type.train, output.type.predict` :: (character)
Types that are allowed as input to or returned as output of the [PipeOp](#)'s `$train()` and `$predict()` methods.
A value of NULL means that a null object, e.g. no data, is taken as input or being returned as output. A value of "*" means that any type is possible.
If both `input.type.train` and `output.type.train` or both `input.type.predict` and `output.type.predict` contain values enclosed by square brackets ("`[`", "`]`"), then the respective input or channel is [Multiplicity](#)-aware. For more information, see [Multiplicity](#).

See Also

Other mlr3pipelines backend related: [Graph](#), [PipeOp](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_graphs](#), [mlr_pipeops_updatetarget](#)

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Dictionaries: [mlr_graphs](#)

Examples

```
library("mlr3")
```

```
mlr_pipeops$get("learner", lrn("classif.rpart"))

# equivalent:
po("learner", learner = lrn("classif.rpart"))

# all PipeOps currently in the dictionary:
as.data.table(mlr_pipeops)[, c("key", "input.num", "output.num", "packages")]
```

mlr_pipeops_adas	<i>ADAS Balancing</i>
------------------	-----------------------

Description

Generates a more balanced data set by creating synthetic instances of the minority classes using the ADASYN algorithm.

The algorithm generates for each minority instance new data points based on its K nearest neighbors and the difficulty of learning for that data point. It can only be applied to tasks with numeric features that have no missing values.

See [smotefamily::ADAS](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpADAS$new(id = "adas", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "adas".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with added synthetic rows for the minority class. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `K :: numeric(1)`
The number of nearest neighbors used for sampling new values. Default is 5. See [ADAS\(\)](#).

Internals

If a target level is unobserved during training, no synthetic data points will be generated for that class. No error is raised; the unobserved class is simply ignored.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

References

He H, Bai Y, Garcia, A. E, Li S (2008). “ADASYN: Adaptive synthetic sampling approach for imbalanced learning.” In *2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence)*, 1322-1328. doi:10.1109/IJCNN.2008.4633969.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

# Create example task
data = data.frame(
  target = factor(sample(c("c1", "c2"), size = 300, replace = TRUE, prob = c(0.1, 0.9))),
  x1 = rnorm(300),
  x2 = rnorm(300)
)
task = TaskClassif$new(id = "example", backend = data, target = "target")
task$head()
table(task$data(cols = "target"))

# Generate synthetic data for minority class
pop = po("adas")
adas_result = pop$train(list(task))[[1]]$data()
nrow(adas_result)
table(adas_result$target)
```

mlr_pipeops_blsmote *BLSMOTE Balancing*

Description

Adds new data points by generating synthetic instances for the minority class using the Borderline-SMOTE algorithm. This can only be applied to [classification tasks](#) with numeric features that have no missing values. See [smotefamily::BLSMOTE](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpBLSmote$new(id = "blsmote", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "smote".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with added synthetic rows for the minority class. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `K :: numeric(1)`
The number of nearest neighbors used for sampling from the minority class. Default is 5. See [BLSMOTE\(\)](#).
- `C :: numeric(1)`
The number of nearest neighbors used for classifying sample points as SAFE/DANGER/NOISE. Default is 5. See [BLSMOTE\(\)](#).
- `dup_size :: numeric(1)`
Desired times of synthetic minority instances over the original number of majority instances. 0 leads to balancing minority and majority class. Default is 0. See [BLSMOTE\(\)](#).
- `method :: character(1)`
The type of Borderline-SMOTE algorithm to use. Default is "type1". See [BLSMOTE\(\)](#).
- `quiet :: logical(1)`
Whether to suppress printing status during training. Initialized to TRUE.

Internals

If a target level is unobserved during training, no synthetic data points will be generated for that class. No error is raised; the unobserved class is simply ignored.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

References

Han H, Wang W, Mao B (2005). "Borderline-SMOTE: A New Over-Sampling Method in Imbalanced Data Sets Learning." In Huang D, Zhang X, Huang G (eds.), *Advances in Intelligent Computing*, 878–887. ISBN 978-3-540-31902-3, doi:[10.1007/11538059_91](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#),

```
mlr_pipeops_encodeimpact, mlr_pipeops_encodeimr, mlr_pipeops_encodeplquantiles, mlr_pipeops_encodepltr
mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors, mlr_pipeops_histbin,
mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist, mlr_pipeops_imputelearner,
mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconsta
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Create example task
data = smotefamily::sample_generator(500, 0.8)
data$result = factor(data$result)
task = TaskClassif$new(id = "example", backend = data, target = "result")
task$head()
table(task$data(cols = "result"))

# Generate synthetic data for minority class
pop = po("blsmote")
bls_result = pop$train(list(task))[[1]]$data()
nrow(bls_result)
table(bls_result$result)
```

mlr_pipeops_boxcox	<i>Box-Cox Transformation of Numeric Features</i>
--------------------	---

Description

Conducts a Box-Cox transformation on numeric features. The lambda parameter of the transformation is estimated during training and used for both training and prediction transformation. See [bestNormalize::boxcox\(\)](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpBoxCox$new(id = "boxcox", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "boxcox".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their transformed versions.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as a list of class `boxcox` for each column, which is transformed.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `standardize` :: `logical(1)`
Whether to center and scale the transformed values to attempt a standard normal distribution. For details see [boxcox\(\)](#).
- `eps` :: `numeric(1)`
Tolerance parameter to identify if lambda parameter is equal to zero. For details see [boxcox\(\)](#).
- `lower` :: `numeric(1)`
Lower value for estimation of lambda parameter. For details see [boxcox\(\)](#).
- `upper` :: `numeric(1)`
Upper value for estimation of lambda parameter. For details see [boxcox\(\)](#).

Internals

Uses the `bestNormalize::boxcox` function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimr](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("boxcox")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_branch	<i>Path Branching</i>
--------------------	-----------------------

Description

Perform alternative path branching: [PipeOpBranch](#) has multiple output channels that connect to different paths in a [Graph](#). At any time, only one of these paths will be taken for execution. At the end of the different paths, the [PipeOpUnbranch](#) PipeOp must be used to indicate the end of alternative paths.

Not to be confused with [PipeOpCopy](#), the naming scheme is a bit unfortunate.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpBranch$new(options, id = "branch", param_vals = list())
```

- `options :: numeric(1) | character`
If `options` is an integer number, it determines the number of output channels / options that are created, named `output1...output<n>`. The `$selection` parameter will then be an integer. If `options` is a character, it determines the names of channels directly. The `$selection` parameter will then be factorial.
- `id :: character(1)`
Identifier of resulting object, default `"branch"`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpBranch` has one input channel named `"input"`, taking any input (`"*"`) both during training and prediction.

`PipeOpBranch` has multiple output channels depending on the `options` construction argument, named `"output1"`, `"output2"`, ... if `options` is numeric, and named after each `options` value if `options` is a character. All output channels produce the object given as input (`"*"`) or `NO_OP`, both during training and prediction.

State

The `$state` is left empty (`list()`).

Parameters

- `selection :: numeric(1) | character(1)`
Selection of branching path to take. Is a `ParamInt` if the `options` parameter during construction was a `numeric(1)`, and ranges from 1 to `options`. Is a `ParamFct` if the `options` parameter was a character and its possible values are the `options` values. Initialized to either 1 (if the `options` construction argument is `numeric(1)`) or the first element of `options` (if it is character).

Internals

Alternative path branching is handled by the [PipeOp](#) backend. To indicate that a path should not be taken, `PipeOpBranch` returns the `NO_OP` object on its output channel. The [PipeOp](#) handles each `NO_OP` input by automatically returning a `NO_OP` output without calling `private$.train()` or `private$.predict()`, until [PipeOpUnbranch](#) is reached. [PipeOpUnbranch](#) will then take multiple inputs, all except one of which must be a `NO_OP`, and forward the only non-`NO_OP` object on its output.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Path Branching: [NO_OP](#), [filter_noop\(\)](#), [is_noop\(\)](#), [mlr_pipeops_unbranch](#)

Examples

```
library("mlr3")

pca = po("pca")
nop = po("nop")
choices = c("pca", "nothing")
gr = po("branch", choices) %>>%
  gunion(list(pca, nop)) %>>%
  po("unbranch", choices)

gr$param_set$values$branch.selection = "pca"
gr$train(tsk("iris"))

gr$param_set$values$branch.selection = "nothing"
gr$train(tsk("iris"))
```

mlr_pipeops_chunk *Chunk Input into Multiple Outputs*

Description

Chunks its input into outnum chunks. Creates outnum [Tasks](#) during training, and simply passes on the input during outnum times during prediction.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpChunk$new(outnum, id = "chunk", param_vals = list())
```

- `outnum :: numeric(1)`
Number of output channels, and therefore number of chunks created.
- `id :: character(1)`
Identifier of resulting object, default "chunk".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output

`PipeOpChunk` has one input channel named "input", taking a [Task](#) both during training and prediction.

`PipeOpChunk` has multiple output channels depending on the `options` construction argument, named "output1", "output2", ... All output channels produce (respectively disjoint, random) subsets of the input [Task](#) during training, and pass on the original [Task](#) during prediction.

State

The `$state` is left empty (`list()`).

Parameters

- `shuffle :: logical(1)`
Should the data be shuffled before chunking? Initialized to TRUE.

Internals

Uses the `mlr3misc::chunk_vector()` function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("wine")
opc = mlr_pipeops$get("chunk", 2)

# watch the row number: 89 during training (task is chunked)...
opc$train(list(task))

# ... 178 during predict (task is copied)
opc$predict(list(task))
```

Description

Both undersamples a [Task](#) to keep only a fraction of the rows of the majority class, as well as oversamples (repeats data points) rows of the minority class.

Sampling happens only during training phase. Class-balancing a [Task](#) by sampling may be beneficial for classification with imbalanced training data.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpClassBalancing$new(id = "classbalancing", param_vals = list())
```

- `id` :: `character(1)` Identifier of the resulting object, default "classbalancing"
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with added or removed rows to balance target classes. The output during prediction is the unchanged input.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#); however, the `affect_columns` parameter is *not* present. Further parameters are:

- `ratio` :: `numeric(1)`
Ratio of number of rows of classes to keep, relative to the `$reference` value. Initialized to 1.
- `reference` :: `numeric(1)`
What the `$ratio` value is measured against. Can be "all" (mean instance count of all classes), "major" (instance count of class with most instances), "minor" (instance count of class with fewest instances), "nonmajor" (average instance count of all classes except the major one), "nonminor" (average instance count of all classes except the minor one), and "one" (`$ratio` determines the number of instances to have, per class). Initialized to "all".
- `adjust` :: `numeric(1)`
Which classes to up / downsample. Can be "all" (up and downsample all to match required instance count), "major", "minor", "nonmajor", "nonminor" (see respective values for `$reference`), "upsample" (only upsample), and "downsample". Initialized to "all".

- `shuffle :: logical(1)`
Whether to shuffle the rows of the resulting task. In case the data is upsampled and `shuffle = FALSE`, the resulting task will have the original rows (which were not removed in down-sampling) in the original order, followed by all newly added rows ordered by target class. Initialized to `TRUE`.

Internals

Up / downsampling happens as follows: At first, a "target class count" is calculated, by taking the mean class count of all classes indicated by the reference parameter (e.g. if reference is "nonmajor": the mean class count of all classes that are not the "major" class, i.e. the class with the most samples) and multiplying this with the value of the ratio parameter. If reference is "one", then the "target class count" is just the value of ratio (i.e. $1 * \text{ratio}$).

Then for each class that is referenced by the adjust parameter (e.g. if adjust is "nonminor": each class that is not the class with the fewest samples), `PipeOpClassBalancing` either throws out samples (downsampling), or adds additional rows that are equal to randomly chosen samples (upsampling), until the number of samples for these classes equals the "target class count". No upsampling is performed for classes that were not observed during training (i.e. empty factor levels in the target column).

Uses `task$filter()` to remove rows. When identical rows are added during upsampling, then the `taskrow_rolesuse` can *not* be used to duplicate rows because of [inaudible]; instead the `task$rbind()` function is used, and a new `data.table` is attached that contains all rows that are being duplicated exactly as many times as they are being added.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOpTaskPreproc/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`,

```
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconst,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("spam")
opb = po("classbalancing")

# target class counts
table(task$truth())

# double the instances in the minority class (spam)
opb$param_set$values = list(ratio = 2, reference = "minor",
  adjust = "minor", shuffle = FALSE)
result = opb$train(list(task))[[1L]]
table(result$truth())

# up or downsample all classes until exactly 20 per class remain
opb$param_set$values = list(ratio = 20, reference = "one",
  adjust = "all", shuffle = FALSE)
result = opb$train(list(task))[[1]]
table(result$truth())
```

mlr_pipeops_classifavg

Majority Vote Prediction

Description

Perform (weighted) majority vote prediction from classification [Predictions](#) by connecting `PipeOpClassifAvg` to multiple [PipeOpLearner](#) outputs.

Always returns a "prob" prediction, regardless of the incoming [Learner](#)'s `$predict_type`. The label of the class with the highest predicted probability is selected as the "response" prediction. If the [Learner](#)'s `$predict_type` is set to "prob", the probability aggregation is controlled by `prob_aggr` (see below). If `$predict_type = "response"`, predictions are internally converted to one-hot probability vectors (point mass on the predicted class) before aggregation.

"prob" aggregation::

- `prob_aggr = "mean"` – *Linear opinion pool (arithmetic mean of probabilities; default)*. **Interpretation.** Mixture semantics: choose a base model with probability $w[i]$, then draw from its class distribution. Decision-theoretically, this is the minimizer of $\sum(w[i] * KL(p[i] || p))$ over probability vectors p , where $KL(x || y)$ is the Kullback-Leibler divergence. **Typical behavior.** Conservative / better calibrated and robust to near-zero probabilities (never assigns zero unless all do). This is the standard choice for probability averaging in ensembles and stacking.
- `prob_aggr = "log"` – *Log opinion pool / product of experts (geometric mean in probability space)*: Average per-model logs (or equivalently, logits) and apply softmax. **Interpretation.** Product semantics: $p_{ens} \sim \prod_i p_i^{w[i]}$; minimizes $\sum(w[i] * KL(p || p[i]))$. **Typical behavior.** Sharper / lower entropy (emphasizes consensus regions), but can be **overconfident** and is sensitive to zeros; use `prob_aggr_eps` to clip small probabilities for numerical stability. Often beneficial with strong, similarly calibrated members (e.g., neural networks), less so when calibration is the priority.

All incoming `Learner`'s `$predict_type` must agree.

Weights can be set as a parameter; if none are provided, defaults to equal weights for each prediction. Defaults to equal weights for each model.

Format

`R6Class` inheriting from `PipeOpEnsemble/PipeOp`.

Construction

```
PipeOpClassifAvg$new(innum = 0, collect_multiplicity = FALSE, id = "classifavg", param_vals = list())
```

- `innum :: numeric(1)`
Determines the number of input channels. If `innum` is 0 (default), a vararg input channel is created that can take an arbitrary number of inputs.
- `collect_multiplicity :: logical(1)`
If TRUE, the input is a `Multiplicity` collecting channel. This means, a `Multiplicity` input, instead of multiple normal inputs, is accepted and the members are aggregated. This requires `innum` to be 0. Default is FALSE.
- `id :: character(1)` Identifier of the resulting object, default "classifavg".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from `PipeOpEnsemble`. Instead of a `Prediction`, a `PredictionClassif` is used as input and output during prediction.

State

The `$state` is left empty (`list()`).

Parameters

The parameters are the parameters inherited from the [PipeOpEnsemble](#), as well as:

- `prob_aggr :: character(1)`
Controls how incoming class probabilities are aggregated. One of "mean" (linear opinion pool; default) or "log" (log opinion pool / product of experts). See the description above for definitions and interpretation. Only has an effect if the incoming predictions have "prob" values.
- `prob_aggr_eps :: numeric(1)`
Small positive constant used only for `prob_aggr = "log"` to clamp probabilities before taking logs, improving numerical stability and avoiding $-\text{Inf}$. Ignored for `prob_aggr = "mean"`. Default is $1\text{e-}12$.

Internals

Inherits from [PipeOpEnsemble](#) by implementing the `private$weighted_avg_predictions()` method.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpEnsemble](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Ensembles: [PipeOpEnsemble](#), [mlr_learners_avg](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#)

Examples

```
library("mlr3")

# Simple Bagging
gr = ppl("grePLICATE",
  po("subsample") %>>%
  po("learner", lrn("classif.rpart")),
  n = 3
) %>>%
  po("classifavg")

resample(tsk("iris"), GraphLearner$new(gr), rsmp("holdout"))
```

mlr_pipeops_classweights

Class Weights for Sample Weighting

Description

Adds a class weight column to the [Task](#) that different [Learners](#) may be able to use for sample weighting. Sample weights are added to each sample according to the target class.

Only binary [classification tasks](#) are supported.

Caution: when constructed naively without parameter, the weights are all set to 1. The `minor_weight` parameter must be adjusted for this [PipeOp](#) to be useful.

Note this only sets the "weights_learner" column. It therefore influences the behaviour of subsequent [Learners](#), but does not influence resampling or evaluation metric weights.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpClassWeights$new(id = "classweights", param_vals = list())
```

- `id` :: character(1) Identifier of the resulting object, default "classweights"
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with added weights column according to target class. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#); however, the `affect_columns` parameter is *not* present. Further parameters are:

- `minor_weight :: numeric(1)`
Weight given to samples of the minor class. Major class samples have weight 1. Initialized to 1.

Internals

Introduces, or overwrites, the "weights" column in the [Task](#). However, the [Learner](#) method needs to respect weights for this to have an effect.

The newly introduced column is named `.WEIGHTS`; there will be a naming conflict if this column already exists and is *not* a weight column itself.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#)


```
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconst,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("spam")
opb = po("classweights")

# task weights
if ("weights_learner" %in% names(task)) {
  task$weights_learner # recent mlr3-versions
} else {
  task$weights # old mlr3-versions
}

# double the instances in the minority class (spam)
opb$param_set$values$minor_weight = 2
result = opb$train(list(task))[[1L]]
if ("weights_learner" %in% names(result)) {
  result$weights_learner # recent mlr3-versions
} else {
  result$weights # old mlr3-versions
}
```

mlr_pipeops_colapply *Apply a Function to each Column of a Task*

Description

Applies a function to each column of a task. Use the `affect_columns` parameter inherited from [PipeOpTaskPreprocSimple](#) to limit the columns this function should be applied to. This can be used for simple parameter transformations or type conversions (e.g. `as.numeric`).

The same function is applied during training and prediction. One important relationship for machine learning preprocessing is that during the prediction phase, the preprocessing on each data row should be independent of other rows. Therefore, the applicator function should always return a vector / list where each result component only depends on the corresponding input component and not on other components. As a rule of thumb, if the function `f` generates output different from `Vectorize(f)`, it is not a function that should be used for applicator.

Format

R6Class object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpColApply$new(id = "colapply", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "colapply".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with features changed according to the applicator parameter.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `applicator` :: `function`
Function to apply to each column of the task. The return value should be a vector of the same length as the input, i.e., the function vectorizes over the input. A typical example would be `as.numeric`.
The return value can also be a `matrix`, `data.frame`, or `data.table`. In this case, the length of the input must match the number of returned rows. The names of the resulting features of the output [Task](#) is based on the (column) name(s) of the return value of the applicator function, prefixed with the original feature name separated by a dot (`.`). Use [Vectorize](#) to create a vectorizing function from any function that ordinarily only takes one element input.

Internals

Calls [map](#) on the data, using the value of `applicator` as `f`. and coerces the output via `as.data.table`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodeimr`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library("mlr3")

task = tsk("iris")
poca = po("colapply", applicator = as.character)
poca$train(list(task))[[1]] # types are converted

# function that does not vectorize
f1 = function(x) {
  # we could use `ifelse` here, but that is not the point
  if (x > 1) {
    "a"
  } else {
    "b"
  }
}
poca$param_set$values$applicator = Vectorize(f1)
poca$train(list(task))[[1]]$data()

# only affect Petal.* columns
poca$param_set$values$affect_columns = selector_grep("^Petal")
poca$train(list(task))[[1]]$data()

# function returning multiple columns
f2 = function(x) {
```

```

    cbind(floor = floor(x), ceiling = ceiling(x))
  }
  poca$param_set$values$applicator = f2
  poca$param_set$values$affect_columns = selector_all()
  poca$train(list(task))[[1]]$data()

```

mlr_pipeops_collapsefactors

Collapse Factors

Description

Collapses factors of type factor, ordered: Collapses the rarest factors in the training samples, until `target_level_count` levels remain. Levels that have prevalence strictly above `no_collapse_above_prevalence` or absolute count strictly above `no_collapse_above_absolute` are retained, however. For factor variables, these are collapsed to the next larger level, for ordered variables, rare variables are collapsed to the neighbouring class, whichever has fewer samples. In case both `no_collapse_above_prevalence` and `no_collapse_above_absolute` are given, the less strict threshold of the two will be used, i.e. if `no_collapse_above_prevalence` is 1 and `no_collapse_above_absolute` is 10 for a task with 100 samples, levels that are seen more than 10 times will not be collapsed.

Levels not seen during training are not touched during prediction; Therefore it is useful to combine this with the [PipeOpFixFactors](#).

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpCollapseFactors$new(id = "collapsefactors", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "collapsefactors".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with rare affected factor and ordered feature levels collapsed.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `collapse_map` :: named list of named list of character
List of factor level maps. For each factor, `collapse_map` contains a named list that indicates what levels of the input task get mapped to what levels of the output task. If `collapse_map` has an entry `feat_1` with an entry `a = c("x", "y")`, it means that levels "x" and "y" get collapsed to level "a" in feature "feat_1".

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `no_collapse_above_prevalence` :: `numeric(1)`
Fraction of samples below which factor levels get collapsed. Default is 1, which causes all levels to be collapsed until `target_level_count` remain.
- `no_collapse_above_absolute` :: `integer(1)`
Number of samples below which factor levels get collapsed. Default is `Inf`, which causes all levels to be collapsed until `target_level_count` remain.
- `target_level_count` :: `integer(1)`
Number of levels to retain. Default is 2.

Internals

Makes use of the fact that `levels(fact_var) = list(target1 = c("source1", "source2"), target2 = "source2")` causes renaming of level "source1" and "source2" both to "target1", and also "source2" to "target2".

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#),

```
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
op = PipeOpCollapseFactors$new()

# Create example training task
df = data.frame(
  target = runif(100),
  fct = factor(rep(LETTERS[1:6], times = c(25, 30, 5, 15, 5, 20))),
  ord = factor(rep(1:6, times = c(20, 25, 30, 5, 5, 15)), ordered = TRUE)
)
task = TaskRegr$new(df, target = "target", id = "example_train")

# Training
train_task_collapsed = op$train(list(task))[[1]]
train_task_collapsed$levels(c("fct", "ord"))

# Create example prediction task
df_pred = data.frame(
  target = runif(7),
  fct = factor(LETTERS[1:7]),
  ord = factor(1:7, ordered = TRUE)
)
pred_task = TaskRegr$new(df_pred, target = "target", id = "example_pred")

# Prediction
pred_task_collapsed = op$predict(list(pred_task))[[1]]
pred_task_collapsed$levels(c("fct", "ord"))
```

mlr_pipeops_colroles *Change Column Roles of a Task*

Description

Changes the column roles of the input [Task](#) according to `new_role` or its inverse `new_role_direct`. Setting a new target variable or changing the role of an existing target variable is not supported.

Format

R6Class object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpColRoles$new(id = "colroles", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "colroles".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with transformed column roles according to `new_role` or its inverse `new_role_direct`.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `new_role` :: named list
Named list of new column roles by column. The names must match the column names of the input task that will later be trained/predicted on. Each entry of the list must contain a character vector with possible values of `mlr_reflections$task_col_roles`. If the value is given as `character()` or `NULL`, the column will be dropped from the input task. Changing the role of a column results in this column loosing its previous role(s).
- `new_role_direct` :: named list
Named list of new column roles by role. The names must match the possible column roles, i.e. values of `mlr_reflections$task_col_roles`. Each entry of the list must contain a character vector with column names of the input task that will later be trained/predicted on. If the value is given as `character()` or `NULL`, all columns will be dropped from the role given in the element name. The value given for a role overwrites the previous entry in `task$col_roles` for that role, completely.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsMOTE`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodeImmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeoJohnson`

Examples

```
library("mlr3")

task = tsk("penguins")
pop = po("colroles", param_vals = list(
  new_role = list(body_mass = c("order", "feature"))
))

train_out1 = pop$train(list(task))[[1L]]
train_out1$col_roles

pop$param_set$set_values(
  new_role = NULL,
  new_role_direct = list(order = character(), group = "island")
)

train_out2 = pop$train(list(train_out1))
train_out2$col_roles
```


Description

Copies its input `outnum` times. This `PipeOp` usually not needed, because copying happens automatically when one `PipeOp` is followed by multiple different `PipeOps`. However, when constructing big Graphs using the `%>%`-operator, `PipeOpCopy` can be helpful to specify which `PipeOp` gets connected to which.

Format

`R6Class` object inheriting from `PipeOp`.

Construction

```
PipeOpCopy$new(outnum, id = "copy", param_vals = list())
```

- `outnum :: numeric(1)`
Number of output channels, and therefore number of copies being made.
- `id :: character(1)`
Identifier of resulting object, default "copy".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpCopy` has one input channel named "input", taking any input ("`*`") both during training and prediction.

`PipeOpCopy` has multiple output channels depending on the `outnum` construction argument, named "output1", "output2", ... All output channels produce the object given as input ("`*`").

State

The `$state` is left empty (`list()`).

Parameters

`PipeOpCopy` has no parameters.

Internals

Note that copies are not clones, but only reference copies. This affects R6-objects: If R6 objects are copied using `PipeOpCopy`, they must be cloned beforehand.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Other Placeholder Pipeops: `mlr_pipeops_nop`

Examples

```
# The following copies the output of 'scale' automatically to both
# 'pca' and 'nop'
po("scale") %>>%
  gunion(list(
    po("pca"),
    po("nop")
  ))

# The following would not work: the '%>>'-operator does not know
# which output to connect to which input
# > gunion(list(
# >   po("scale"),
# >   po("select")
# > )) %>>%
# >   gunion(list(
# >     po("pca"),
# >     po("nop"),
# >     po("imputemean")
# >   ))
# Instead, the 'copy' operator makes clear which output gets copied.
gunion(list(
  po("scale") %>>% po("copy", outnum = 2),
```

```

    po("select")
  )) %>>%
  union(list(
    po("pca"),
    po("nop"),
    po("imputemean")
  ))

```

mlr_pipeops_datefeatures

Preprocess Date Features

Description

Based on POSIXct/Date columns of the data, a set of date related features is computed and added to the feature set of the output task. If no POSIXct or Date column is found, the original task is returned unaltered. This functionality is based on the `add_datepart()` and `add_cyclic_datepart()` functions from the **fastai** package. If operation on only particular POSIXct/Date columns is requested, use the `affect_columns` parameter inherited from [PipeOpTaskPreprocSimple](#).

For Date columns, the features "hour", "minute", "second", and "is_day" are skipped.

If `cyclic = TRUE`, cyclic features are computed for the features "month", "week_of_year", "day_of_year", "day_of_month", "day_of_week", "hour", "minute" and "second". This means that for each feature x , two additional features are computed, namely the sine and cosine transformation of $2 * \pi * x / \max_x$ (here \max_x is the largest possible value the feature could take on + 1, assuming the lowest possible value is given by 0, e.g., for hours from 0 to 23, this is 24). This is useful to respect the cyclical nature of features such as seconds, i.e., second 21 and second 22 are one second apart, but so are second 60 and second 1 of the next minute.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpDateFeatures$new(id = "datefeatures", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "datefeatures".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with date-related features computed and added to the feature set of the output task and the POSIXct columns of the data removed from the feature set (depending on the value of `keep_date_var`).

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `keep_date_var :: logical(1)`
Should the POSIXct columns be kept as features? Default FALSE.
- `cyclic :: logical(1)`
Should cyclic features be computed? See Internals. Default FALSE.
- `year :: logical(1)`
Should the year be extracted as a feature? Default TRUE.
- `quarter :: logical(1)`
Should the quarter be extracted as a feature? Default TRUE.
- `month :: logical(1)`
Should the month be extracted as a feature? Default TRUE.
- `week_of_year :: logical(1)`
Should the week of the year be extracted as a feature? Default TRUE.
- `day_of_year :: logical(1)`
Should the day of the year be extracted as a feature? Default TRUE.
- `day_of_month :: logical(1)`
Should the day of the month be extracted as a feature? Default TRUE.
- `day_of_week :: logical(1)`
Should the day of the week (ISO 8601) be extracted as a feature? Default TRUE.
- `hour :: logical(1)`
Should the hour be extracted as a feature? Default TRUE.
- `minute :: logical(1)`
Should the minute be extracted as a feature? Default TRUE.
- `second :: logical(1)`
Should the second be extracted as a feature? Default TRUE.
- `is_day :: logical(1)`
Should a feature be extracted indicating whether it is day time (06:00am - 08:00pm)? Default TRUE.

Internals

The cyclic feature transformation always assumes that values range from 0, so some values (e.g. day of the month) are shifted before sine/cosine transform.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple/PipeOpTaskPreproc/PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureun](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputecons](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityex](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscale](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")
dat = iris
set.seed(1)
dat$date = sample(
  seq(as.POSIXct("2020-02-01"), to = as.POSIXct("2020-02-29"), by = "hour"), size = 150L
)
task = TaskClassif$new("iris_date", backend = dat, target = "Species")
pop = po("datefeatures", param_vals = list(cyclic = FALSE, minute = FALSE, second = FALSE))
pop$train(list(task))
pop$state
```

Description

Reverses one-hot or treatment encoding of columns. It collapses multiple numeric or integer columns into one factor column based on a pre-specified grouping pattern of column names.

May be applied to multiple groups of columns, grouped by matching a common naming pattern. The grouping pattern is extracted to form the name of the newly derived factor column, and levels are constructed from the previous column names, with parts matching the grouping pattern removed (see examples). The level per row of the new factor column is generally determined as the name of the column with the maximum value in the group.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpEncode$new(id = "decode", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "decode".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with encoding columns collapsed into new decoded columns.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `colmaps` :: `named list`
Named list of `named character vectors`. Each element is named according to the new column name extracted by `group_pattern`. Each vector contains the level names for the new factor column that should be created, named by the corresponding old column name. If `treatment_encoding` is `TRUE`, then each vector also contains `ref_name` as the reference class with an empty string as name.
- `treatment_encoding` :: `logical(1)`
Value of `treatment_encoding` hyperparameter.
- `cutoff` :: `numeric(1)`
Value of `treatment_encoding` hyperparameter, or `0` if that is not given.
- `ties_method` :: `character(1)`
Value of `ties_method` hyperparameter.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `group_pattern` :: `character(1)`
A regular expression to be applied to column names. Should contain a capturing group for the new column name, and match everything that should not be interpreted as the new factor levels (which are constructed as the difference between column names and what `group_pattern` matches). If set to `"`, all columns matching the `group_pattern` are collapsed into one factor column called `pipeop.decoded`. Use [PipeOpRenameColumns](#) to rename this column. Initialized to `"^([^.]+)\\. "`, which would extract everything up to the first dot as the new column name and construct new levels as everything after the first dot.
- `treatment_encoding` :: `logical(1)`
If `TRUE`, treatment encoding is assumed instead of one-hot encoding. Initialized to `FALSE`.
- `treatment_cutoff` :: `numeric(1)`
If `treatment_encoding` is `TRUE`, specifies a cutoff value for identifying the reference level. The reference level is set to `ref_name` in rows where the value is less than or equal to a specified cutoff value (e.g., 0) in all columns in that group. Default is 0.
- `ref_name` :: `character(1)`
If `treatment_encoding` is `TRUE`, specifies the name for reference levels. Default is `"ref"`.
- `ties_method` :: `character(1)`
Method for resolving ties if multiple columns have the same value. Specifies the value from which of the columns with the same value is to be picked. Options are `"first"`, `"last"`, or `"random"`. Initialized to `"random"`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#)

```
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconst,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Reverse one-hot encoding
df = data.frame(
  target = runif(4),
  x.1 = rep(c(1, 0), 2),
  x.2 = rep(c(0, 1), 2),
  y.1 = rep(c(1, 0), 2),
  y.2 = rep(c(0, 1), 2),
  a = runif(4)
)
task_one_hot = TaskRegr$new(id = "example", backend = df, target = "target")

pop = po("decode")

train_out = pop$train(list(task_one_hot))[[1]]
# x.1 and x.2 are collapsed into x, same for y; a is ignored.
train_out$data()

# Reverse treatment encoding from PipeOpEncode
df = data.frame(
  target = runif(6),
  fct = factor(rep(c("a", "b", "c"), 2))
)
task = TaskRegr$new(id = "example", backend = df, target = "target")

po_enc = po("encode", method = "treatment")
task_encoded = po_enc$train(list(task))[[1]]
task_encoded$data()

po_dec = po("decode", treatment_encoding = TRUE)
task_decoded = pop$train(list(task))[[1]]
# x.1 and x.2 are collapsed into x. All rows where all values
# are smaller or equal to 0, the level is set to the reference level.
task_decoded$data()

# Different group_pattern
df = data.frame(
  target = runif(4),
  x_1 = rep(c(1, 0), 2),
```



```

    x_2 = rep(c(0, 1), 2),
    y_1 = rep(c(2, 0), 2),
    y_2 = rep(c(0, 1), 2)
  )
  task = TaskRegr$new(id = "example", backend = df, target = "target")

  # Grouped by first underscore
  pop = po("decode", group_pattern = "^([_]+)\\_")
  train_out = pop$train(list(task))[[1]]
  # x_1 and x_2 are collapsed into x, same for y
  train_out$data()

  # Empty string to collapse all matches into one factor column.
  pop$param_set$set_values(group_pattern = "")
  train_out = pop$train(list(task))[[1]]
  # All columns are combined into a single column.
  # The level for each row is determined by the column with the largest value in that row.
  # By default, ties are resolved randomly.
  train_out$data()

```

mlr_pipeops_encode *Factor Encoding*

Description

Encodes columns of type factor and ordered.

Possible encodings are "one-hot" encoding, as well as encoding according to `stats::contr.helmert()`, `stats::contr.poly()`, `stats::contr.sum()` and `stats::contr.treatment()`. Newly created columns are named via pattern `[column-name].[x]` where `x` is the respective factor level for "one-hot" and "treatment" encoding, and an integer sequence otherwise.

Use the `PipeOpTaskPreproc$affect_columns` functionality to only encode a subset of columns, or only encode columns of a certain type.

character-type features can be encoded by converting them factor features first, using `ppl("convert_types", "character", "factor")`.

Format

`R6Class` object inheriting from `PipeOpTaskPreprocSimple/PipeOpTaskPreproc/PipeOp`.

Construction

```
PipeOpEncode$new(id = "encode", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "encode".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected factor and ordered columns encoded according to the method parameter.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `contrasts` :: named list of matrix
List of contrast matrices, one for each affected discrete feature. The rows of each matrix correspond to (training task) levels, the the columns to the new columns that replace the old discrete feature. See `stats::contrasts`.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `method` :: character(1)
Initialized to "one-hot". One of:
 - "one-hot": create a new column for each factor level.
 - "treatment": create $n-1$ columns leaving out the first factor level of each factor variable (see `stats::contr.treatment()`).
 - "helmert": create columns according to Helmert contrasts (see `stats::contr.helmert()`).
 - "poly": create columns with contrasts based on orthogonal polynomials (see `stats::contr.poly()`).
 - "sum": create columns with contrasts summing to zero, (see `stats::contr.sum()`).

Internals

Uses the `stats::contrasts` functions. This is relatively inefficient for features with a large number of levels.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#),

```

mlr_pipeops_colroles, mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode,
mlr_pipeops_encodeimpact, mlr_pipeops_encodelmer, mlr_pipeops_encodeplquantiles, mlr_pipeops_encodepltr,
mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors, mlr_pipeops_histbin,
mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist, mlr_pipeops_imputelearner,
mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson

```

Examples

```

library("mlr3")

data = data.table::data.table(x = factor(letters[1:3]), y = factor(letters[1:3]))
task = TaskClassif$new("task", data, "x")

poe = po("encode")

# poe is initialized with encoding: "one-hot"
poe$train(list(task))[[1]]$data()

# other kinds of encoding:
poe$param_set$values$method = "treatment"
poe$train(list(task))[[1]]$data()

poe$param_set$values$method = "helmert"
poe$train(list(task))[[1]]$data()

poe$param_set$values$method = "poly"
poe$train(list(task))[[1]]$data()

poe$param_set$values$method = "sum"
poe$train(list(task))[[1]]$data()

# converting character-columns
data_chr = data.table::data.table(x = factor(letters[1:3]), y = letters[1:3])
task_chr = TaskClassif$new("task_chr", data_chr, "x")

goe = ppl("convert_types", "character", "factor") %>% po("encode")

goe$train(task_chr)[[1]]$data()

```

mlr_pipeops_encodeimpact

Conditional Target Value Impact Encoding

Description

Encodes columns of type factor, character and ordered.

Impact coding for [classification Tasks](#) converts factor levels of each (factorial) column to the difference between each target level's conditional log-likelihood given this level, and the target level's global log-likelihood.

Impact coding for [regression Tasks](#) converts factor levels of each (factorial) column to the difference between the target's conditional mean given this level, and the target's global mean.

Treats new levels during prediction like missing values.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpEncodeImpact$new(id = "encodeimpact", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "encodeimpact".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskSupervised](#) is used as input and output during training and prediction.

The output is the input [Task](#) with all affected factor, character or ordered parameters encoded.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `impact` :: a named list
A list with an element for each affected feature:
For regression each element is a single column matrix of impact values for each level of that feature.
For classification, it is a list with an element for each *feature level*, which is a vector giving the impact of this feature level on each *outcome level*.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `smoothing :: numeric(1)`
A finite positive value used for smoothing. Mostly relevant for [classification Tasks](#) if a factor does not coincide with a target factor level (and would otherwise give an infinite logit value). Initialized to `1e-4`.
- `impute_zero :: logical(1)`
If TRUE, impute missing values as impact 0; otherwise the respective impact is coded as NA. Default FALSE.

Internals

Uses Laplace smoothing, mostly to avoid infinite values for [classification Task](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")
poe = po("encodeimpact")

task = TaskClassif$new("task",
  data.table::data.table(
    x = factor(c("a", "a", "a", "b", "b")),
    y = factor(c("a", "a", "b", "b", "b")),
    "x")

poe$train(list(task))[[1]]$data()

poe$state
```

mlr_pipeops_encode_lmer

Impact Encoding with Random Intercept Models

Description

Encodes columns of type factor, character and ordered.

PipeOpEncodeLmer converts factor levels of each factorial column to the estimated coefficients of a simple random intercept model. Models are fitted with the `glmer` function of the `lme4` package and are of the type $\text{target} \sim 1 + (1 \mid \text{factor})$. If the task is a regression task, the numeric target variable is used as dependent variable and the factor is used for grouping. If the task is a classification task, the target variable is used as dependent variable and the factor is used for grouping. If the target variable is multiclass, for each level of the multiclass target variable, binary "one vs. rest" models are fitted.

For training, multiple models can be estimated in a cross-validation scheme to ensure that the same factor level does not always result in identical values in the converted numerical feature. For prediction, a global model (which was fitted on all observations during training) is used for each factor. New factor levels are converted to the value of the intercept coefficient of the global model for prediction. NAs are ignored by the CPO.

Use the [PipeOpTaskPreproc](#) `$affect_columns` functionality to only encode a subset of columns, or only encode columns of a certain type.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpEncodeLmer$new(id = "encodelmer", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "encodelmer".

- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskSupervised](#) is used as input and output during training and prediction.

The output is the input [Task](#) with all affected factor, character or ordered parameters encoded according to the method parameter.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `target_levels` :: character
Levels of the target columns.
- `control` :: a named list
List of coefficients learned via `glmer`.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `fast_optim` :: `logical(1)`
If `fast_optim` is `TRUE` (default), a faster (up to 50 percent) optimizer from the `nloptr` package is used when fitting the `lmer` models. This uses additional stopping criteria which can give suboptimal results. Initialized to `TRUE`.

Internals

Uses the `lme4::glmer`. This is relatively inefficient for features with a large number of levels.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#),

```
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodeplquantiles, mlr_pipeops_encodepltree,
mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors, mlr_pipeops_histbin,
mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist, mlr_pipeops_imputelearner,
mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
poe = po("encodelmer")

task = TaskClassif$new("task",
  data.table::data.table(
    x = factor(c("a", "a", "a", "b", "b")),
    y = factor(c("a", "a", "b", "b", "b")),
    "x")

poe$train(list(task))[[1]]$data()

poe$state
```

mlr_pipeops_encodeplquantiles

Piecewise Linear Encoding using Quantiles

Description

Encodes numeric and integer feature columns using piecewise linear encoding. For details, see documentation of [PipeOpEncodePL](#) or Gorishniy et al. (2022).

Bins are constructed by taking the quantiles of the respective feature column as bin boundaries. The first and last boundaries are set to the minimum and maximum value of the feature, respectively. The number of bins can be controlled with the `numplits` hyperparameter. Affected feature columns may contain NAs. These are ignored when calculating quantiles.

Format

[R6Class](#) object inheriting from [PipeOpEncodePL](#)/[PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

`PipeOpEncodePLQuantiles$new(id = "encodeplquantiles", param_vals = list())`

- `id :: character(1)`
Identifier of resulting object, default "encodeplquantiles".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric and integer columns encoded using piecewise linear encoding with bins being derived from the quantiles of the respective original feature column.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpEncodePL/PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `numplits :: integer(1)`
Number of bins to create. Initialized to 2.
- `type :: integer(1)`
Method used to calculate sample quantiles. See help of [stats::quantile](#). Default is 7.

Internals

This overloads the `private$.get_bins()` method of [PipeOpEncodePL](#) and uses the [stats::quantile](#) function to derive the bins used for piecewise linear encoding.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpEncodePL/PipeOpTaskPreproc/PipeOp](#).

References

Gorishniy Y, Rubachev I, Babenko A (2022). "On Embeddings for Numerical Features in Tabular Deep Learning." In *Advances in Neural Information Processing Systems*, volume 35, 24991–25004. https://proceedings.neurips.cc/paper_files/paper/2022/hash/9e9f0ffc3d836836ca96cbf8fe14b105-Abstract.html.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodedelmer`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconstant`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Other Piecewise Linear Encoding PipeOps: `PipeOpEncodePL`, `mlr_pipeops_encodepltree`

Examples

```
library(mlr3)

task = tsk("iris")$select(c("Petal.Width", "Petal.Length"))
pop = po("encodeplquantiles")

train_out = pop$train(list(task))[[1L]]
# Calculated bin boundaries per feature
pop$state$bins
# Each feature was split into two encoded features using piecewise linear encoding
train_out$head()

# Prediction works the same as training, using the bins learned during training
predict_out = pop$predict(list(task))[[1L]]
predict_out$head()

# Binning into three bins per feature
# Using the nearest even order statistic for calculating quantiles
pop$param_set$values$numsplits = 4, type = 3)

train_out = pop$train(list(task))[[1L]]
# Calculated bin boundaries per feature
pop$state$bins
```

```
# Each feature was split into three encoded features using
# piecewise linear encoding
train_out$head()
```

mlr_pipeops_encodepltree

Piecewise Linear Encoding using Decision Trees

Description

Encodes numeric and integer feature columns using piecewise linear encoding. For details, see documentation of [PipeOpEncodePL](#) or Gorishniy et al. (2022).

Bins are constructed by training one decision tree [Learner](#) per feature column, taking the target column into account, and using decision boundaries as bin boundaries.

Format

[R6Class](#) object inheriting from [PipeOpEncodePL](#)/[PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpEncodePLTree$new(task_type, id = "encodepltree", param_vals = list())
```

- `task_type` :: character(1)
The class of [Task](#) that should be accepted as input, given as a character(1). This is used to construct the appropriate [Learner](#) to be used for obtaining the bins for piecewise linear encoding. Supported options are "TaskClassif" for [LearnerClassifRpart](#) or "TaskRegr" for [LearnerRegrRpart](#).
- `id` :: character(1)
Identifier of resulting object, default "encodeplquantiles".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) or [TaskRegr](#) is used as input and output during training and prediction, depending on the `task_type` construction argument.

The output is the input [Task](#) with all affected numeric and integer columns encoded using piecewise linear encoding with bins being derived from a decision tree [Learner](#) trained on the respective feature column.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpEncodePL](#)/[PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as the parameters of the [Learner](#) used for obtaining the bins for piecewise linear encoding.

Internals

This overloads the private `$.get_bins()` method of [PipeOpEncodePL](#). To derive the bins for each feature, the [Task](#) is split into smaller [Tasks](#) with only the target and respective feature as columns. On these [Tasks](#) either a [LearnerClassifRpart](#) or [LearnerRegrRpart](#) gets trained and the respective splits extracted as bin boundaries used for piecewise linear encodings.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpEncodePL](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

References

Gorishniy Y, Rubachev I, Babenko A (2022). “On Embeddings for Numerical Features in Tabular Deep Learning.” In *Advances in Neural Information Processing Systems*, volume 35, 24991–25004.

https://proceedings.neurips.cc/paper_files/paper/2022/hash/9e9f0ffc3d836836ca96cbf8fe14b105-Abstract.html.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsMOTE](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#),

[mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#),
[mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Piecewise Linear Encoding PipeOps: [PipeOpEncodePL](#), [mlr_pipeops_encodeplquantiles](#)

Examples

```
library(mlr3)

# For classification task
task = tsk("iris")$select(c("Petal.Width", "Petal.Length"))
pop = po("encodepltree", task_type = "TaskClassif")
train_out = pop$train(list(task))[[1L]]

# Calculated bin boundaries per feature
pop$state$bins
# Each feature was split into three encoded features using piecewise linear encoding
train_out$head()

# Prediction works the same as training, using the bins learned during training
predict_out = pop$predict(list(task))[[1L]]
predict_out$head()

# Controlling behavior of the tree learner, here: setting minimum number of
# observations per node for a split to be attempted
pop$param_set$set_values(minsplit = 5)

train_out = pop$train(list(task))[[1L]]
# feature "hp" now gets split into five encoded features instead of three
pop$state$bins
train_out$head()

# For regression task
task = tsk("mtcars")$select(c("cyl", "hp"))
pop = po("encodepltree", task_type = "TaskRegr")
train_out = pop$train(list(task))[[1L]]

# Calculated bin boundaries per feature
pop$state$bins
# First feature was split into three encoded features,
# second into two, using piecewise linear encoding
train_out$head()
```

Description

Aggregates features from all input tasks by `cbind()`ing them together into a single [Task](#).

[DataBackend](#) primary keys and [Task](#) targets have to be equal across all [Tasks](#). Only the target column(s) of the first [Task](#) are kept.

If `assert_targets_equal` is TRUE then target column names are compared and an error is thrown if they differ across inputs.

If input tasks share some feature names but these features are not identical an error is thrown. This check is performed by first comparing the features names and if duplicates are found, also the values of these possibly duplicated features. True duplicated features are only added a single time to the output task.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpFeatureUnion$new(innum = 0, collect_multiplicity = FALSE, id = "featureunion", param_vals = list(
  assert_targets_equal = TRUE))
```

- `innum :: numeric(1) | character`
Determines the number of input channels. If `innum` is 0 (default), a `vararg` input channel is created that can take an arbitrary number of inputs. If `innum` is a character vector, the number of input channels is the length of `innum`, and the columns of the result are prefixed with the values.
- `collect_multiplicity :: logical(1)`
If TRUE, the input is a [Multiplicity](#) collecting channel. This means, a [Multiplicity](#) input, instead of multiple normal inputs, is accepted and the members are aggregated. This requires `innum` to be 0. Default is FALSE.
- `id :: character(1)`
Identifier of the resulting object, default "featureunion".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.
- `assert_targets_equal :: logical(1)`
If `assert_targets_equal` is TRUE (Default), task target column names are checked for agreement. Disagreeing target column names are usually a bug, so this should often be left at the default.

Input and Output Channels

`PipeOpFeatureUnion` has multiple input channels depending on the `innum` construction argument, named "input1", "input2", ... if `innum` is nonzero; if `innum` is 0, there is only one `vararg` input channel named "...". All input channels take a [Task](#) both during training and prediction.

`PipeOpFeatureUnion` has one output channel named "output", producing a [Task](#) both during training and prediction.

The output is a [Task](#) constructed by `cbind()`ing all features from all input [Tasks](#), both during training and prediction.

State

The `$state` is left empty (`list()`).

Parameters

`PipeOpFeatureUnion` has no Parameters.

Internals

`PipeOpFeatureUnion` uses the [Task](#) `$cbind()` method to bind the input values beyond the first input to the first [Task](#). This means if the [Tasks](#) are database-backed, all of them except the first will be fetched into R memory for this. This behaviour may change in the future.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other `PipeOps`: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: `Multiplicity()`, `PipeOpEnsemble`, `mlr_pipeops_classifavg`, `mlr_pipeops_multiplicity`, `mlr_pipeops_multiplicityimply`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_regravg`, `mlr_pipeops_replicate`

Examples

```
library("mlr3")

task1 = tsk("iris")
gr = gunion(list(
  po("nop"),
  po("pca")
)) %>>% po("featureunion")

gr$train(task1)

task2 = tsk("iris")
task3 = tsk("iris")
po = po("featureunion", innum = c("a", "b"))

po$train(list(task2, task3))
```

mlr_pipeops_filter	<i>Feature Filtering</i>
--------------------	--------------------------

Description

Feature filtering using a `mlr3filters::Filter` object, see the **mlr3filters** package.

If a `Filter` can only operate on a subset of columns based on column type, then only these features are considered and filtered. `nfeat` and `frac` will count for the features of the type that the `Filter` can operate on; this means e.g. that setting `nfeat` to 0 will only remove features of the type that the `Filter` can work with.

Format

`R6Class` object inheriting from `PipeOpTaskPreprocSimple/PipeOpTaskPreproc/PipeOp`.

Construction

```
PipeOpFilter$new(filter, id = filter$id, param_vals = list())
```

- `filter` :: `Filter`
`Filter` used for feature filtering. This argument is always cloned; to access the `Filter` inside `PipeOpFilter` by-reference, use `$filter`.
- `id` :: `character(1)`
Identifier of the resulting object, defaulting to the `id` of the `Filter` being used.
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with features removed that were filtered out.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `scores` :: `named numeric`
Scores calculated for all features of the training [Task](#) which are being used as cutoff for feature filtering. If `frac` or `nfeat` is given, the underlying [Filter](#) may choose to not calculate scores for all features that are given. This only includes features on which the [Filter](#) can operate; e.g. if the [Filter](#) can only operate on numeric features, then scores for factorial features will not be given.
- `features` :: `character`
Names of features that are being kept. Features of types that the [Filter](#) can not operate on are always being kept.

Parameters

The parameters are the parameters inherited from the [PipeOpTaskPreproc](#), as well as the parameters of the [Filter](#) used by this object. Besides, parameters introduced are:

- `filter.nfeat` :: `numeric(1)`
Number of features to select. Mutually exclusive with `frac`, `cutoff`, and `permuted`.
- `filter.frac` :: `numeric(1)`
Fraction of features to keep. Mutually exclusive with `nfeat`, `cutoff`, and `permuted`.
- `filter.cutoff` :: `numeric(1)`
Minimum value of filter heuristic for which to keep features. Mutually exclusive with `nfeat`, `frac`, and `permuted`.
- `filter.permuted` :: `integer(1)`
If this parameter is set, a random permutation of each feature is added to the task before applying the filter. All features selected before the `permuted`-th permuted features is selected are kept. This is similar to the approach in Wu (2007) and Thomas (2017). Mutually exclusive with `nfeat`, `frac`, and `cutoff`.

Note that at least one of `filter.nfeat`, `filter.frac`, `filter.cutoff`, and `filter.permuted` must be given.

Internals

This does *not* use the `$.select_cols` feature of [PipeOpTaskPreproc](#) to select only features compatible with the [Filter](#); instead the whole [Task](#) is used by `private$.get_state()` and subset internally.

Fields

Fields inherited from [PipeOp](#), as well as:

- `filter` :: [Filter](#)
[Filter](#) that is being used for feature filtering. Do *not* use this slot to get to the feature filtering scores after training; instead, use `$state$scores`. Read-only.

Methods

Methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

References

Wu Y, Boos DD, Stefanski LA (2007). “Controlling Variable Selection by the Addition of Pseudovariables.” *Journal of the American Statistical Association*, **102**(477), 235–243. doi:[10.1198/016214506000000843](#).

Thomas J, Hepp T, Mayr A, Bischl B (2017). “Probing for Sparse and Fast Variable Selection with Model-Based Boosting.” *Computational and Mathematical Methods in Medicine*, **2017**, 1–8. doi:[10.1155/2017/1421409](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")
library("mlr3filters")
```

```

# setup PipeOpFilter to keep the 5 most important
# features of the spam task w.r.t. their AUC
task = tsk("spam")
filter = flt("auc")
po = po("filter", filter = filter)
po$param_set
po$param_set$values$filter.nfeat = 5

# filter the task
filtered_task = po$train(list(task))[[1]]

# filtered task + extracted AUC scores
filtered_task$feature_names
head(po$state$scores, 10)

# feature selection embedded in a 3-fold cross validation
# keep 30% of features based on their AUC score
task = tsk("spam")
gr = po("filter", filter = flt("auc"), filter.frac = 0.5) %>>%
  po("learner", lrn("classif.rpart"))
learner = GraphLearner$new(gr)
rr = resample(task, learner, rsmpl("holdout"), store_models = TRUE)
rr$learners[[1]]$model$auc$scores

```

mlr_pipeops_fixfactors

Fix Factor Levels

Description

Fixes factors of type factor, ordered: Makes sure the factor levels during prediction are the same as during training; possibly dropping empty training factor levels before.

Note this may introduce *missing values* during prediction if unseen factor levels are found.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

`PipeOpFixFactors$new(id = "fixfactors", param_vals = list())`

- `id` :: character(1)
Identifier of resulting object, default "fixfactors".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected factor and ordered feature levels fixed.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `levels` :: named list of character
List of factor levels of each affected factor or ordered feature that will be fixed.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `droplevels` :: logical(1)
Whether to drop empty factor levels of the training task. Default TRUE

Internals

Changes factor levels of columns and attaches them with a new `data.table` backend and the virtual `cbind()` backend.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#),

```
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Reduced task with no entries for the installment_rate < 20 is defined
task = tsk("german_credit")
rows = task$row_ids[task$data()[, installment_rate != "< 20"]]
reduced_task = task$clone(deep = TRUE)$filter(rows)
levels(reduced_task$data())$installment_rate)

# PipeOp is trained on the reduced task
po = po("fixfactors")
processed_task = preproc(reduced_task, po)
levels(processed_task$data())$installment_rate)
summary(processed_task$data())$installment_rate)

predicted_task = preproc(task, po, predict = TRUE)

# Predictions are made on the task without any missing data
levels(predicted_task$data())$installment_rate)
summary(predicted_task$data())$installment_rate)
```

mlr_pipeops_histbin	<i>Split Numeric Features into Equally Spaced Bins</i>
---------------------	--

Description

Splits numeric features into equally spaced bins. See [graphics::hist\(\)](#) for details. Values that fall out of the training data range during prediction are binned with the lowest / highest bin respectively.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpHistBin$new(id = "histbin", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "histbin".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their binned versions.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `breaks :: list`
List of intervals representing the bins for each numeric feature.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `breaks :: character(1) | numeric | function`
Either a `character(1)` string naming an algorithm to compute the number of cells, a `numeric(1)` giving the number of breaks for the histogram, a vector `numeric` giving the breakpoints between the histogram cells, or a function to compute the vector of breakpoints or to compute the number of cells. Default is algorithm "Sturges" (see [grDevices::nclass.Sturges\(\)](#)). For details see [hist\(\)](#).

Internals

Uses the [graphics::hist](#) function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#),

```
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("histbin")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_ica	<i>Independent Component Analysis</i>
-----------------	---------------------------------------

Description

Extracts statistically independent components from data. Only affects numerical features. See [fastICA::fastICA](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpICA$new(id = "ica", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "ica".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric parameters replaced by independent components.

State

The `$state` is a named list with the `$state` elements inherited from `PipeOpTaskPreproc`, as well as the elements of the function `fastICA::fastICA()`, with the exception of the `$X` and `$S` slots. These are in particular:

- `K :: matrix`
Matrix that projects data onto the first `n.comp` principal components. See `fastICA()`.
- `W :: matrix`
Estimated un-mixing matrix. See `fastICA()`.
- `A :: matrix`
Estimated mixing matrix. See `fastICA()`.
- `center :: numeric`
The mean of each numeric feature during training.

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as the following parameters based on `fastICA()`:

- `n.comp :: numeric(1)`
Number of components to extract. Default is `NULL`, which sets it to the number of available numeric columns.
- `alg.typ :: character(1)`
Algorithm type. One of "parallel" (default) or "deflation".
- `fun :: character(1)`
One of "logcosh" (default) or "exp".
- `alpha :: numeric(1)`
In range `[1, 2]`, Used for negentropy calculation when `fun` is "logcosh". Default is 1.0.
- `method :: character(1)`
Internal calculation method. "C" (default) or "R". See `fastICA()`.
- `row.norm :: logical(1)`
Logical value indicating whether rows should be standardized beforehand. Default is `FALSE`.
- `maxit :: numeric(1)`
Maximum number of iterations. Default is 200.
- `tol :: numeric(1)`
Tolerance for convergence, default is `1e-4`.
- `verbose :: logical(1)`
Logical value indicating the level of output during the run of the algorithm. Default is `FALSE`.
- `w.init :: matrix`
Initial un-mixing matrix. See `fastICA()`. Default is `NULL`.

Internals

Uses the `fastICA()` function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("ica")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_imputeconstant

Impute Features by a Constant

Description

Impute features by a constant value.

Format

[R6Class](#) object inheriting from [PipeOpImpute/PipeOp](#).

Construction

```
PipeOpImputeConstant$new(id = "imputeconstant", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "imputeconstant".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected features missing values imputed by the value of the constant parameter.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` contains the value of the constant parameter that is used for imputation.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#), as well as:

- `constant :: atomic(1)`
The constant value that should be used for the imputation, atomic vector of length 1. The atomic mode must match the type of the features that will be selected by the `affect_columns` parameter and this will be checked during imputation. This is a required hyperparameter and needs to be set by the user.
- `check_levels :: logical(1)`
Should be checked whether the constant value is a valid level of factorial features (i.e., it already is a level)? Raises an error if unsuccessful. This check is only performed for factorial features (i.e., factor, ordered; skipped for character). Initialized to TRUE.
Note that empty factor levels can be a problem for many [Learners](#). Thus, [PipeOpImpute00R](#)

is the preferred choice for creating new levels, since it is designed to impute out-of-range values and offers a more explicit control for handling potentially problematic behavior.

Internals

The constructor is called with `empty_level_control` set to "always", to allow the creation of a new empty level for factor and ordered (but not character) features during training, if `constant` is not an already existing level and `check_levels` is set to `FALSE`. This has no impact if `check_levels` is `TRUE`, since in that case an error would be raised before imputation.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Imputation PipeOps: [PipeOpImpute](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#)

Examples

```
library("mlr3")
```

```

task = tsk("pima")
task$missings()

# impute missing values of the numeric feature "glucose" by the constant value -999
po = po("imputeconstant", param_vals = list(
  constant = -999, affect_columns = selector_name("glucose"))
)
new_task = po$train(list(task = task))[[1]]
new_task$missings()
new_task$data(cols = "glucose")[[1]]

```

mlr_pipeops_imputehist

Impute Numerical Features by Histogram

Description

Impute numerical features by histogram.

During training, a histogram is fitted on each column using R's `hist()` function. The fitted histogram is then sampled from for imputation. Sampling happens in a two-step process: First, a bin is sampled from the histogram, then a value is sampled uniformly from the bin. This is an approximation to sampling from the empirical training data distribution (i.e. sampling from training data with replacement), but is much more memory efficient for large datasets, since the `$state` does not need to save the training data.

Format

[R6Class](#) object inheriting from [PipeOpImpute/PipeOp](#).

Construction

```
PipeOpImputeHist$new(id = "imputehist", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "imputehist".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected numeric features missing values imputed by (column-wise) histogram; see Description for details.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` is a named list of lists containing elements `$counts` and `$breaks`.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#).

Internals

Uses the [graphics::hist\(\)](#) function. Features that are entirely NA are imputed as 0.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Imputation PipeOps: [PipeOpImpute](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#)

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputehist")
new_task = po$train(list(task = task))[[1]]
new_task$missings()

po$state$model
```

```
mlr_pipeops_imputelearner
```

Impute Features by Fitting a Learner

Description

Impute features by fitting a [Learner](#) for each feature. Uses the features indicated by the `context_columns` parameter as features to train the imputation [Learner](#). Note this parameter is part of the [PipeOpImpute](#) base class and explained there.

Additionally, only features supported by the learner can be imputed; i.e. learners of type `regr` can only impute features of type `integer` and `numeric`, while `classif` can impute features of type `factor`, `ordered` and `logical`.

The [Learner](#) used for imputation is trained on all `context_columns`; if these contain missing values, the [Learner](#) typically either needs to be able to handle missing values itself, or needs to do its own imputation (see examples).

Format

[R6Class](#) object inheriting from [PipeOpImpute/PipeOp](#).

Construction

```
PipeOpImputeLearner$new(learner, id = NULL, param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default `"impute."`, followed by the `id` of the [Learner](#).
- `learner` :: [Learner](#) | `character(1)` [Learner](#) to wrap, or a string identifying a [Learner](#) in the [mlr3::mlr_learners Dictionary](#). The [Learner](#) usually needs to be able to handle missing values, i.e. have the `missings` property, unless care is taken that `context_columns` do not contain missings; see examples.
This argument is always cloned; to access the [Learner](#) inside `PipeOpImputeLearner` by-reference, use `$learner`.
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with missing values from all affected features imputed by the trained model.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$models` is a named list of models created by the [Learner](#)'s `$.train()` function for each column. If a column consists of missing values only during training, the model is `0` or the levels of the feature; these are used for sampling during prediction.

This state is given the class `"pipeop_impute_learner_state"`.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#), in addition to the parameters of the [Learner](#) used for imputation.

Internals

Uses the `$train` and `$predict` functions of the provided learner. Features that are entirely NA are imputed as `0` or randomly sampled from available (factor / logical) levels.

The [Learner](#) does *not* necessarily need to handle missing values in cases where `context_columns` is chosen well (or there is only one column with missing values present).

Fields

Fields inherited from [PipeOpTaskPreproc](#)/[PipeOp](#), as well as:

- `learner` :: [Learner](#)
[Learner](#) that is being wrapped. Read-only.
- `learner_models` :: list of [Learner](#) | NULL
[Learner](#) that is being wrapped. This list is named by features for which a [Learner](#) was fitted, and contains the same [Learner](#), but with different respective models for each feature. If this [PipeOp](#) is not trained, this is an empty list. For features that were entirely NA during training, the list contains NULL elements.

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other [PipeOps](#): [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#),

```
mlr_pipeops_colroles, mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode,
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodeimer, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Imputation PipeOps: PipeOpImpute, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor, mlr_pipeops_imputesample

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputelearner", lrn("regr.rpart"))
new_task = po$train(list(task = task))[[1]]
new_task$missings()

# '$state' of the "regr.rpart" Learner, trained to predict the 'mass' column:
po$state$model$mass

library("mlr3learners")
# To use the "regr.lm" Learner, prefix it with its own imputation method!
# The "imputehist" PipeOp is used to train "regr.lm"; predictions of this
# trained Learner are then used to impute the missing values in the Task.
po = po("imputelearner",
  po("imputehist") %>>% lrn("regr.lm")
)

new_task = po$train(list(task = task))[[1]]
new_task$missings()
```

`mlr_pipeops_imputemean`*Impute Numerical Features by their Mean*

Description

Impute numerical features by their mean.

Format

[R6Class](#) object inheriting from [PipeOpImpute](#)/[PipeOp](#).

Construction

```
PipeOpImputeMean$new(id = "imputemean", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "imputemean".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected numeric features missing values imputed by (column-wise) mean.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` is a `named list` of `numeric(1)` indicating the mean of the respective feature.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#).

Internals

Uses the `mean()` function. Features that are entirely NA are imputed as 0.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Other Imputation PipeOps: `PipeOpImpute`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputemean")
new_task = po$train(list(task = task))[[1]]
new_task$missings()

po$state$model
```

```
mlr_pipeops_imputemedian
```

Impute Numerical Features by their Median

Description

Impute numerical features by their median.

Format

[R6Class](#) object inheriting from [PipeOpImpute/PipeOp](#).

Construction

```
PipeOpImputeMedian$new(id = "imputemedian", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "imputemedian".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected numeric features missing values imputed by (column-wise) median.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` is a named list of `numeric(1)` indicating the median of the respective feature.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#).

Internals

Uses the `stats::median()` function. Features that are entirely NA are imputed as 0.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute/PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#),

```
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Imputation PipeOps: `PipeOpImpute`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputemedian")
new_task = po$train(list(task = task))[[1]]
new_task$missings()

po$state$model
```

```
mlr_pipeops_imputemode
```

Impute Features by their Mode

Description

Impute features by their mode. Supports factors as well as logical and numerical features. If multiple modes are present then imputed values are sampled randomly from them.

Format

[R6Class](#) object inheriting from [PipeOpImpute](#)/[PipeOp](#).

Construction

```
PipeOpImputeMode$new(id = "imputemode", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "imputemode".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected features missing values imputed by (column-wise) mode.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` is a named list of a vector of length one of the type of the feature, indicating the mode of the respective feature.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#).

Internals

Features that are entirely NA are imputed as the following: For factor or ordered, random levels are sampled uniformly at random. For logicals, TRUE or FALSE are sampled uniformly at random. Numerics and integers are imputed as 0.

Note that every random imputation is drawn independently, so different values may be imputed if multiple values are missing.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#),

```
mlr_pipeops_colroles, mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode,
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodedlmer, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Imputation PipeOps: `PipeOpImpute`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputemode")
new_task = po$train(list(task = task))[[1]]
new_task$missings()

po$state$model
```

`mlr_pipeops_imputeoor` *Out of Range Imputation*

Description

Impute factorial features by adding a new level ".MISSING".

Impute numerical features by constant values shifted below the minimum or above the maximum by using $\min(x) - offset - multiplier * diff(range(x))$ or $\max(x) + offset + multiplier * diff(range(x))$.

This type of imputation is especially sensible in the context of tree-based methods, see also Ding & Simonoff (2010).

Learners expect input **Tasks** to have the same factor (or ordered) levels during training as well as prediction. This PipeOp modifies the levels of factor and ordered features, and since it may

occur that a factor or ordered feature contains missing values only during prediction, but not during training, the output Task could also have different levels during the two stages.

To avoid problems with the Learners' expectation, controlling the PipeOps' handling of this edge-case is necessary. For this, use the `create_empty_level` hyperparameter inherited from [PipeOpImpute](#). If `create_empty_level` is set to `TRUE`, then an unseen level `".MISSING"` is added to the feature during training and missing values are imputed as `".MISSING"` during prediction. However, empty factor levels during training can be a problem for many [Learners](#).

If `create_empty_level` is set to `FALSE`, then no empty level is introduced during training, but columns that have missing values only during prediction will *not* be imputed. This is why it may still be necessary to use `po("imputesample", affect_columns = selector_type(types = c("factor", "ordered")))` (or another imputation method) after this imputation method. Note that setting `create_empty_level` to `FALSE` is the same as setting it to `TRUE` and using [PipeOpFixFactors](#) after this PipeOp.

Format

[R6Class](#) object inheriting from [PipeOpImpute](#)/[PipeOp](#).

Construction

```
PipeOpImputeOOR$new(id = "imputeoor", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default `"imputeoor"`.
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected features having missing values imputed as described above.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` contains either `".MISSING"` used for character and factor (also ordered) features or `numeric(1)` indicating the constant value used for imputation of integer and numeric features.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#), as well as:

- `min` :: `logical(1)`
Should integer and numeric features be shifted below the minimum? Initialized to `TRUE`. If `FALSE` they are shifted above the maximum. See also the description above.

- `offset :: numeric(1)`
Numerical non-negative offset as used in the description above for integer and numeric features. Initialized to 1.
- `multiplier :: numeric(1)`
Numerical non-negative multiplier as used in the description above for integer and numeric features. Initialized to 1.

Internals

Adds an explicit new `level()` to factor and ordered features, but not to character features. For integer and numeric features uses the `min`, `max`, `diff` and `range` functions. integer and numeric features that are entirely NA are imputed as 0. factor and ordered features that are entirely NA are imputed as `".MISSING"`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

References

Ding Y, Simonoff JS (2010). “An Investigation of Missing Data Methods for Classification Trees Applied to Binary Response Data.” *Journal of Machine Learning Research*, **11**(6), 131-170. <https://jmlr.org/papers/v11/ding10a.html>.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#),

[mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#),
[mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#),
[mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)
 Other Imputation PipeOps: [PipeOpImpute](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#),
[mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#),
[mlr_pipeops_imputesample](#)

Examples

```

library("mlr3")
set.seed(2409)
data = tsk("pima")$data()
data$y = factor(c(NA, sample(letters, size = 766, replace = TRUE), NA))
data$z = ordered(c(NA, sample(1:10, size = 767, replace = TRUE)))
task = TaskClassif$new("task", backend = data, target = "diabetes")
task$missings()
po = po("imputeoor")
new_task = po$train(list(task = task))[[1]]
new_task$missings()
new_task$data()

# recommended use when missing values are expected during prediction on
# factor columns that had no missing values during training
gr = po("imputeoor", create_empty_level = FALSE) %>%
  po("imputesample", affect_columns = selector_type(types = c("factor", "ordered")))
t1 = as_task_classif(data.frame(l = as.ordered(letters[1:3]), t = letters[1:3]), target = "t")
t2 = as_task_classif(data.frame(l = as.ordered(c("a", NA, NA)), t = letters[1:3]), target = "t")
gr$train(t1)[[1]]$data()

# missing values during prediction are sampled randomly
gr$predict(t2)[[1]]$data()

```

mlr_pipeops_imputesample

Impute Features by Sampling

Description

Impute features by sampling from non-missing training data.

Format

[R6Class](#) object inheriting from [PipeOpImpute](#)/[PipeOp](#).

Construction

`PipeOpImputeSample$new(id = "imputesample", param_vals = list())`

- `id` :: `character(1)`
Identifier of resulting object, default "imputesample".

- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpImpute](#).

The output is the input [Task](#) with all affected numeric features missing values imputed by values sampled (column-wise) from training data.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpImpute](#).

The `$state$model` is a named list of training data with missings removed.

Parameters

The parameters are the parameters inherited from [PipeOpImpute](#).

Internals

Uses the `sample()` function. Features that are entirely NA are imputed as the following: For factor or ordered, random levels are sampled uniformly at random. For logicals, TRUE or FALSE are sampled uniformly at random. Numerics and integers are imputed as 0.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpImpute](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#),

```
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Imputation PipeOps: `PipeOpImpute`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`

Examples

```
library("mlr3")

task = tsk("pima")
task$missings()

po = po("imputesample")
new_task = po$train(list(task = task))[[1]]
new_task$missings()
```

mlr_pipeops_info	<i>Customizable Information Printer</i>
------------------	---

Description

`PipeOpInfo` prints its input to the console or a logger in a customizable way. Users can define how specific object classes should be displayed using custom printer functions.

Format

[R6Class](#) object inheriting from [PipeOp](#)

Construction

`PipeOpInfo$new(id = "info", collect_multiplicity = FALSE, log_target = "lgr::mlr3/mlr3pipelines::info")`

- `id :: character(1)`
Identifier of resulting object, default "info"
- `printer :: list`
Optional mapping from object classes to printer functions. Custom functions override default printer-functions.
- `collect_multiplicity :: logical(1)`
If TRUE, the input is a [Multiplicity](#) collecting channel. [Multiplicity](#) input/output is accepted and the members are aggregated.

- `log_target :: character(1)`
Specifies how the input object is printed to the console. By default it is directed to a logger, whose address can be customized using the form `<output>::<argument1>::<argument2>`. Otherwise it can be printed as "message", "warning" or "cat". When set to "none", no customized information about the object will be printed.

Input and Output Channels

PipeOpInfo has one input channel called "input", it can take any type of input (*). PipeOpInfo has one output channel called "output", it can take any type of output (*).

State

The `$state` is left empty (`list()`).

Internals

PipeOpInfo forwards its input unchanged, but prints information about it depending on the printer and `log_target` settings.

Fields

Fields inherited from PipeOp, as well as:

- `printer :: list`
Mapping of object classes to printer functions. Includes printer-specifications for Task, Prediction, NULL. Otherwise object is printed as is.
- `log_target :: character(1)`
Specifies current output target.

Methods

Only methods inherited from PipeOp.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#),

```
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconst,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

poinfo = po("info")
poinfo$train(list(tsk("mtcars")))
poinfo$predict(list(tsk("mtcars")))

# Specify customized console output for Task-objects
poinfo = po("info", log_target = "cat",
  printer = list(Task = function(x) list(head_data = head(x$data()), nrow = nrow(x$data()))
)

poinfo$train(list(tsk("iris")))
poinfo$predict(list(tsk("iris")))
```

mlr_pipeops_isomap	<i>Algorithm for Dimensionality Reduction</i>
--------------------	---

Description

Reduces the dimensionality of the data of the input [Task](#) using the Isomap algorithm from the [dimRed](#)-package, preserving geodesic distances between observations. The number of neighbors (knn) and embedding dimensions (ndim) control the transformation.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)

Construction

```
PipeOpIsomap$new(id = "isomap", ...)
```

- `id` :: character(1)
Identifier of resulting object, default "isomap"
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with the data projected to the lower-dimensional space.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `embed_result :: dimRedResult`
The resulting object after applying the "Isomap"-method from the `dimRed`-package to the data.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `knn :: integer(1)`
The number of nearest neighbors in the graph. Initialized to 50.
- `ndim :: integer(1)`
The number of embedding dimensions. Initialized to 2.
- `get_geod :: logical(1)`
Determines whether the distance matrix should be kept in the `$state`. Initialized to FALSE.
- `.mute :: character`
A character vector of elements to mute during training (e.g. `c("message", "output")`). Initialized to NULL.

Internals

Applies the Isomap embedding from the `dimRed`-package.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#),

```
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
po = po("isomap", .mute = c("message", "output"))
po$train(list(tsk("iris")))[[1]]$data()
po$predict(list(tsk("iris")))[[1]]$data()
```

mlr_pipeops_kernelpca *Kernelized Principal Component Analysis*

Description

Extracts kernel principal components from data. Only affects numerical features. See [kernlab:kpca](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpKernelPCA$new(id = "kernelpca", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "kernelpca".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric parameters replaced by their principal components.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as the returned [S4](#) object of the function [kernlab::kpca\(\)](#).

The `@rotated` slot of the "kpca" object is overwritten with an empty matrix for memory efficiency.

The slots of the [S4](#) object can be accessed by accessor function. See [kernlab::kpca](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `kernel :: character(1)`
The standard deviations of the principal components. See [kpca\(\)](#).
- `kpar :: list`
List of hyper-parameters that are used with the kernel function. See [kpca\(\)](#).
- `features :: numeric(1)`
Number of principal components to return. Default 0 means that all principal components are returned. See [kpca\(\)](#).
- `th :: numeric(1)`
The value of eigenvalue under which principal components are ignored. Default is 0.0001. See [kpca\(\)](#).
- `na.action :: function`
Function to specify NA action. Default is [na.omit](#). See [kpca\(\)](#).

Internals

Uses the [kpca\(\)](#) function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#),


```
mlr_pipeops_classifavg, mlr_pipeops_classweights, mlr_pipeops_colapply, mlr_pipeops_collapsefactors,
mlr_pipeops_colroles, mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode,
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodedelmer, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("kernelpca", features = 3) # only keep top 3 components

task$data()
pop$train(list(task))[[1]]$data()
```

mlr_pipeops_learner	<i>Wrap a Learner into a PipeOp</i>
---------------------	-------------------------------------

Description

Wraps an [mlr3::Learner](#) into a [PipeOp](#).

Inherits the `$param_set` (and therefore `$param_set$values`) from the [Learner](#) it is constructed from.

Using `PipeOpLearner`, it is possible to embed [mlr3::Learners](#) into [Graphs](#), which themselves can be turned into `Learners` using [GraphLearner](#). This way, preprocessing and ensemble methods can be included into a machine learning pipeline which then can be handled as singular object for resampling, benchmarking and tuning.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpLearner$new(learner, id = NULL, param_vals = list())
```

- `learner` :: [Learner](#) | character(1)
[Learner](#) to wrap, or a string identifying a [Learner](#) in the `mlr3::mlr_learners` Dictionary. This argument is always cloned; to access the [Learner](#) inside `PipeOpLearner` by-reference, use `$learner`.
- `id` :: character(1)
Identifier of the resulting object, internally defaulting to the id of the [Learner](#) being wrapped.
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpLearner` has one input channel named "input", taking a [Task](#) specific to the [Learner](#) type given to `learner` during construction; both during training and prediction.

`PipeOpLearner` has one output channel named "output", producing `NULL` during training and a [Prediction](#) subclass during prediction; this subclass is specific to the [Learner](#) type given to `learner` during construction.

The output during prediction is the [Prediction](#) on the prediction input data, produced by the [Learner](#) trained on the training input data.

State

The `$state` is set to the `$state` slot of the [Learner](#) object. It is a named list with members:

- `model` :: any
Model created by the [Learner](#)'s `$.train()` function.
- `train_log` :: [data.table](#) with columns `class` (character), `msg` (character)
Errors logged during training.
- `train_time` :: numeric(1)
Training time, in seconds.
- `predict_log` :: `NULL` | [data.table](#) with columns `class` (character), `msg` (character)
Errors logged during prediction.
- `predict_time` :: `NULL` | numeric(1) Prediction time, in seconds.

Parameters

The parameters are exactly the parameters of the [Learner](#) wrapped by this object.

Internals

The `$state` is currently not updated by prediction, so the `$state$predict_log` and `$state$predict_time` will always be `NULL`.

Fields

Fields inherited from [PipeOp](#), as well as:

- learner :: [Learner](#)
[Learner](#) that is being wrapped. Read-only.
- learner_model :: [Learner](#)
[Learner](#) that is being wrapped. This learner contains the model if the PipeOp is trained. Read-only.
- validate :: "predefined" or NULL
This field can only be set for Learners that have the "validation" property. Setting the field to "predefined" means that the wrapped Learner will use the internal validation task, otherwise it will be ignored. Note that specifying *how* the validation data is created is possible via the \$validate field of the [GraphLearner](#). For each PipeOp it is then only possible to either use it ("predefined") or not use it (NULL). Also see [set_validate.GraphLearner](#) for more information.
- internal_tuned_values :: named list() or NULL
The internally tuned values if the wrapped Learner supports internal tuning, NULL otherwise.
- internal_valid_scores :: named list() or NULL
The internal validation scores if the wrapped Learner supports internal validation, NULL otherwise.

Methods

Methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#),

[mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#),
[mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Meta PipeOps: [mlr_pipeops_learner_cv](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#)

Examples

```
library("mlr3")

task = tsk("iris")
learner = lrn("classif.rpart", cp = 0.1)
lrn_po = mlr_pipeops$get("learner", learner)

lrn_po$train(list(task))
lrn_po$predict(list(task))
```

[mlr_pipeops_learner_cv](#)

Wrap a Learner into a PipeOp with Cross-validated Predictions as Features

Description

Wraps an [mlr3::Learner](#) into a [PipeOp](#).

Returns cross-validated predictions during training as a [Task](#) and stores a model of the [Learner](#) trained on the whole data in `$state`. This is used to create a similar [Task](#) during prediction. Optionally, the fitted models obtained during the resampling phase can be reused for prediction by averaging their predictions, avoiding the need for an additional fit on the complete training data.

The [Task](#) gets features depending on the capsuled [Learner](#)'s `$predict_type`. If the [Learner](#)'s `$predict_type` is "response", a feature `<ID>.response` is created, for `$predict_type` "prob" the `<ID>.prob.<CLASS>` features are created, and for `$predict_type` "se" the new columns are `<ID>.response` and `<ID>.se`. `<ID>` denotes the `$id` of the [PipeOpLearnerCV](#) object.

Inherits the `$param_set` (and therefore `$param_set$values`) from the [Learner](#) it is constructed from.

[PipeOpLearnerCV](#) can be used to create "stacking" or "super learning" [Graphs](#) that use the output of one [Learner](#) as feature for another [Learner](#). Because the [PipeOpLearnerCV](#) erases the original input features, it is often useful to use [PipeOpFeatureUnion](#) to bind the prediction [Task](#) to the original input [Task](#).

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpLearnerCV$new(learner, id = NULL, param_vals = list())
```

- `learner` :: [Learner](#)
[Learner](#) to use for cross validation / prediction, or a string identifying a [Learner](#) in the `mlr3::mlr_learners Dictionary`. This argument is always cloned; to access the [Learner](#) inside `PipeOpLearnerCV` by-reference, use `$learner`.
- `id` :: `character(1)` Identifier of the resulting object, internally defaulting to the `id` of the [Learner](#) being wrapped.
- `param_vals` :: `named list`
 List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpLearnerCV` has one input channel named "input", taking a [Task](#) specific to the [Learner](#) type given to `learner` during construction; both during training and prediction.

`PipeOpLearnerCV` has one output channel named "output", producing a [Task](#) specific to the [Learner](#) type given to `learner` during construction; both during training and prediction.

The output is a task with the same target as the input task, with features replaced by predictions made by the [Learner](#). During training, this prediction is the out-of-sample prediction made by [resample](#), during prediction, this is the ordinary prediction made on the data by a [Learner](#) trained on the training phase data.

State

The `$state` is set to the `$state` slot of the [Learner](#) object, together with the `$state` elements inherited from the [PipeOpTaskPreproc](#). It is a `named list` with the inherited members, as well as:

- `model` :: `any`
 Model created by the [Learner](#)'s `$.train()` function.
- `train_log` :: `data.table` with columns `class` (`character`), `msg` (`character`)
 Errors logged during training.
- `train_time` :: `numeric(1)`
 Training time, in seconds.
- `predict_log` :: `NULL` | `data.table` with columns `class` (`character`), `msg` (`character`)
 Errors logged during prediction.
- `predict_time` :: `NULL` | `numeric(1)` Prediction time, in seconds.
- `predict_method` :: `character(1)`
 "full" when prediction uses a learner fitted on all training data, "cv_ensemble" when predictions are averaged over models trained on resampling folds.
- `cv_model_states` :: `NULL` | `list`
 Present for `predict_method = "cv_ensemble"`. Contains the states of the learners trained on each resampling fold.

This state is given the class "pipeop_learner_cv_state".

Parameters

The parameters are the parameters inherited from the [PipeOpTaskPreproc](#), as well as the parameters of the [Learner](#) wrapped by this object. Besides that, parameters introduced are:

- `resampling.method` :: `character(1)`
Which resampling method do we want to use. Currently only supports "cv" and "insample". "insample" generates predictions with the model trained on all training data.
- `resampling.folds` :: `numeric(1)`
Number of cross validation folds. Initialized to 3. Only used for `resampling.method = "cv"`.
- `keep_response` :: `logical(1)`
Only effective during "prob" prediction: Whether to keep response values, if available. Initialized to FALSE.
- `resampling.predict_method` :: `character(1)`
Controls how predictions are produced after training. "full" (default) fits the wrapped learner on the entire training data. "cv_ensemble" reuses the models fitted during resampling and averages their predictions. This option currently supports classification and regression learners together with `resampling.method = "cv"`.
- `resampling.prob_aggr` :: `character(1)`
Probability aggregation used when "cv_ensemble" predictions are produced for classification learners that can emit class probabilities. Shares the semantics with [PipeOpClassifAvg](#): "mean" (linear opinion pool, default) and "log" (log opinion pool / product of experts). Only present for learners that support "prob" predictions.
- `resampling.prob_aggr_eps` :: `numeric(1)`
Stabilization constant applied when `resampling.prob_aggr = "log"` to clamp probabilities before taking logarithms. Defaults to $1e-12$. Only present for learners that support "prob" predictions.
- `resampling.se_aggr` :: `character(1)`
Standard error aggregation used when "cv_ensemble" predictions are produced for regression learners with `predict_type` containing "se". Shares the definitions with [PipeOpRegrAvg](#), i.e. "predictive", "mean", "within", "between", "none". Initialized to "predictive" (within-fold variance plus between-fold disagreement) when constructed with a [Learner](#) that has `predict_type = "se"`; otherwise to "none".
Only present for learners that support "se" predictions.
- `resampling.se_aggr_rho` :: `numeric(1)`
Equicorrelation parameter for `resampling.se_aggr = "mean"`, interpreted as in [PipeOpRegrAvg](#). Ignored otherwise. Defaults to 0 when `resampling.se_aggr = "mean"`.
Only present for learners that support "se" predictions.

Internals

The `$state` is currently not updated by prediction, so the `$state$predict_log` and `$state$predict_time` will always be NULL.

Fields

Fields inherited from [PipeOp](#), as well as:

- learner :: [Learner](#)
[Learner](#) that is being wrapped. Read-only.
- learner_model :: [Learner](#)
[Learner](#) that is being wrapped. This learner contains the model if the PipeOp is trained. Read-only.

Methods

Methods inherited from [PipeOpTaskPreproc/PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other Meta PipeOps: [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#)

Examples

```
library("mlr3")

task = tsk("iris")
learner = lrn("classif.rpart")

lrncv_po = po("learner_cv", learner)
lrncv_po$learner$predict_type = "response"

nop = mlr_pipeops$get("nop")

graph = gunion(list(
  lrncv_po,
  nop
)) %>% po("featureunion")

graph$train(task)

graph$pipeops$classif.rpart$learner$predict_type = "prob"
graph$pipeops$classif.rpart$param_set$values$resampling.predict_method = "cv_ensemble"

graph$train(task)
```

mlr_pipeops_learner_pi_cvplus

Wrap a Learner into a PipeOp with Cross-validation Plus Confidence Intervals as Predictions

Description

Wraps an `mlr3::Learner` into a `PipeOp`.

Inherits the `$param_set` (and therefore `$param_set$values`) from the `Learner` it is constructed from.

Using `PipeOpLearnerPICVPlus`, it is possible to embed a `mlr3::Learner` into a `Graph`. `PipeOpLearnerPICVPlus` can then be used to perform cross validation plus (or jackknife plus). During training, `PipeOpLearnerPICVPlus` performs cross validation on the training data. During prediction, the models from the training stage are used to construct predictive confidence intervals for the prediction data based on out-of-fold residuals and out-of-fold predictions.

Format

`R6Class` object inheriting from `PipeOp`.

Construction

```
PipeOpLearnerPICVPlus$new(learner, id = NULL, param_vals = list())
```

- `learner` :: `LearnerRegr` `LearnerRegr` to use for the cross validation models in the Cross Validation Plus method. This argument is always cloned; to access the `Learner` inside `PipeOpLearnerPICVPlus` by-reference, use `$learner`.
- `id` :: `character(1)` Identifier of the resulting object, internally defaulting to the `id` of the `Learner` being wrapped.
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default is `list()`.

Input and Output Channels

`PipeOpLearnerPICVPlus` has one input channel named "input", taking a `Task` specific to the `Learner` type given to `learner` during construction; both during training and prediction.

`PipeOpLearnerPICVPlus` has one output channel named "output", producing `NULL` during training and a `PredictionRegr` during prediction.

The output during prediction is a `PredictionRegr` with `predict_type` quantiles on the prediction input data. The `alpha` and `1 - alpha` quantiles are the quantiles of the prediction interval produced by the cross validation plus method. The response is the median of the prediction of all cross validation models on the prediction data.

State

The `$state` is a `named list` with members:

- `cv_model_states` :: `list`
List of the state of each cross validation model created by the `Learner`'s `$train()` function during resampling with method "cv".

- `residuals :: data.table`
`data.table` with columns `fold` and `residual`. Lists the Regression residuals for each observation and cross validation fold.

This state is given the class `"pipeop_learner_cv_state"`.

Parameters

The parameters of the [Learner](#) wrapped by this object, as well as:

- `folds :: numeric(1)`
 Number of cross validation folds. Initialized to 3.
- `alpha :: numeric(1)`
 Quantile to use for the cross validation plus prediction intervals. Initialized to 0.05.

Internals

The `$state` is updated during training.

Fields

Fields inherited from [PipeOp](#), as well as:

- `learner :: Learner`
[Learner](#) that is being wrapped. Read-only.
- `learner_model :: Learner` or `list`
 If the `PipeOpLearnerPICVPlus` has been trained, this is a `list` containing the [Learners](#) of the cross validation models. Otherwise, this contains the [Learner](#) that is being wrapped. Read-only.
- `predict_type`
 Predict type of the `PipeOpLearnerPICVPlus`, which is always `"response"` `"quantiles"`. This can be different to the predict type of the [Learner](#) that is being wrapped.

Methods

Methods inherited from [PipeOp](#).

References

Barber RF, Candes EJ, Ramdas A, Tibshirani RJ (2021). "Predictive inference with the jack-knife+." *Annals of Statistics*, **49**, 486–507. doi:10.1214/20AOS1965.

See Also

<https://mlr-org.com/pipeops.html>

Other `PipeOps`: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#),

```
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodelearner, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_quantiles, mlr_pipeops_missind,
mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityimply,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Meta PipeOps: `mlr_pipeops_learner`, `mlr_pipeops_learner_cv`, `mlr_pipeops_learner_quantiles`

Examples

```
library("mlr3")

task = tsk("mtcars")
learner = lrn("regr.rpart")
lrncvplus_po = mlr_pipeops$get("learner_pi_cvplus", learner)

lrncvplus_po$train(list(task))
lrncvplus_po$predict(list(task))
```

```
mlr_pipeops_learner_quantiles
```

Wrap a Learner into a PipeOp to predict multiple Quantiles

Description

Wraps a [LearnerRegr](#) into a [PipeOp](#) to predict multiple quantiles.

`PipeOpLearnerQuantiles` only supports [LearnerRegr](#)s that have quantiles as a possible `predict_type`.

It produces quantile-based predictions for multiple quantiles in one [PredictionRegr](#). This is especially helpful if the [LearnerRegr](#) can only predict one quantile (like for example `LearnerRegrGBM` in `mlr3extralearners`)

Inherits the `$param_set` (and therefore `$param_set$values`) from the [Learner](#) it is constructed from.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpLearnerQuantiles$new(learner, id = NULL, param_vals = list())
```

- `learner` :: [Learner](#) | `character(1)`
[Learner](#) to wrap, or a string identifying a [Learner](#) in the `mlr3::mlr_learners Dictionary`. The [Learner](#) has to be a [LearnerRegr](#) with `predict_type` "quantiles". This argument is always cloned; to access the [Learner](#) inside `PipeOpLearnerQuantiles` by-reference, use `$learner`.
- `id` :: `character(1)` Identifier of the resulting object, internally defaulting to the `id` of the [Learner](#) being wrapped.
- `param_vals` :: `named list`
 List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpLearnerQuantiles` has one input channel named "input", taking a [TaskRegr](#) specific to the [Learner](#) type given to `learner` during construction; both during training and prediction.

`PipeOpLearnerQuantiles` has one output channel named "output", producing `NULL` during training and a [PredictionRegr](#) object during prediction.

The output during prediction is a [PredictionRegr](#) on the prediction input data that aggregates all results produced by the [Learner](#) for each quantile in `quantiles`. trained on the training input data.

State

The `$state` is set during training. It is a `named list` with the member:

- `model_states` :: `list`
 List of the states of all models created by the [Learner](#)'s `$train()` function.

Parameters

The parameters are exactly the parameters of the [Learner](#) wrapped by this object.

- `q_vals` :: `numeric`
 Quantiles to use for training and prediction. Initialized to `c(0.05, 0.5, 0.95)`
- `q_response` :: `numeric(1)`
 Which quantile in `quantiles` to use as a response for the [PredictionRegr](#) during prediction. Initialized to `0.5`.

Internals

The `$state` is updated during training.

Fields

Fields inherited from [PipeOp](#), as well as:

- learner :: [LearnerRegr](#)
[Learner](#) that is being wrapped. Read-only.
- learner_model :: [Learner](#)
If [PipeOpLearnerQuantiles](#) has been trained, this is a list containing the [Learners](#) for each quantile. Otherwise, this contains the [Learner](#) that is being wrapped. Read-only.
- predict_type :: character(1)
Predict type of the [PipeOpLearnerQuantiles](#), which is always "response" "quantiles".

Methods

Methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimlmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Meta PipeOps: [mlr_pipeops_learner](#), [mlr_pipeops_learner_cv](#), [mlr_pipeops_learner_pi_cvplus](#)

Examples

```
library("mlr3")

task = tsk("boston_housing")
learner = lrn("regr.debug")
po = mlr_pipeops$get("learner_quantiles", learner)
```

```
po$train(list(task))
po$predict(list(task))
```

mlr_pipeops_missind *Add Missing Indicator Columns*

Description

Add missing indicator columns ("dummy columns") to the [Task](#). Drops original features; should probably be used in combination with [PipeOpFeatureUnion](#) and imputation [PipeOps](#) (see examples).

Note the `affect_columns` is initialized with `selector_invert(selector_type(c("factor", "ordered", "character")))`, since missing values in factorial columns are often indicated by out-of-range imputation ([PipeOpImputeOOR](#)).

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpMissInd$new(id = "missind", param_vals = list())
```

- `id` :: `character(1)` Identifier of the resulting object, defaulting to "missind".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

State

`$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `indicand_cols` :: `character`
Names of columns for which indicator columns are added. If the `which` parameter is "all", this is just the names of all features, otherwise it is the names of all features that had missing values during training.

Parameters

The parameters are the parameters inherited from the [PipeOpTaskPreproc](#), as well as:

- `which` :: `character(1)`
Determines for which features the indicator columns are added. Can either be "missing_train" (default), adding indicator columns for each feature that actually has missing values, or "all", adding indicator columns for all features.
- `type` :: `character(1)`
Determines the type of the newly created columns. Can be one of "factor" (default), "integer", "logical", "numeric".

Internals

This `PipeOp` should cover most cases where "dummy columns" or "missing indicators" are desired. Some edge cases:

- If imputation for factorial features is performed and only numeric features should gain missing indicators, the `affect_columns` parameter can be set to `selector_type("numeric")`.
- If missing indicators should only be added for features that have more than a fraction of `x` missing values, the `PipeOpRemoveConstants` can be used with `affect_columns = selector_grep("^missing_")` and `ratio = x`.

Fields

Fields inherited from `PipeOp`.

Methods

Methods inherited from `PipeOpTaskPreprocSimple(PipeOpTaskPreproc/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other `PipeOps`: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityimply`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunit`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconstant`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library("mlr3")

task = tsk("pima")$select(c("insulin", "triceps"))
```

```

sum(complete.cases(task$data()))
task$missings()
tail(task$data())

po = po("missind")
new_task = po$train(list(task))[[1]]

tail(new_task$data())

# proper imputation + missing indicators

impgraph = list(
  po("imputesample"),
  po("missind")
) %>% po("featureunion")

tail(impgraph$train(task)[[1]]$data())

```

mlr_pipeops_modelmatrix

Transform Columns by Constructing a Model Matrix

Description

Transforms columns using a given formula using the `stats::model.matrix()` function.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpModelMatrix$new(id = "modelmatrix", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "modelmatrix".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with transformed columns according to the used formula.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as:

- `formula` :: formula
Formula to use. Higher order interactions can be created using constructs like `~. ^ 2`. By default, an (Intercept) column of all 1s is created, which can be avoided by adding `0 +` to the term. See `model.matrix()`.

Internals

Uses the `model.matrix()` function.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOpTaskPreprocSimple/PipeOpTaskPreproc/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_missind`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityimply`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconstant`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library("mlr3")
```



```

task = tsk("iris")
pop = po("modelmatrix", formula = ~ . ^ 2)

task$data()
pop$train(list(task))[[1]]$data()

pop$param_set$values$formula = ~ 0 + . ^ 2

pop$train(list(task))[[1]]$data()

```

mlr_pipeops_multiplicityexply
Explicate a Multiplicity

Description

Explicate a [Multiplicity](#) by turning the input [Multiplicity](#) into multiple outputs.

This [PipeOp](#) has multiple output channels; the members of the input [Multiplicity](#) are forwarded each along a single edge. Therefore, only multiplicities with exactly as many members as outnum are accepted.

Note that [Multiplicity](#) is currently an experimental features and the implementation or UI may change.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpMultiplicityExply$new(outnum , id = "multiplicityexply", param_vals = list())
```

- `outnum :: numeric(1) | character`
Determines the number of output channels.
- `id :: character(1)`
Identifier of the resulting object, default "multiplicityexply".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

[PipeOpMultiplicityExply](#) has a single input channel named "input", collecting a [Multiplicity](#) of type any ("`[*]`") both during training and prediction.

[PipeOpMultiplicityExply](#) has multiple output channels depending on the outnum construction argument, named "output1", "output2" returning the elements of the unclassed input [Multiplicity](#).

State

The \$state is left empty (list()).

Parameters

[PipeOpMultiplicityExply](#) has no Parameters.

Internals

outnum should match the number of elements of the unclassified input [Multiplicity](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelearner](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Experimental Features: [Multiplicity\(\)](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_replicate](#)

Examples

```
library("mlr3")
task1 = tsk("iris")
task2 = tsk("mtcars")
po = po("multiplicityexply", outnum = 2)
po$train(list(Multiplicity(task1, task2)))
po$predict(list(Multiplicity(task1, task2)))
```

```
mlr_pipeops_multiplicityimply
      Implicate a Multiplicity
```

Description

Implicate a [Multiplicity](#) by returning the input(s) converted to a [Multiplicity](#).

This [PipeOp](#) has multiple input channels; all inputs are collected into a [Multiplicity](#) and then are forwarded along a single edge, causing the following [PipeOps](#) to be called multiple times, once for each [Multiplicity](#) member.

Note that [Multiplicity](#) is currently an experimental features and the implementation or UI may change.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpMultiplicityImply$new(innum = 0, id = "multiplicityimply", param_vals = list())
```

- `innum` :: `numeric(1) | character`
Determines the number of input channels. If `innum` is 0 (default), a `vararg` input channel is created that can take an arbitrary number of inputs. If `innum` is a character vector, the number of input channels is the length of `innum`.
- `id` :: `character(1)`
Identifier of the resulting object, default `"multiplicityimply"`.
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

[PipeOpMultiplicityImply](#) has multiple input channels depending on the `innum` construction argument, named `"input1"`, `"input2"`, ... if `innum` is nonzero; if `innum` is 0, there is only one `vararg` input channel named `"..."`. All input channels take any input (`"*"`) both during training and prediction.

[PipeOpMultiplicityImply](#) has one output channel named `"output"`, emitting a [Multiplicity](#) of type any (`"[*]"`), i.e., returning the input(s) converted to a [Multiplicity](#) both during training and prediction.

State

The \$state is left empty (list()).

Parameters

PipeOpMultiplicityImply has no Parameters.

Internals

If innum is not numeric, e.g., a character, the output **Multiplicity** will be named based on the input channel names

Fields

Only fields inherited from PipeOp.

Methods

Only methods inherited from PipeOp.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Experimental Features: [Multiplicity\(\)](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_replicate](#)

Examples

```
library("mlr3")
task1 = tsk("iris")
task2 = tsk("mtcars")
po = po("multiplicityimply")
po$train(list(task1, task2))
po$predict(list(task1, task2))
```

mlr_pipeops_mutate	<i>Add Features According to Expressions</i>
--------------------	--

Description

Adds features according to expressions given as formulas that may depend on values of other features. This can add new features, or can change existing features.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpMutate$new(id = "mutate", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "mutate".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with added and/or mutated features according to the mutation parameter.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `mutation` :: named list of formula
Expressions for new features to create (or present features to change), in the form of formula. Each element of the list is a formula with the name of the element naming the feature to create or change, and the formula expression determining the result. This expression may reference other features, as well as variables visible at the creation of the formula (see examples). Initialized to `list()`.
- `delete_originals` :: `logical(1)`
Whether to delete original features. Even when this is `FALSE`, present features may still be overwritten. Initialized to `FALSE`.

Internals

A formula created using the `~` operator always contains a reference to the environment in which the formula is created. This makes it possible to use variables in the `~`-expressions that both reference either column names or variable names.

Note that the formulas in `mutation` are evaluated sequentially. This allows for using variables that were constructed during evaluation of a previous formula. However, if existing features are changed, precedence is given to the original ones before the newly constructed ones.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#),

```
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

constant = 1
pom = po("mutate")
pom$param_set$values$mutation = list(
  Sepal.Length_plus_constant = ~ Sepal.Length + constant,
  Sepal.Area = ~ Sepal.Width * Sepal.Length,
  Petal.Area = ~ Petal.Width * Petal.Length,
  Sepal.Area_plus_Petal.Area = ~ Sepal.Area + Petal.Area
)

pom$train(list(tsk("iris")))[[1]]$data()
```

mlr_pipeops_nearmiss *Nearmiss Down-Sampling*

Description

Generates a more balanced data set by down-sampling the instances of non-minority classes using the NEARMISS algorithm.

The algorithm down-samples by selecting instances from the non-minority classes that have the smallest mean distance to their k nearest neighbors of different classes. For this only numeric and integer features are taken into account. These must have no missing values.

This can only be applied to [classification tasks](#). Multiclass classification is supported.

See [themis::nearmiss](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpNearmiss$new(id = "nearmiss", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "nearmiss".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with the rows removed from the non-minority classes. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as

- `k :: integer(1)`
Number of nearest neighbors used for calculating the mean distances. Default is 5.
- `under_ratio :: numeric(1)`
Ratio of the minority-to-majority frequencies. This specifies the ratio to which the number of instances in the non-minority classes get down-sampled to, relative to the number of instances of the minority class. Default is 1. For details, see [themis::nearmiss](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

References

Zhang, J., Mani, I. (2003). “KNN Approach to Unbalanced Data Distributions: A Case Study Involving Information Extraction.” In *Proceedings of Workshop on Learning from Imbalanced Datasets (ICML)*.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#)


```
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit, mlr_pipeops_ovrunit,
mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin, mlr_pipeops_randomprojection,
mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstants, mlr_pipeops_renamecolumns,
mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale, mlr_pipeops_scalemaxabs,
mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote, mlr_pipeops_smotenc,
mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Create example task
task = tsk("wine")
task$head()
table(task$data(cols = "type"))

# Down-sample and balance data
pop = po("nearmiss")
nearmiss_result = pop$train(list(task))[[1]]$data()
nrow(nearmiss_result)
table(nearmiss_result$type)
```

mlr_pipeops_nmf	<i>Non-negative Matrix Factorization</i>
-----------------	--

Description

Extracts non-negative components from data by performing non-negative matrix factorization. Only affects non-negative numerical features. See `nmf()` for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpNMF$new(id = "nmf", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "nmf".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their non-negative components.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as the elements of the object returned by [nmf\(\)](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `rank :: integer(1)`
Factorization rank, i.e., number of components. Initialized to 2. See [nmf\(\)](#).
- `method :: character(1)`
Specification of the NMF algorithm. Initialized to "brunet". See [nmf\(\)](#).
- `seed :: character(1) | integer(1) | list() | object of class NMF | function()`
Specification of the starting point. See [nmf\(\)](#).
- `nrun :: integer(1)`
Number of runs to perform. Default is 1. More than a single run allows for the computation of a consensus matrix which will also be stored in the `$state`. See [nmf\(\)](#).
- `debug :: logical(1)`
Whether to toggle debug mode. Default is FALSE. See [nmf\(\)](#).
- `keep.all :: logical(1)`
Whether all factorizations are to be saved and returned. Default is FALSE. Only has an effect if `nrun > 1`. See [nmf\(\)](#).
- `parallel :: character(1) | integer(1) | logical(1)`
Specification of parallel handling if `nrun > 1`. Initialized to FALSE, as it is recommended to use mlr3's future-based parallelization. See [nmf\(\)](#).
- `parallel.required :: character(1) | integer(1) | logical(1)`
Same as `parallel`, but an error is thrown if the computation cannot be performed in parallel or with the specified number of processors. Initialized to FALSE, as it is recommended to use mlr3's future-based parallelization. See [nmf\(\)](#).
- `shared.memory :: logical(1)`
Whether shared memory should be enabled. See [nmf\(\)](#).
- `simplifyCB :: logical(1)`
Whether callback results should be simplified. Default is TRUE. See [nmf\(\)](#).
- `track :: logical(1)`
Whether error tracking should be enabled. Default is FALSE. See [nmf\(\)](#).
- `verbose :: integer(1) | logical(1)`
Specification of verbosity. Default is FALSE. See [nmf\(\)](#).
- `pbackend :: character(1) | integer(1) | NULL`
Specification of the parallel backend. It is recommended to use mlr3's future-based parallelization. See [nmf\(\)](#).

- `callback | function()`
Callback function that is called after each run (if `nrun > 1`). See `nmf()`.

Internals

Uses the `nmf()` function as well as `basis()`, `coef()` and `ginv()`.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOpTaskPreproc/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodedelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconstants`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("nmf")

task$data()
pop$train(list(task))[[1]]$data()
```

pop\$state

mlr_pipeops_nop

Simply Push Input Forward

Description

Simply pushes the input forward. Can be useful during [Graph](#) construction using the `%>>%`-operator to specify which [PipeOp](#) gets connected to which.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpNOP$new(id = "nop", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "nop".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

PipeOpNOP has one input channel named "input", taking any input ("`*`") both during training and prediction.

PipeOpNOP has one output channel named "output", producing the object given as input ("`*`") without changes.

State

The `$state` is left empty (`list()`).

Parameters

PipeOpNOP has no parameters.

Internals

PipeOpNOP is a useful "default" stand-in for a [PipeOp/Graph](#) that does nothing.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Placeholder Pipeops: [mlr_pipeops_copy](#)

Examples

```
library("mlr3")

nop = po("nop")

nop$train(list(1))

# use `gunion` and `%>%` to create a "bypass"
# next to "pca"
gr = gunion(list(
  po("pca"),
  nop
)) %>% po("featureunion")

gr$train(tsk("iris"))[[1]]$data()
```

mlr_pipeops_ovrsplit *Split a Classification Task into Binary Classification Tasks*

Description

Splits a [classification Task](#) into several binary [classification Tasks](#) to perform "One vs. Rest" classification. This works in combination with [PipeOpOVRUnite](#).

For each target level a new binary [classification Task](#) is constructed with the respective target level being the positive class and all other target levels being the new negative class "rest".

This [PipeOp](#) creates a [Multiplicity](#), which means that subsequent [PipeOps](#) are executed multiple times, once for each created [binary Task](#), until a [PipeOpOVRUnite](#) is reached.

Note that [Multiplicity](#) is currently an experimental features and the implementation or UI may change.

Format

[R6Class](#) inheriting from [PipeOp](#).

Construction

```
PipeOpOVRSplit$new(id = "ovrsplit", param_vals = list())
```

- `id :: character(1)`
Identifier of the resulting object, default "ovrsplit".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

[PipeOpOVRSplit](#) has one input channel named "input" taking a [TaskClassif](#) both during training and prediction.

[PipeOpOVRSplit](#) has one output channel named "output" returning a [Multiplicity](#) of [TaskClassifs](#) both during training and prediction, i.e., the newly constructed binary [classification Tasks](#).

State

The `$state` contains the original target levels of the [TaskClassif](#) supplied during training.

Parameters

[PipeOpOVRSplit](#) has no parameters.

Internals

The original target levels stored in the `$state` are also used during prediction when creating the new binary [classification Tasks](#).

The names of the element of the output [Multiplicity](#) are given by the levels of the target.

If a target level "rest" is present in the input [TaskClassif](#), the negative class will be labeled as "rest." (using as many "." postfixes needed to yield a valid label).

Should be used in combination with [PipeOpOVRUnite](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Experimental Features: [Multiplicity\(\)](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_replicate](#)

Examples

```
library(mlr3)
task = tsk("iris")
po = po("ovrsplit")
po$train(list(task))
po$predict(list(task))
```

mlr_pipeops_ovrunite *Unite Binary Classification Tasks*

Description

Perform "One vs. Rest" classification by (weighted) majority vote prediction from [classification Predictions](#). This works in combination with [PipeOpOVRSplit](#).

Weights can be set as a parameter; if none are provided, defaults to equal weights for each prediction.

Always returns a "prob" prediction, regardless of the incoming [Learner](#)'s \$predict_type. The label of the class with the highest predicted probability is selected as the "response" prediction.

Missing values during prediction are treated as each class label being equally likely.

This [PipeOp](#) uses a [Multiplicity](#) input, which is created by [PipeOpOVRSplit](#) and causes [PipeOps](#) on the way to this [PipeOp](#) to be called once for each individual [binary Task](#).

Note that [Multiplicity](#) is currently an experimental features and the implementation or UI may change.

Format

[R6Class](#) inheriting from [PipeOpEnsemble/PipeOp](#).

Construction

```
PipeOpOVRUnite$new(id = "ovrunite", param_vals = list())
```

- `id` :: character(1)
Identifier of the resulting object, default "ovrunite".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpEnsemble](#). Instead of a [Prediction](#), a [PredictionClassif](#) is used as input and output during prediction and [PipeOpEnsemble](#)'s `collect` parameter is initialized with `TRUE` to allow for collecting a [Multiplicity](#) input.

State

The `$state` is left empty (`list()`).

Parameters

The parameters are the parameters inherited from the [PipeOpEnsemble](#).

Internals

Inherits from [PipeOpEnsemble](#) by implementing the `private$.predict()` method.

Should be used in combination with [PipeOpOVRSplit](#).

Fields

Only fields inherited from [PipeOpEnsemble](#)/[PipeOp](#).

Methods

Only methods inherited from [PipeOpEnsemble](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Ensembles: [PipeOpEnsemble](#), [mlr_learners_avg](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_regravg](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Experimental Features: [Multiplicity\(\)](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_replicate](#)

Examples

```
library(mlr3)
task = tsk("iris")
gr = po("ovrsplit") %>% lrn("classif.rpart") %>% po("ovrunite")
gr$train(task)
gr$predict(task)
gr$pipeops$classif.rpart$learner$predict_type = "prob"
gr$predict(task)
```

mlr_pipeops_pca	<i>Principal Component Analysis</i>
-----------------	-------------------------------------

Description

Extracts principal components from data. Only affects numerical features. See [stats::prcomp\(\)](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpPCA$new(id = "pca", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "pca".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their principal components.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as the elements of the class `stats::prcomp`, with the exception of the `$x` slot. These are in particular:

- `sdev` :: numeric
The standard deviations of the principal components.
- `rotation` :: matrix
The matrix of variable loadings.
- `center` :: numeric | logical(1)
The centering used, or FALSE.
- `scale` :: numeric | logical(1)
The scaling used, or FALSE.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `center` :: logical(1)
Indicating whether the features should be centered. Default is TRUE. See [prcomp\(\)](#).
- `scale.` :: logical(1)
Whether to scale features to unit variance before analysis. Default is FALSE, but scaling is advisable. See [prcomp\(\)](#).
- `rank.` :: integer(1)
Maximal number of principal components to be used. Default is NULL: use all components. See [prcomp\(\)](#).

Internals

Uses the [prcomp\(\)](#) function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#),

```
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_proxy, mlr_pipeops_quantilebin, mlr_pipeops_randomprojection,
mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstants, mlr_pipeops_renamecolumns,
mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale, mlr_pipeops_scalexmaxabs,
mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote, mlr_pipeops_smotenc,
mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("pca")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_proxy

Wrap another PipeOp or Graph as a Hyperparameter

Description

Wraps another [PipeOp](#) or [Graph](#) as determined by the content hyperparameter. Input is routed through the content and the contents' output is returned. The content hyperparameter can be changed during tuning, this is useful as an alternative to [PipeOpBranch](#).

Format

Abstract [R6Class](#) inheriting from [PipeOp](#).

Construction

```
PipeOpProxy$new(innum = 0, outnum = 1, id = "proxy", param_vals = list())
```

- `innum` :: `numeric(1)` \cr Determines the number of input channels. If `innum` is 0 (default), a vararg input channel is created that can take an arbitrary number of inputs.
- `outnum` :: `numeric(1)` \cr Determines the number of output channels.

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpProxy` has multiple input channels depending on the `innum` construction argument, named `"input1"`, `"input2"`, ... if `innum` is nonzero; if `innum` is 0, there is only one *vararg* input channel named `"..."`.

`PipeOpProxy` has multiple output channels depending on the `outnum` construction argument, named `"output1"`, `"output2"`, ... The output is determined by the output of the content operation (a [PipeOp](#) or [Graph](#)).

State

The `$state` is the trained content [PipeOp](#) or [Graph](#).

Parameters

- `content :: PipeOp | Graph`
The [PipeOp](#) or [Graph](#) that is being proxied (or an object that is converted to a [Graph](#) by [as_graph\(\)](#)). Defaults to an instance of [PipeOpFeatureUnion](#) (combines all input if they are [Tasks](#)).

Internals

The content will internally be coerced to a graph via [as_graph\(\)](#) prior to train and predict.

The default value for content is [PipeOpFeatureUnion](#),

Fields

Fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other `PipeOps`: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#),

```
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_quantilebin, mlr_pipeops_randomprojection,
mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstants, mlr_pipeops_renamecolumns,
mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale, mlr_pipeops_scalexmaxabs,
mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote, mlr_pipeops_smotenc,
mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

set.seed(1234)
task = tsk("iris")

# use a proxy for preprocessing and a proxy for learning, i.e.,
# no preprocessing and classif.rpart
g = po("proxy", id = "preproc", param_vals = list(content = po("nop"))) %>%
  po("proxy", id = "learner", param_vals = list(content = lrn("classif.rpart")))
rr_rpart = resample(task, learner = GraphLearner$new(g), resampling = rsmp("cv", folds = 3))
rr_rpart$aggregate(msr("classif.ce"))

# use pca for preprocessing and classif.rpart as the learner
g$param_set$values$preproc.content = po("pca")
g$param_set$values$learner.content = lrn("classif.rpart")
rr_pca_rpart = resample(task, learner = GraphLearner$new(g), resampling = rsmp("cv", folds = 3))
rr_pca_rpart$aggregate(msr("classif.ce"))
```

```
mlr_pipeops_quantilebin
```

Split Numeric Features into Quantile Bins

Description

Splits numeric features into quantile bins.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpQuantileBin$new(id = "quantilebin", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "quantilebin".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their binned versions.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `bins :: list`
List of intervals representing the bins for each numeric feature.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `numplits :: integer(1)`
Number of bins to create. Default is 2.

Internals

Uses the `stats::quantile` function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#),

```
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodelmer, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_randomprojection,
mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstants, mlr_pipeops_renamecolumns,
mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale, mlr_pipeops_scalexmaxabs,
mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote, mlr_pipeops_smotenc,
mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("quantilebin")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

```
mlr_pipeops_randomprojection
```

Project Numeric Features onto a Randomly Sampled Subspace

Description

Projects numeric features onto a randomly sampled subspace. All numeric features (or the ones selected by `affect_columns`) are replaced by numeric features PR1, PR2, ... PRn

Samples with features that contain missing values result in all PR1..PRn being NA for that sample, so it is advised to do imputation *before* random projections if missing values can be expected.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpRandomProjection$new(id = "randomprojection", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "randomprojection".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with affected numeric features projected onto a random subspace.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as an element `$projection`, a matrix.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `rank :: integer(1)`
The dimension of the subspace to project onto. Initialized to 1.

Internals

If there are n (affected) numeric features in the input [Task](#), then `$state$projection` is a rank \times m matrix. The output is calculated as `input %*% state$projection`.

The random projection matrix is obtained through Gram-Schmidt orthogonalization from a matrix with values standard normally distributed, which gives a distribution that is rotation invariant, as per Eaton: Multivariate Statistics, A Vector Space Approach, Pg. 234.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#),

```
mlr_pipeops_colroles, mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode,
mlr_pipeops_encode, mlr_pipeops_encodeimpact, mlr_pipeops_encodedlmer, mlr_pipeops_encodeplquantiles,
mlr_pipeops_encodepltree, mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors,
mlr_pipeops_histbin, mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist,
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstants, mlr_pipeops_renamecolumns,
mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale, mlr_pipeops_scalexabs,
mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote, mlr_pipeops_smotenc,
mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("randomprojection", rank = 2)

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

```
mlr_pipeops_randomresponse
```

Generate a Randomized Response Prediction

Description

Takes in a [Prediction](#) of predict_type "prob" (for [PredictionClassif](#)) or "se" (for [PredictionRegr](#)) and generates a randomized "response" prediction.

For "prob", the responses are sampled according to the probabilities of the input [PredictionClassif](#).

For "se", responses are randomly drawn according to the `rdistfun` parameter (default is `rnorm`) by using the original responses of the input [PredictionRegr](#) as the mean and the original standard errors of the input [PredictionRegr](#) as the standard deviation (sampling is done observation-wise).

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

`PipeOpRandomResponse$new(id = "randomresponse", param_vals = list(), packages = character(0))`

- `id :: character(1)`
Identifier of the resulting object, default "randomresponse".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.
- `packages :: character`
Set of all required packages for the `private$.predict()` methods related to the `rdistfun` parameter. Default is `character(0)`.

Input and Output Channels

`PipeOpRandomResponse` has one input channel named "input", taking `NULL` during training and a `Prediction` during prediction.

`PipeOpRandomResponse` has one output channel named "output", producing `NULL` during training and a `Prediction` with random responses during prediction.

State

The `$state` is left empty (`list()`).

Parameters

- `rdistfun :: function`
A function for generating random responses when the predict type is "se". This function must accept the arguments `n` (integerish number of responses), `mean` (numeric for the mean), and `sd` (numeric for the standard deviation), and must *vectorize* over `mean` and `sd`. Default is `rnorm`.

Internals

If the `predict_type` of the input `Prediction` does not match "prob" or "se", the input `Prediction` will be returned unaltered.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodekmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconstants`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library(mlr3)
library(mlr3learners)

task1 = tsk("iris")
g1 = LearnerClassifRpart$new() %>% PipeOpRandomResponse$new()
g1$train(task1)
g1$pipeops$classif.rpart$learner$predict_type = "prob"
set.seed(2409)
g1$predict(task1)

task2 = tsk("mtcars")
g2 = LearnerRegrLM$new() %>% PipeOpRandomResponse$new()
g2$train(task2)
g2$pipeops$regr.lm$learner$predict_type = "se"
set.seed(2906)
g2$predict(task2)
```

Description

Perform (weighted) prediction averaging from regression [Predictions](#) by connecting [PipeOpRegrAvg](#) to multiple [PipeOpLearner](#) outputs.

The resulting "response" prediction is a weighted average of the incoming "response" predictions. Aggregation of "se" predictions is controlled by the `se_aggr` parameter (see below). When "se" is not requested or `se_aggr = "none"`, "se" is dropped.

Format

[R6Class](#) inheriting from [PipeOpEnsemble/PipeOp](#).

"se" Aggregation

Let there be K incoming predictions with weights w (sum to 1). For a given row j , denote per-model means $\mu_{i[j]}$ and, if available, per-model standard errors $se_{i[j]}$. Define

```
mu_bar[j]      = sum_i w[i] * mu_i[j]
var_between[j] = sum_i w[i] * (mu_i[j] - mu_bar[j])^2 # weighted var of means
var_within[j]  = sum_i w[i] * se_i[j]^2              # weighted mean of SE^2s
```

The following aggregation methods are available:

- `se_aggr = "predictive"` – *Within + Between (mixture/predictive SD)*

```
se[j] = sqrt(var_within[j] + var_between[j])
```

Interpretation. Treats each incoming `se_i` as that model's predictive SD at the point (or, if the learner reports SE of the conditional mean—as many `mlr3` regression learners do—then as that mean-SE). The returned `se` is the SD of the *mixture ensemble* under weighted averaging: it increases when base models disagree (epistemic spread) and when individual models are uncertain (aleatoric spread). **Notes.** If `se_i` represents *mean* SE (common in `predict.lm(se.fit=TRUE)`-style learners), the result aggregates those mean-SEs and still adds model disagreement correctly, but it will *underestimate* a true predictive SD that would additionally include irreducible noise. Requires "se" to be present from **all** inputs.

- `se_aggr = "mean"` – *SE of the weighted average of means under equicorrelation* With a correlation parameter `se_aggr_rho = rho`, assume $\text{Cov}(\mu_{i_hat}, \mu_{j_hat}) = \rho * se_i * se_j$ for all $i \neq j$. Then

```
# components:
a[j] = sum_i (w[i]^2 * se_i[j]^2)
b[j] = (sum_i w[i] * se_i[j])^2
var_mean[j] = (1 - rho) * a[j] + rho * b[j]
se[j] = sqrt(var_mean[j])
```

Interpretation. Returns the *standard error of the averaged estimator* $\sum_i w[i] * \mu_{i_hat}$, not a predictive SD. Use when you specifically care about uncertainty of the averaged mean itself. **Notes.** `rho` is clamped to the PSD range $[-1/(K-1), 1]$ for $K > 1$. Typical settings: `rho = 0` (assume independence; often optimistic for CV/bagging) and `rho = 1` (perfect correlation; conservative and equal to the weighted arithmetic mean of SEs). Requires "se" from **all** inputs.

- `se_aggr = "within"` – *Within-model component only*

```
se[j] = sqrt(var_within[j])
```

Interpretation. Aggregates only the average per-model uncertainty and **ignores** disagreement between models. Useful as a diagnostic of the aleatoric component; not a full ensemble uncertainty. **Notes.** Typically *underestimates* the uncertainty of the ensemble prediction when models disagree. Requires "se" from **all** inputs.

- `se_aggr = "between"` – *Between-model component only (works without "se")*

```
se[j] = sqrt(var_between[j])
```

Interpretation. Captures only the spread of the base means (epistemic/model disagreement). **Notes.** This is the only method that does not use incoming "se". It is a *lower bound* on a full predictive SD, because it omits within-model noise.

- `se_aggr = "none"` – *Do not return "se" "se" is dropped from the output prediction.*

Relationships and edge cases. For any row, `se("predictive") >= max(se("within"), se("between"))`. With a single input ($K = 1$), "predictive" and "within" return the input "se", "between" returns 0. Methods "predictive", "mean", and "within" require all inputs to provide "se"; otherwise aggregation errors.

Weights can be set as a parameter; if none are provided, defaults to equal weights for each prediction.

Construction

```
PipeOpRegrAvg$new(innum = 0, collect_multiplicity = FALSE, id = "regravg", param_vals = list())
```

- `innum :: numeric(1)`
Determines the number of input channels. If `innum` is 0 (default), a vararg input channel is created that can take an arbitrary number of inputs.
- `collect_multiplicity :: logical(1)`
If TRUE, the input is a [Multiplicity](#) collecting channel. This means, a [Multiplicity](#) input, instead of multiple normal inputs, is accepted and the members are aggregated. This requires `innum` to be 0. Default is FALSE.
- `id :: character(1)` Identifier of the resulting object, default "regravg".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpEnsemble](#). Instead of a [Prediction](#), a [PredictionRegr](#) is used as input and output during prediction.

State

The `$state` is left empty (`list()`).

Parameters

The parameters are the parameters inherited from the [PipeOpEnsemble](#), as well as:

- `se_aggr` :: character(1)
Controls how incoming "se" values are aggregated into an ensemble "se". One of "predictive", "mean", "within", "between", "none". See the description above for definitions and interpretation.
- `se_aggr_rho` :: numeric(1)
Equicorrelation parameter used only for `se_aggr = "mean"`. Interpreted as the common correlation between per-model mean estimators. Recommended range $[0, 1]$; values are clamped to $[-1/(K-1), 1]$ for validity.

Internals

Inherits from [PipeOpEnsemble](#) by implementing the `private$weighted_avg_predictions()` method.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpEnsemble](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_removeconstants](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_replicate](#)

Other Ensembles: [PipeOpEnsemble](#), [mlr_learners_avg](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_ovrunite](#)

Examples

```
library("mlr3")

# Simple Bagging for Regression
gr = ppl("greuplicate",
  po("subsample") %>>%
  po("learner", lrn("regr.rpart")),
  n = 5
) %>>%
  po("regravg")

resample(tsk("mtcars"), GraphLearner$new(gr), rsmpl("holdout"))
```

mlr_pipeops_removeconstants

Remove Constant Features

Description

Remove constant features from a [mlr3::Task](#). For each feature, calculates the ratio of features which differ from their mode value. All features with a ratio below a settable threshold are removed from the task. Missing values can be ignored or treated as a regular value distinct from non-missing values.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

`PipeOpRemoveConstants$new(id = "removeconstants")`

- `id` :: `character(1)` Identifier of the resulting object, defaulting to "removeconstants".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

State

`$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `features` :: `character()`
Names of features that are being kept. Features of types that the [Filter](#) can not operate on are always being kept.

Parameters

The parameters are the parameters inherited from the [PipeOpTaskPreproc](#), as well as:

- `ratio :: numeric(1)`
Ratio of values which must be different from the mode value in order to keep a feature in the task. Initialized to 0, which means only constant features with exactly one observed level are removed.
- `rel_tol :: numeric(1)`
Relative tolerance within which to consider a numeric feature constant. Set to 0 to disregard relative tolerance. Initialized to 1e-8.
- `abs_tol :: numeric(1)`
Absolute tolerance within which to consider a numeric feature constant. Set to 0 to disregard absolute tolerance. Initialized to 1e-8.
- `na_ignore :: logical(1)`
If TRUE, the ratio is calculated after removing all missing values first, so a column can be "constant" even if some but not all values are NA. Initialized to TRUE.

Fields

Fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_renamecolumn](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#),

```
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
data = data.table::data.table(y = runif(10), a = 1:10, b = rep(1, 10), c = rep(1:2, each = 5))

task = TaskRegr$new("example", data, target = "y")

po = po("removeconstants")

po$train(list(task = task))[[1]]$data()

po$state
```

```
mlr_pipeops_renamecolumns
```

Rename Columns

Description

Renames the columns of a [Task](#) both during training and prediction. Uses the `$rename()` mutator of the [Task](#).

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpRenameColumns$new(id = "renamecolumns", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "renamecolumns".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with the old column names changed to the new ones.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `renaming` :: named character
Named character vector. The names of the vector specify the old column names that should be changed to the new column names as given by the elements of the vector. Initialized to the empty character vector.
- `ignore_missing` :: `logical(1)`
Ignore if columns named in `renaming` are not found in the input [Task](#). If this is `FALSE`, then names found in `renaming` not found in the [Task](#) cause an error. Initialized to `FALSE`.

Internals

Uses the `$rename()` mutator of the [Task](#) to set the new column names.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("renamecolumns", param_vals = list(renaming = c("Petal.Length" = "PL")))
pop$train(list(task))
```

mlr_pipeops_replicate *Replicate the Input as a Multiplicity*

Description

Replicate the input as a [Multiplicity](#), causing subsequent [PipeOps](#) to be executed multiple reps times.

Note that [Multiplicity](#) is currently an experimental features and the implementation or UI may change.

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpReplicate$new(id = "replicate", param_vals = list())
```

- `id` :: `character(1)` Identifier of the resulting object, default "replicate".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

[PipeOpReplicate](#) has one input channel named "input", taking any input ("`*`") both during training and prediction.

[PipeOpReplicate](#) has one output channel named "output" returning the replicated input as a [Multiplicity](#) of type any ("`*`") both during training and prediction.

State

The `$state` is left empty (`list()`).

Parameters

- `reps` :: `numeric(1)`
Integer indicating the number of times the input should be replicated.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#)

Other Experimental Features: [Multiplicity\(\)](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#)

Examples

```
library("mlr3")
task = tsk("iris")
po = po("replicate", param_vals = list(reps = 3))
po$train(list(task))
po$predict(list(task))
```

mlr_pipeops_rowapply *Apply a Function to each Row of a Task*

Description

Applies a function to each row of a task. Use the `affect_columns` parameter inherited from [PipeOpTaskPreprocSimple](#) to limit the columns this function should be applied to.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpColApply$new(id = "rowapply", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "rowapply".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with the original affected columns replaced by the columns created by applying applicator to each row.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `applicator` :: `function`
Function to apply to each row in the affected columns of the task. The return value should be a vector of the same length for every input. Initialized as `identity()`.
- `col_prefix` :: `character(1)`
If specified, prefix to be prepended to the column names of affected columns, separated by a dot (`.`). Initialized as `""`.

Internals

Calls [apply](#) on the data, using the value of `applicator` as `FUN`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pora = po("rowapply", applicator = scale)
pora$train(list(task))[[1]] # rows are standardized
```

Description

Centers all numeric features to mean = 0 (if center parameter is TRUE) and scales them by dividing them by their root-mean-square (if scale parameter is TRUE).

The root-mean-square here is defined as $\sqrt{\text{sum}(x^2)/(\text{length}(x)-1)}$. If the center parameter is TRUE, this corresponds to the `sd()`.

Format

R6Class object inheriting from `PipeOpTaskPreproc/PipeOp`.

Construction

```
PipeOpScale$new(id = "scale", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "scale".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from `PipeOpTaskPreproc`.

The output is the input `Task` with all affected numeric parameters centered and/or scaled.

State

The `$state` is a named list with the `$state` elements inherited from `PipeOpTaskPreproc`, as well as:

- `center` :: numeric
The mean / median (depending on robust) of each numeric feature during training, or 0 if center is FALSE. Will be subtracted during the predict phase.
- `scale` :: numeric
The value by which features are divided. 1 if scale is FALSE
If robust is FALSE, this is the root mean square, defined as $\sqrt{\text{sum}(x^2)/(\text{length}(x)-1)}$, of each feature, possibly after centering. If robust is TRUE, this is the median absolute deviation multiplied by 1.4826 (see `stats::mad`) of each feature, possibly after centering. This is 1 for features that are constant during training if center is TRUE, to avoid division-by-zero.

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as:

- `center` :: logical(1)
Whether to center features, i.e. subtract their `mean()` from them. Default TRUE.
- `scale` :: logical(1)
Whether to scale features, i.e. divide them by $\sqrt{\text{sum}(x^2)/(\text{length}(x)-1)}$. Default TRUE.

- `robust :: logical(1)`
Whether to use robust scaling; instead of scaling / centering with mean / standard deviation, median and median absolute deviation `mad` are used. Initialized to `FALSE`.

Internals

Imitates the `scale()` function for `robust = FALSE` and alternatively subtracts the median and divides by `mad` for `robust = TRUE`.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from `PipeOpTaskPreproc/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scalemaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library("mlr3")

task = tsk("iris")
pos = po("scale")

pos$train(list(task))[[1]]$data()
```

```

one_line_of_iris = task$filter(13)

one_line_of_iris$data()

pos$predict(list(one_line_of_iris))[[1]]$data()

```

```
mlr_pipeops_scalemaxabs
```

Scale Numeric Features with Respect to their Maximum Absolute Value

Description

Scales the numeric data columns so their maximum absolute value is maxabs, if possible. NA, Inf are ignored, and features that are constant 0 are not scaled.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpScaleMaxAbs$new(id = "scalemaxabs", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object, default "scalemaxabs".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with scaled numeric features.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as the maximum absolute values of each numeric feature.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `maxabs` :: `numeric(1)`
The maximum absolute value for each column after transformation. Default is 1.

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstant](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("scalemaxabs")

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_scalerange

Linearly Transform Numeric Features to Match Given Boundaries

Description

Linearly transforms numeric data columns so they are between lower and upper. The formula for this is $x' = offset + x * scale$, where $scale$ is $(upper - lower) / (max(x) - min(x))$ and $offset$ is $-min(x) * scale + lower$. The same transformation is applied during training and prediction.

Format

R6Class object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpScaleRange$new(id = "scalerange", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "scalerange".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with scaled numeric features.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as the two transformation parameters *scale* and *offset* for each numeric feature.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `lower :: numeric(1)`
Target value of smallest item of input data. Initialized to 0.
- `upper :: numeric(1)`
Target value of greatest item of input data. Initialized to 1.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsMOTE](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("scalerange", param_vals = list(lower = -1, upper = 1))

task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_pipeops_select	<i>Remove Features Depending on a Selector</i>
--------------------	--

Description

Removes features from [Task](#) depending on a [Selector](#) function: The selector parameter gives the features to keep. See [Selector](#) for selectors that are provided and how to write custom [Selectors](#).

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpSelect$new(id = "select", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "select".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with features removed that were not selected by the [Selector](#)/function in selector.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `selection :: character`
A vector of all feature names that are kept (i.e. not dropped) in the [Task](#). Initialized to [selector_all\(\)](#)

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `selector :: function | Selector`
[Selector](#) function, takes a [Task](#) as argument and returns a character of features to keep. See [Selector](#) for example functions. Defaults to `selector_all()`.

Internals

Uses `task$select()`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Selectors: [Selector](#)

Examples

```
library("mlr3")

task = tsk("boston_housing")
pos = po("select")

pos$param_set$values$selector = selector_all()
pos$train(list(task))[[1]]$feature_names

pos$param_set$values$selector = selector_type("factor")
pos$train(list(task))[[1]]$feature_names

pos$param_set$values$selector = selector_invert(selector_type("factor"))
pos$train(list(task))[[1]]$feature_names

pos$param_set$values$selector = selector_grep("^r")
pos$train(list(task))[[1]]$feature_names
```

Description

Generates a more balanced data set by creating synthetic instances of the minority class using the SMOTE algorithm. The algorithm samples for each minority instance a new data point based on the K nearest neighbors of that data point. It can only be applied to tasks with purely numeric features. See `smotefamily::SMOTE` for details.

Format

`R6Class` object inheriting from `PipeOpTaskPreproc/PipeOp`.

Construction

```
PipeOpSmote$new(id = "smote", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "smote".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from `PipeOpTaskPreproc`. Instead of a `Task`, a `TaskClassif` is used as input and output during training and prediction.

The output during training is the input `Task` with added synthetic rows for the minority class. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from `PipeOpTaskPreproc`.

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as:

- `K :: numeric(1)`
The number of nearest neighbors used for sampling new values. See `SMOTE()`.
- `dup_size :: numeric`
Desired times of synthetic minority instances over the original number of majority instances. See `SMOTE()`.

Internals

If a target level is unobserved during training, no synthetic data points will be generated for that class. No error is raised; the unobserved class is simply ignored.

Fields

Only fields inherited from `PipeOp`.

Methods

Only methods inherited from [PipeOpTaskPreproc/PipeOp](#).

References

Chawla NV, Bowyer KW, Hall LO, Kegelmeyer WP (2002). “SMOTE: Synthetic Minority Over-sampling Technique.” *Journal of Artificial Intelligence Research*, **16**, 321–357. doi:[10.1613/jair.953](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

# Create example task
data = smotefamily::sample_generator(1000, ratio = 0.80)
data$result = factor(data$result)
task = TaskClassif$new(id = "example", backend = data, target = "result")
task$data()
table(task$data()$result)

# Generate synthetic data for minority class
pop = po("smote")
smotedata = pop$train(list(task))[[1]]$data()
table(smotedata$result)
```

mlr_pipeops_smotenc *SMOTENC Balancing*

Description

Generates a more balanced data set by creating synthetic instances of the minority class for nominal and continuous data using the SMOTENC algorithm.

The algorithm generates for each minority instance a new data point based on the k nearest neighbors of that data point. It treats integer features as numeric. To not change feature types, the numeric, synthetic data generated for these features are rounded back to integer. Because of this, data generated through usage of this [PipeOp](#) is not exactly equal to data generated by calling `themis::smotenc` directly on the same data set.

It can only be applied to [classification tasks](#) with factor (or ordered) features and at least one numeric (or integer) feature that have no missing values.

See [themis::smotenc](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpSmoteNC$new(id = "smotenc", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "smotenc".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with added synthetic rows for the minority class. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `k :: integer(1)`
Number of nearest neighbors used for generating new values from the minority class. Default is 5.
- `over_ratio :: numeric(1)`
Ratio of the majority to minority class. Default is 1. For details, see [themis::smotenc](#).

Internals

If a target level is unobserved during training, no synthetic data points will be generated for that class. No error is raised; the unobserved class is simply ignored.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

References

Chawla NV, Bowyer KW, Hall LO, Kegelmeyer WP (2002). “SMOTE: Synthetic Minority Over-sampling Technique.” *Journal of Artificial Intelligence Research*, **16**, 321–357. doi:[10.1613/jair.953](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#),

```
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Create example task
data = data.frame(
  target = factor(sample(c("c1", "c2"), size = 200, replace = TRUE, prob = c(0.1, 0.9))),
  feature = rnorm(200)
)
task = TaskClassif$new(id = "example", backend = data, target = "target")
task$head()
table(task$data[cols = "target"])

# Generate synthetic data for minority class
pop = po("smotenc")
smotenc_result = pop$train(list(task))[[1]]$data()
nrow(smotenc_result)
table(smotenc_result$target)
```

```
mlr_pipeops_spatialsign
```

Normalize Data Row-wise

Description

Normalizes the data row-wise. This is a natural generalization of the "sign" function to higher dimensions.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpSpatialSign$new(id = "spatialsign", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "spatialsign".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their normalized versions.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `length :: numeric(1)`
Length to scale rows to. Default is 1.
- `norm :: numeric(1)`
Norm to use. Rows are scaled to $\sum(x^{\text{norm}})^{(1/\text{norm})} == \text{length}$ for finite norm, or to $\max(\text{abs}(x)) == \text{length}$ if norm is Inf. Default is 2.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsMOTE](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#),

```
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")

task$data()

pop = po("spatialsign")

pop$train(list(task))[[1]]$data()
```

mlr_pipeops_subsample *Subsampling*

Description

Subsamples a [Task](#) to use a fraction of the rows.

Sampling happens only during training phase. Subsampling a [Task](#) may be beneficial for training time at possibly (depending on original [Task](#) size) negligible cost of predictive performance.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpSubsample$new(id = "subsample", param_vals = list())
```

- `id` :: `character(1)` Identifier of the resulting object, default "subsample"
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output during training is the input [Task](#) with added or removed rows according to the sampling. The output during prediction is the unchanged input.

State

The `$state` is a `named list` with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#); however, the `affect_columns` parameter is *not* present. Further parameters are:

- `frac` :: `numeric(1)`
Fraction of rows in the [Task](#) to keep. May only be greater than 1 if `replace` is `TRUE`. Initialized to $(1 - \exp(-1)) \approx 0.6321$.
- `stratify` :: `logical(1)`
Should the subsamples be stratified by target? Initialized to `FALSE`. May only be `TRUE` for [TaskClassif](#) input and if `use_groups` = `FALSE`.
- `use_groups` :: `logical(1)`
If `TRUE` and if the [Task](#) has a column with role `group`, grouped observations are kept together during subsampling. In case of sampling with
- `replace` :: `logical(1)`
Sample with replacement? Initialized to `FALSE`.

Internals

Uses `task$filter()` to remove rows. If `replace` is `TRUE` and identical rows are added, then the `taskrow_rolesuse` can *not* be used to duplicate rows because of [inaudible]; instead the `task$rbind()` function is used, and a new [data.table](#) is attached that contains all rows that are being duplicated exactly as many times as they are being added.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#),

```
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_targetinvert, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Subsample with stratification
pop = po("subsample", frac = 0.7, stratify = TRUE, use_groups = FALSE)
pop$train(list(tsk("iris")))

# Subsample, respecting grouping
df = data.frame(
  target = runif(3000),
  x1 = runif(3000),
  x2 = runif(3000),
  grp = sample(paste0("g", 1:100), 3000, replace = TRUE)
)
task = TaskRegr$new(id = "example", backend = df, target = "target")
task$set_col_roles("grp", "group")

pop = po("subsample", frac = 0.7, use_groups = TRUE)
pop$train(list(task))
```

```
mlr_pipeops_targetinvert
```

Invert Target Transformations

Description

Inverts target-transformations done during training based on a supplied inversion function. Typically should be used in combination with a subclass of [PipeOpTargetTrafo](#).

During prediction phase the function supplied through "fun" is called with a list containing the "prediction" as a single element, and should return a list with a single element (a [Prediction](#)) that is returned by [PipeOpTargetInvert](#).

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpTargetInvert$new(id = "targetinvert", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "targetinvert".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

`PipeOpTargetInvert` has two input channels named "fun" and "prediction". During training, both take NULL as input. During prediction, "fun" takes a function and "prediction" takes a [Prediction](#).

`PipeOpTargetInvert` has one output channel named "output" and returns NULL during training and a [Prediction](#) during prediction.

State

The `$state` is left empty (`list()`).

Parameters

`PipeOpTargetInvert` has no parameters.

Internals

Should be used in combination with a subclass of [PipeOpTargetTrafo](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#),

```
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetmutate,
mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library(mlr3)
task = tsk("boston-housing")
po = PipeOpTargetMutate$new("logtrafo", param_vals = list(
  trafo = function(x) log(x, base = 2),
  inverter = function(x) list(response = 2 ^ x$response))
)
# Note that this example is ill-equipped to work with
# `predict_type == "se"` predictions.

po$train(list(task))
po$predict(list(task))

g = Graph$new()
g$add_pipeop(po)
g$add_pipeop(LearnerRegrRpart$new())
g$add_pipeop(PipeOpTargetInvert$new())
g$add_edge(src_id = "logtrafo", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 1)
g$add_edge(src_id = "logtrafo", dst_id = "regr.rpart",
  src_channel = 2, dst_channel = 1)
g$add_edge(src_id = "regr.rpart", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 2)

g$train(task)
g$predict(task)

#syntactic sugar using ppl():
tt = ppl("targettrafo", graph = PipeOpLearner$new(LearnerRegrRpart$new()))
tt$param_set$values$targetmutate.trafo = function(x) log(x, base = 2)
tt$param_set$values$targetmutate.inverter = function(x) list(response = 2 ^ x$response)
```

mlr_pipeops_targetmutate

Transform a Target by a Function

Description

Changes the *target* of a [Task](#) according to a function given as hyperparameter. An inverter-function that undoes the transformation during prediction must also be given.

Format

[R6Class](#) object inheriting from [PipeOpTargetTrafo](#)/[PipeOp](#)

Construction

```
PipeOpTargetMutate$new(id = "targetmutate", param_vals = list(), new_task_type = NULL)
```

- `id :: character(1)`
Identifier of resulting object, default "targetmutate".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.
- `new_task_type :: character(1) | NULL`
The task type to which the output is converted, must be one of `mlr_reflections$task_types$type`. Defaults to `NULL`: no change in task type.

Input and Output Channels

Input and output channels are inherited from [PipeOpTargetTrafo](#).

State

The `$state` is left empty (`list()`).

Parameters

The parameters are the parameters inherited from [PipeOpTargetTrafo](#), as well as:

- `trafo :: function data.table -> data.frame | data.table | matrix`
Transformation function for the target. Should only be a function of the target, i.e., taking a single `data.table` argument, typically with one column. The return value is used as the new target of the resulting [Task](#). To change target names, change the column name of the data using e.g. `setnames()`.
Note that this function also gets called during prediction and should thus gracefully handle NA values.
Initialized to `identity()`.
- `inverter :: function data.table -> data.table | named list`
Inversion of the transformation function for the target. Called on a `data.table` created from a [Prediction](#) using `as.data.table()`, without the `$row_ids` and `$truth` columns, and should return a `data.table` or named list that contains the new relevant slots of a [Prediction](#) subclass (e.g., `$response`, `$prob`, `$se`, ...). Initialized to `identity()`.

Internals

Overloads `PipeOpTargetTrafo`'s `.transform()` and `.invert()` functions. Should be used in combination with `PipeOpTargetInvert`.

Fields

Fields inherited from `PipeOp`, as well as:

- `new_task_type` :: character(1)
`new_task_type` construction argument. Read-only.

Methods

Only methods inherited from `PipeOpTargetTrafo/PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsMOTE`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_ensemblemer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantile`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

Examples

```
library(mlr3)
task = tsk("boston_housing")
po = PipeOpTargetMutate$new("logtrafo", param_vals = list(
  trafo = function(x) log(x, base = 2),
  inverter = function(x) list(response = 2 ^ x$response))
)
# Note that this example is ill-equipped to work with
```

```
# `predict_type` == "se" predictions.

po$train(list(task))
po$predict(list(task))

g = Graph$new()
g$add_pipeop(po)
g$add_pipeop(LearnerRegrRpart$new())
g$add_pipeop(PipeOpTargetInvert$new())
g$add_edge(src_id = "logtrafo", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 1)
g$add_edge(src_id = "logtrafo", dst_id = "regr.rpart",
  src_channel = 2, dst_channel = 1)
g$add_edge(src_id = "regr.rpart", dst_id = "targetinvert",
  src_channel = 1, dst_channel = 2)

g$train(task)
g$predict(task)

#syntactic sugar using ppl():
tt = ppl("targettrafo", graph = PipeOpLearner$new(LearnerRegrRpart$new()))
tt$param_set$values$targetmutate.trafo = function(x) log(x, base = 2)
tt$param_set$values$targetmutate.inverter = function(x) list(response = 2 ^ x$response)
```

mlr_pipeops_targettrafoscalerange

Linearly Transform a Numeric Target to Match Given Boundaries

Description

Linearly transforms a numeric target of a [TaskRegr](#) so it is between lower and upper. The formula for this is $x' = offset + x * scale$, where $scale$ is $(upper - lower) / (max(x) - min(x))$ and $offset$ is $-min(x) * scale + lower$. The same transformation is applied during training and prediction.

Format

[R6Class](#) object inheriting from [PipeOpTargetTrafo](#)/[PipeOp](#)

Construction

`PipeOpTargetTrafoScaleRange$new(id = "targettrafoscalerange", param_vals = list())`

- `id` :: character(1)
Identifier of resulting object, default "targettrafoscalerange".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTargetTrafo](#).

State

The `$state` is a named list containing the slots `$offset` and `$scale`.

Parameters

The parameters are the parameters inherited from [PipeOpTargetTrafo](#), as well as:

- `lower :: numeric(1)`
Target value of smallest item of input target. Initialized to 0.
- `upper :: numeric(1)`
Target value of greatest item of input target. Initialized to 1.

Internals

Overloads [PipeOpTargetTrafo](#)'s `.get_state()`, `.transform()`, and `.invert()`. Should be used in combination with [PipeOpTargetInvert](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTargetTrafo](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsMOTE](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodedelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#),

```
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_textvectorizer, mlr_pipeops_threshold, mlr_pipeops_tomek,
mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget, mlr_pipeops_vtreat,
mlr_pipeops_yeojohnson
```

Examples

```
library(mlr3)
task = tsk("boston_housing")
po = PipeOpTargetTrafoScaleRange$new()

po$train(list(task))
po$predict(list(task))

#syntactic sugar for a graph using ppl():
ttscalerange = ppl("targettrafo", trafo_pipeop = PipeOpTargetTrafoScaleRange$new(),
  graph = PipeOpLearner$new(LearnerRegrRpart$new()))
ttscalerange$train(task)
ttscalerange$predict(task)
ttscalerange$state$regr.rpart
```

mlr_pipeops_textvectorizer

Bag-of-word Representation of Character Features

Description

Computes a bag-of-word representation from a (set of) columns. Columns of type character are split up into words. Uses the `quanteda::dfm()` and `quanteda::dfm_trim()` functions. TF-IDF computation works similarly to `quanteda::dfm_tfidf()` but has been adjusted for train/test data split using `quanteda::docfreq()` and `quanteda::dfm_weight()`.

In short:

- Per default, produces a bag-of-words representation
- If `n` is set to values > 1 , ngrams are computed
- If `df_trim` parameters are set, the bag-of-words is trimmed.
- The `scheme_tf` parameter controls term-frequency (per-document, i.e. per-row) weighting
- The `scheme_df` parameter controls the document-frequency (per token, i.e. per-column) weighting.

Parameters specify arguments to `quanteda`'s `dfm`, `dfm_trim`, `docfreq` and `dfm_weight`. What belongs to what can be obtained from each parameter's tags where tokenizer are arguments passed on to `quanteda::dfm()`. Defaults to a bag-of-words representation with token counts as matrix entries.

In order to perform the *default* `dfm_tfidf` weighting, set the `scheme_df` parameter to "inverse". The `scheme_df` parameter is initialized to "unary", which disables document frequency weighting.

The `PipeOp` works as follows:

1. Words are tokenized using `quanteda::tokens`.
2. Ngrams are computed using `quanteda::tokens_ngrams`.
3. A document-frequency matrix is computed using `quanteda::dfm`.
4. The document-frequency matrix is trimmed using `quanteda::dfm_trim` during train-time.
5. The document-frequency matrix is re-weighted (similar to `quanteda::dfm_tfidf`) if `scheme_df` is not set to "unary".

Format

`R6Class` object inheriting from `PipeOpTaskPreproc/PipeOp`.

Construction

```
PipeOpTextVectorizer$new(id = "textvectorizer", param_vals = list())
```

- `id :: character(1)`
Identifier of resulting object, default "textvectorizer".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from `PipeOpTaskPreproc`.

The output is the input `Task` with all affected features converted to a bag-of-words representation.

State

The `$state` is a named list with the `$state` elements inherited from `PipeOpTaskPreproc`, as well as:

- `colmodels :: named list`
Named list with one entry per extracted column. Each entry has two further elements:
 - `tdm`: sparse document-feature matrix resulting from `quanteda::dfm()`
 - `docfreq`: (weighted) document frequency resulting from `quanteda::docfreq()`

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as:

- `return_type :: character(1)`
Whether to return an integer representation ("integer-sequence") or a Bag-of-words ("bow"). If set to "integer_sequence", tokens are replaced by an integer and padded/truncated to `sequence_length`. If set to "factor_sequence", tokens are replaced by a factor and padded/truncated to `sequence_length`. If set to "bow", a possibly weighted bag-of-words matrix is returned. Defaults to bow.

- `stopwords_language :: character(1)`
Language to use for stopwords filtering. Needs to be either "none", a language identifier listed in `stopwords::stopwords_getlanguages("snowball")` ("de", "en", ...) or "smart". "none" disables language-specific stopwords. "smart" corresponds to `stopwords::stopwords(source = "smart")`, which contains *English* stopwords and also removes one-character strings. Initialized to "smart".
- `extra_stopwords :: character`
Extra stopwords to remove. Must be a character vector containing individual tokens to remove. When `n` is set to values greater than 1, this can also contain stop-ngrams. Initialized to `character(0)`.
- `tolower :: logical(1)`
Whether to convert to lower case. See [quanteda::dfm](#). Default is TRUE.
- `stem :: logical(1)`
Whether to perform stemming. See [quanteda::dfm](#). Default is FALSE.
- `what :: character(1)`
Tokenization splitter. See [quanteda::tokens](#). Default is "word".
- `remove_punct :: logical(1)`
See [quanteda::tokens](#). Default is FALSE.
- `remove_url :: logical(1)`
See [quanteda::tokens](#). Default is FALSE.
- `remove_symbols :: logical(1)`
See [quanteda::tokens](#). Default is FALSE.
- `remove_numbers :: logical(1)`
See [quanteda::tokens](#). Default is FALSE.
- `remove_separators :: logical(1)`
See [quanteda::tokens](#). Default is TRUE.
- `split_hypens :: logical(1)`
See [quanteda::tokens](#). Default is FALSE.
- `n :: integer`
Vector of ngram lengths. See [quanteda::tokens_ngrams](#). Initialized to 1, deviating from the base function's default. Note that this can be a *vector* of multiple values, to construct ngrams of multiple orders.
- `skip :: integer`
Vector of skips. See [quanteda::tokens_ngrams](#). Default is 0. Note that this can be a *vector* of multiple values.
- `sparsity :: numeric(1)`
Desired sparsity of the 'tfm' matrix. See [quanteda::dfm_trim](#). Default is NULL.
- `max_termfreq :: numeric(1)`
Maximum term frequency in the 'tfm' matrix. See [quanteda::dfm_trim](#). Default is NULL.
- `min_termfreq :: numeric(1)`
Minimum term frequency in the 'tfm' matrix. See [quanteda::dfm_trim](#). Default is NULL.
- `termfreq_type :: character(1)`
How to assess term frequency. See [quanteda::dfm_trim](#). Default is "count".

- `scheme_df :: character(1)`
Weighting scheme for document frequency: See [quanteda::docfreq](#). Initialized to "unary" (1 for each document, deviating from base function default).
- `smoothing_df :: numeric(1)`
See [quanteda::docfreq](#). Default is 0.
- `k_df :: numeric(1)`
k parameter given to [quanteda::docfreq](#) (see there). Default is 0.
- `threshold_df :: numeric(1)`
See [quanteda::docfreq](#). Default is 0. Only considered if `scheme_df` is set to "count".
- `base_df :: numeric(1)`
The base for logarithms in [quanteda::docfreq](#) (see there). Default is 10.
- `scheme_tf :: character(1)`
Weighting scheme for term frequency: See [quanteda::dfm_weight](#). Default is "count".
- `k_tf :: numeric(1)`
k parameter given to [quanteda::dfm_weight](#) (see there). Default is 0.5.
- `base_tf :: numeric(1)`
The base for logarithms in [quanteda::dfm_weight](#) (see there). Default is 10.
- `sequence_length :: integer(1)`
The length of the integer sequence. Defaults to Inf, i.e. all texts are padded to the length of the longest text. Only relevant for `return_type` is set to "integer_sequence".

Internals

See Description. Internally uses the `quanteda` package. Calls [quanteda::tokens](#), [quanteda::tokens_ngrams](#) and [quanteda::dfm](#). During training, [quanteda::dfm_trim](#) is also called. Tokens not seen during training are dropped during prediction.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#),

```
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_threshold,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
library("data.table")
# create some text data
dt = data.table(
  txt = replicate(150, paste0(sample(letters, 3), collapse = " "))
)
task = tsk("iris")$cbind(dt)

pos = po("textvectorizer", param_vals = list(stopwords_language = "en"))

pos$train(list(task))[[1]]$data()

one_line_of_iris = task$filter(13)

one_line_of_iris$data()

pos$predict(list(one_line_of_iris))[[1]]$data()
```

mlr_pipeops_threshold *Change the Threshold of a Classification Prediction*

Description

Change the threshold of a Prediction during the predict step. The incoming [Learner](#)'s `$predict_type` needs to be "prob". Internally calls `PredictionClassif$set_threshold`.

Format

[R6Class](#) inheriting from [PipeOp](#).

Construction

```
PipeOpThreshold$new(id = "threshold", param_vals = list())
```

- `id` :: `character(1)` Identifier of the resulting object, default "threshold".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Defaults to `numeric(0)`.

Input and Output Channels

During training, the input and output are NULL. A [PredictionClassif](#) is required as input and returned as output during prediction.

State

The `$state` is left empty (`list()`).

Parameters

- `thresholds` :: `numeric`
A numeric vector of thresholds for the different class levels. May have length 1 for binary classification predictions, must otherwise have length of the number of target classes; see [PredictionClassif](#)'s `$set_threshold()` method. Initialized to 0.5, i.e. thresholding for binary classification at level 0.5.

Fields

Fields inherited from [PipeOp](#), as well as:

- `predict_type` :: `character(1)`
Type of prediction to return. Either "prob" (default) or "response". Setting to "response" should rarely be used; it may potentially save some memory but has no other benefits.

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_ensemblemer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#),

```
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalemaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")
t = tsk("german_credit")
gr = po(lrn("classif.rpart", predict_type = "prob")) %>%
  po("threshold", param_vals = list(thresholds = 0.9))
gr$train(t)
gr$predict(t)
```

mlr_pipeops_tomek	<i>Tomek Down-Sampling</i>
-------------------	----------------------------

Description

Generates a cleaner data set by removing all majority-minority Tomek links.

The algorithm down-samples the data by removing all pairs of observations that form a Tomek link, i.e. a pair of observations that are nearest neighbors and belong to different classes. For this only numeric and integer features are taken into account. These must have no missing values.

This can only be applied to [classification tasks](#). Multiclass classification is supported.

See [themis::tomek](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

```
PipeOpTomek$new(id = "tomek", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "tomek".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#). Instead of a [Task](#), a [TaskClassif](#) is used as input and output during training and prediction.

The output during training is the input [Task](#) with removed rows for pairs of observations that form a Tomek link. The output during prediction is the unchanged input.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#).

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

References

Tomek I (1976). “Two Modifications of CNN.” *IEEE Transactions on Systems, Man and Cybernetics*, **6**(11), 769–772. doi:[10.1109/TSMC.1976.4309452](https://doi.org/10.1109/TSMC.1976.4309452).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#),

```
mlr_pipeops_threshold, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

# Create example task
task = tsk("iris")
task$head()
table(task$data(cols = "Species"))

# Down-sample data
pop = po("tomek")
tomek_result = pop$train(list(task))[[1]]$data()
nrow(tomek_result)
table(tomek_result$Species)
```

```
mlr_pipeops_tunethreshold
```

Tune the Threshold of a Classification Prediction

Description

Tunes optimal probability thresholds over different [PredictionClassifs](#).

[mlr3::Learner](#) `predict_type`: "prob" is required. Thresholds for each learner are optimized using the [Optimizer](#) supplied via the `param_set`. Defaults to [GenSA](#). Returns a single [PredictionClassif](#).

This PipeOp should be used in conjunction with [PipeOpLearnerCV](#) in order to optimize thresholds of cross-validated predictions. In order to optimize thresholds without cross-validation, use [PipeOpLearnerCV](#) in conjunction with [ResamplingInsample](#).

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpTuneThreshold$new(id = "tunethreshold", param_vals = list())
```

- `id` :: `character(1)`
Identifier of resulting object. Default: "tunethreshold".
- `param_vals` :: `named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOp](#).

State

The `$state` is a named list with elements

- `thresholds` :: numeric
Learned thresholds;

Parameters

The parameters are the parameters inherited from `PipeOp`, as well as:

- `measure` :: `Measure` | character
`Measure` to optimize for. Will be converted to a `Measure` in case it is character. Initialized to "classif.ce", i.e. misclassification error.
- `optimizer` :: `Optimizer` | character(1)
`Optimizer` used to find optimal thresholds. If character, converts to `Optimizer` via `opt`. Initialized to `OptimizerGenSA`.
- `log_level` :: character(1) | integer(1)
Set a temporary log-level for `lgr::get_logger("mlr3/bbotk")`. Initialized to: "warn".

Internals

Uses the optimizer provided as a `param_val` in order to find an optimal threshold. See the optimizer parameter for more info.

Fields

Fields inherited from `PipeOp`, as well as:

- `predict_type` :: character(1)
Type of prediction to return. Either "prob" (default) or "response". Setting to "response" should rarely be used; it may potentially save some memory but has no other benefits.

Methods

Only methods inherited from `PipeOp`.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodeinner`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltree`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`,


```
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_unbranch, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("learner_cv", lrn("classif.rpart", predict_type = "prob")) %>%
  po("tunethreshold")

task$data()
pop$train(task)

pop$state
```

mlr_pipeops_unbranch	<i>Unbranch Different Paths</i>
----------------------	---------------------------------

Description

Used to bring together different paths created by [PipeOpBranch](#).

Format

[R6Class](#) object inheriting from [PipeOp](#).

Construction

```
PipeOpUnbranch$new(options, id = "unbranch", param_vals = list())
```

- `options` :: `numeric(1) | character`
If `options` is 0, a `vararg` input channel is created that can take any number of inputs. If `options` is a nonzero integer number, it determines the number of input channels / options that are created, named `input1...input<n>`. The If `options` is a character, it determines the names of channels directly. The difference between these three is purely cosmetic if the user chooses to produce channel names matching with the corresponding [PipeOpBranch](#). However, it is not necessary to have matching names and the *vararg* option is always viable.

- `id :: character(1)`
Identifier of resulting object, default "unbranch".
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output

PipeOpUnbranch has multiple input channels depending on the options construction argument, named "input1", "input2", ... if options is a nonzero integer and named after each options value if options is a character; if options is 0, there is only one *vararg* input channel named "...". All input channels take any argument ("*") both during training and prediction.

PipeOpUnbranch has one output channel named "output", producing the only `NO_OP` object received as input ("*"), both during training and prediction.

State

The `$state` is left empty (`list()`).

Parameters

PipeOpUnbranch has no parameters.

Internals

See [PipeOpBranch](#) Internals on how alternative path branching works.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#)

```
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_updatetarget,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Path Branching: `NO_OP`, `filter_noop()`, `is_noop()`, `mlr_pipeops_branch`

Examples

```
# See PipeOpBranch for a complete branching example
pou = po("unbranch")

pou$train(list(NO_OP, NO_OP, "hello", NO_OP, NO_OP))
```

```
mlr_pipeops_updatetarget
```

Transform a Target without an Explicit Inversion

Description

EXPERIMENTAL, API SUBJECT TO CHANGE

Handles target transformation operations that do not need explicit inversion. In case the new target is required during predict, creates a vector of NA. Works similar to [PipeOpTargetTrafo](#) and [PipeOpTargetMutate](#), but forgoes the inversion step. In case target after the trafo is a factor, levels are saved to `$state`.

During prediction: Sets all target values to NA before calling the trafo again. In case target after the trafo is a factor, levels saved in the state are set during prediction.

As a special case when trafo is identity and `new_target_name` matches an existing column name of the data of the input [Task](#), this column is set as the new target. Depending on `drop_original_target` the original target is then either dropped or added to the features.

Format

Abstract [R6Class](#) inheriting from [PipeOp](#).

Construction

```
PipeOpUpdateTarget$new(id, param_set = ps(),
  param_vals = list(), packages = character(0))
```

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.

Parameters

The parameters are the parameters inherited from [PipeOpTargetTrafo](#), as well as:

- `trafo :: function`
Transformation function for the target. Should only be a function of the target, i.e., taking a single argument. Default is identity. Note, that the data passed on to the target is a `data.table` consisting of all target column.
- `new_target_name :: character(1)`
Optionally give the transformed target a new name. By default the original name is used.
- `new_task_type :: character(1)`
Optionally a new task type can be set. Legal types are listed in `mlr_reflections$task_types$type`.
#’ `drop_original_target :: logical(1)`
Whether to drop the original target column. Default: `TRUE`.

State

The `$state` is a list of class levels for each target after `trafo`. `list()` if none of the targets have levels.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other mlr3pipelines backend related: [Graph](#), [PipeOp](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_graphs](#), [mlr_pipeops](#)

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#),

```
mlr_pipeops_imputelearner, mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode,
mlr_pipeops_imputeoor, mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap,
mlr_pipeops_kernelpca, mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantile,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconstant,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexmaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Examples

```
## Not run:
# Create a binary class task from iris
library(mlr3)
trafo_fun = function(x) {factor(ifelse(x$Species == "setosa", "setosa", "other"))}
po = PipeOpUpdateTarget$new(param_vals = list(trafo = trafo_fun, new_target_name = "setosa"))
po$train(list(tsk("iris")))
po$predict(list(tsk("iris")))

## End(Not run)
```

mlr_pipeops_vtreat *Interface to the vtreat Package*

Description

Provides an interface to the vtreat package.

PipeOpVtreat naturally works for [classification tasks](#) and [regression tasks](#). Internally, PipeOpVtreat follows the fit/prepare interface of vtreat, i.e., first creating a data treatment transform object via [vtreat::NumericOutcomeTreatment\(\)](#), [vtreat::BinomialOutcomeTreatment\(\)](#), or [vtreat::MultinomialOutcomeTreatment\(\)](#) followed by calling [vtreat::fit_prepare\(\)](#) on the training data and [vtreat::prepare\(\)](#) during prediction.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpVtreat$new(id = "vtreat", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "vtreat".

- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from `PipeOpTaskPreproc`. Instead of a `Task`, a `TaskSupervised` is used as input and output during training and prediction.

The output is the input `Task` with all affected features "prepared" by `vtreat`. If `vtreat` found "no usable vars", the input `Task` is returned unaltered.

State

The `$state` is a named list with the `$state` elements inherited from `PipeOpTaskPreproc`, as well as:

- `treatment_plan` :: object of class `vtreat_pipe_step` | `NULL`
The treatment plan as constructed by `vtreat` based on the training data, i.e., an object of class `treatment_plan`. If `vtreat` found "no usable vars" and designing the treatment would have failed, this is `NULL`.

Parameters

The parameters are the parameters inherited from `PipeOpTaskPreproc`, as well as:

- `recommended` :: `logical(1)`
Whether only the "recommended" prepared features should be returned, i.e., non constant variables with a significance value smaller than `vtreat`'s threshold. Initialized to `TRUE`.
- `cols_to_copy` :: function | `Selector`
`Selector` function, takes a `Task` as argument and returns a `character()` of features to copy. See `Selector` for example functions. Initialized to `selector_none()`.
- `minFraction` :: `numeric(1)`
Minimum frequency a categorical level must have to be converted to an indicator column.
- `smFactor` :: `numeric(1)`
Smoothing factor for impact coding models.
- `rareCount` :: `integer(1)`
Allow levels with this count or below to be pooled into a shared rare-level.
- `rareSig` :: `numeric(1)`
Suppress levels from pooling at this significance value greater.
- `collarProb` :: `numeric(1)`
What fraction of the data (pseudo-probability) to collar data at if `doCollar` = `TRUE`.
- `doCollar` :: `logical(1)`
If `TRUE` collar numeric variables by cutting off after a tail-probability specified by `collarProb` during treatment design.
- `codeRestriction` :: `character()`
What types of variables to produce.

- `customCoders` :: `named list`
Map from code names to custom categorical variable encoding functions.
- `splitFunction` :: `function`
Function taking arguments `nSplits`, `nRows`, `dframe`, and `y`; returning a user desired split.
- `ncross` :: `integer(1)`
Integer larger than one, number of cross-validation rounds to design.
- `forceSplit` :: `logical(1)`
If TRUE force cross-validated significance calculations on all variables.
- `catScaling` :: `logical(1)`
If TRUE use `stats::glm()` linkspace, if FALSE use `stats::lm()` for scaling.
- `verbose` :: `logical(1)`
If TRUE print progress.
- `use_parallel` :: `logical(1)`
If TRUE use parallel methods.
- `missingness_imputation` :: `function`
Function of signature `f(values: numeric, weights: numeric)`, simple missing value imputer. Typically, an imputation via a [PipeOp](#) should be preferred, see [PipeOpImpute](#).
- `pruneSig` :: `numeric(1)`
Suppress variables with significance above this level. Only effects [regression tasks [mlr3::TaskRegr](#) and binary [classification tasks](#)].
- `scale` :: `logical(1)`
If TRUE replace numeric variables with single variable model regressions ("move to outcome-scale"). These have mean zero and (for variables with significant less than 1) slope 1 when regressed (lm for regression problems/glm for classification problems) against outcome.
- `varRestriction` :: `list()`
List of treated variable names to restrict to. Only effects [regression tasks [mlr3::TaskRegr](#) and binary [classification tasks](#)].
- `trackedValues` :: `named list()`
Named list mapping variables to know values, allows warnings upon novel level appearances (see `vtreat::track_values()`). Only effects [regression tasks [mlr3::TaskRegr](#) and binary [classification tasks](#)].
- `y_dependent_treatments` :: `character()`
Character what treatment types to build per-outcome level. Only effects multiclass [classification tasks](#).
- `imputation_map` :: `named list`
List of map from column names to functions of signature `f(values: numeric, weights: numeric)`, simple missing value imputers. Typically, an imputation via a [PipeOp](#) is to be preferred, see [PipeOpImpute](#).

For more information, see `vtreat::regression_parameters()`, `vtreat::classification_parameters()`, or `vtreat::multinomial_parameters()`.

Internals

Follows `vtreat`'s fit/prepare interface. See `vtreat::NumericOutcomeTreatment()`, `vtreat::BinomialOutcomeTreatment()`, `vtreat::MultinomialOutcomeTreatment()`, `vtreat::fit_prepare()` and `vtreat::prepare()`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc](#)/[PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_yeojohnson](#)

Examples

```
library("mlr3")

set.seed(2020)

make_data <- function(nrows) {
  d <- data.frame(x = 5 * rnorm(nrows))
  d["y"] = sin(d["x"]) + 0.01 * d["x"] + 0.1 * rnorm(nrows)
  d[4:10, "x"] = NA # introduce NAs
  d["xc"] = paste0("level_", 5 * round(d$y / 5, 1))
  d["x2"] = rnorm(nrows)
  d[d["xc"] == "level_-1", "xc"] = NA # introduce a NA level
  return(d)
}

task = TaskRegr$new("vtreat_regr", backend = make_data(100), target = "y")
```



```
pop = PipeOpVtreat$new()
pop$train(list(task))
```

`mlr_pipeops_yeojohnson`*Yeo-Johnson Transformation of Numeric Features*

Description

Conducts a Yeo-Johnson transformation on numeric features. It therefore estimates the optimal value of lambda for the transformation. See [bestNormalize::yeojohnson\(\)](#) for details.

Format

[R6Class](#) object inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

```
PipeOpYeoJohnson$new(id = "yeojohnson", param_vals = list())
```

- `id` :: character(1)
Identifier of resulting object, default "yeojohnson".
- `param_vals` :: named list
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric features replaced by their transformed versions.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as a list of class `yeojohnson` for each column, which is transformed.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#), as well as:

- `eps` :: numeric(1)
Tolerance parameter to identify the lambda parameter as zero. For details see [yeojohnson\(\)](#).
- `standardize` :: logical
Whether to center and scale the transformed values to attempt a standard normal distribution. For details see [yeojohnson\(\)](#).

- `lower :: numeric(1)`
Lower value for estimation of lambda parameter. For details see [yeojohnson\(\)](#).
- `upper :: numeric(1)`
Upper value for estimation of lambda parameter. For details see [yeojohnson\(\)](#).

Internals

Uses the [bestNormalize::yeojohnson](#) function.

Fields

Only fields inherited from [PipeOp](#).

Methods

Only methods inherited from [PipeOpTaskPreproc/PipeOp](#).

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantile](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#)

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("yeojohnson")
```

```
task$data()
pop$train(list(task))[[1]]$data()

pop$state
```

mlr_tasks_boston_housing
<i>Housing Data for 506 Census Tracts of Boston</i>

Description

Housing Data for 506 Census Tracts of Boston

Format

[R6Class](#) object inheriting from [TaskRegr](#).
The [BostonHousing2](#) dataset containing the corrected data from III AMF (1979). “The Hedonic Price Approach to Measuring Demand for Neighborhood Characteristics.” In *The Economics of Neighborhood*, 191–217. Elsevier. doi:10.1016/B9780126362503.500155. as provided by the mlbench package. See data description there.

Multiplicity	<i>Multiplicity</i>
--------------	---------------------

Description

A [Multiplicity](#) class S3 object.
The function of multiplicities is to indicate that [PipeOps](#) should be executed multiple times with multiple values.
A [Multiplicity](#) is a container, like a `list()`, that contains multiple values. If the message that is passed along the edge of a [Graph](#) is a [Multiplicity](#)-object, then the [PipeOp](#) that receives this object will *usually* be called once for each contained value. The result of each of these calls is then, again, packed in a [Multiplicity](#) and sent along the outgoing edge(s) of that [PipeOp](#). This means that a [Multiplicity](#) can cause multiple [PipeOps](#) in a row to be run multiple times, where the run for each element of the [Multiplicity](#) is independent from the others.
Most [PipeOps](#) only return a [Multiplicity](#) if their input was a [Multiplicity](#) (and after having run their code multiple times, once for each entry). However, there are a few special [PipeOps](#) that are "aware" of [Multiplicity](#) objects. These may either *create* a [Multiplicity](#) even though not having a [Multiplicity](#) input (e.g. [PipeOpReplicate](#) or [PipeOpOVRSplit](#)) – causing the subsequent [PipeOps](#) to be run multiple times – or *collect* a [Multiplicity](#), being called only once even though their input is a [Multiplicity](#) (e.g. [PipeOpOVRUnite](#) or [PipeOpFeatureUnion](#) if constructed with the `collect_multiplicity` argument set to TRUE). The combination of these mechanisms makes it possible for parts of a [Graph](#) to be called variably many times if "sandwiched" between [Multiplicity](#) creating and collecting [PipeOps](#).

Whether a [PipeOp](#) creates or collects a [Multiplicity](#) is indicated by the \$input or \$output slot (which indicate names and types of in/out channels). If the train and predict types of an input or output are surrounded by square brackets ("[" , "]"), then this channel handles a [Multiplicity](#) explicitly. Depending on the function of the [PipeOp](#), it will usually collect (input channel) or create (output channel) a [Multiplicity](#). [PipeOps](#) without this indicator are [Multiplicity](#) agnostic and blindly execute their function multiple times when given a [Multiplicity](#).

If a [PipeOp](#) is trained on a [Multiplicity](#), the \$state slot is set to a [Multiplicity](#) as well; this [Multiplicity](#) contains the "original" \$state resulting from each individual call of the [PipeOp](#) with the input [Multiplicity](#)'s content. If a [PipeOp](#) was trained with a [Multiplicity](#), then the predict() argument must be a [Multiplicity](#) with the same number of elements.

Usage

```
Multiplicity(...)
```

Arguments

```
...          any
              Can be anything.
```

Value

[Multiplicity](#)

See Also

Other Special Graph Messages: [NO_OP](#)

Other Experimental Features: [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_replicate](#)

Other Multiplicity PipeOps: [PipeOpEnsemble](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

NO_OP

No-Op Sentinel Used for Alternative Branching

Description

Special data type for no-ops. Distinct from NULL for easier debugging and distinction from unintentional NULL returns.

Usage

```
NO_OP
```

Format

[R6](#) object.

See Also

Other Path Branching: [filter_noop\(\)](#), [is_noop\(\)](#), [mlr_pipeops_branch](#), [mlr_pipeops_unbranch](#)

Other Special Graph Messages: [Multiplicity\(\)](#)

 PipeOp

PipeOp Base Class

Description

A PipeOp represents a transformation of a given "input" into a given "output", with two stages: "training" and "prediction". It can be understood as a generalized function that not only has multiple inputs, but also multiple outputs (as well as two stages). The "training" stage is used when training a machine learning pipeline or fitting a statistical model, and the "predicting" stage is then used for making predictions on new data.

To perform training, the `$train()` function is called which takes inputs and transforms them, while simultaneously storing information in its `$state` slot. For prediction, the `$predict()` function is called, where the `$state` information can be used to influence the transformation of the new data.

A PipeOp is usually used in a [Graph](#) object, a representation of a computational graph. It can have multiple **input channels**—think of these as multiple arguments to a function, for example when averaging different models—, and multiple **output channels**—a transformation may return different objects, for example different subsets of a [Task](#). The purpose of the [Graph](#) is to connect different outputs of some PipeOps to inputs of other PipeOps.

Input and output channel information of a PipeOp is defined in the `$input` and `$output` slots; each channel has a *name*, a required type during training, and a required type during prediction. The `$train()` and `$predict()` functions are called with a list argument that has one entry for each declared channel (with one exception, see next paragraph). The list is automatically type-checked for each channel against `$input` and then passed on to the `private$.train()` or `private$.predict()` functions. There the data is processed and a result list is created. This list is again type-checked for declared output types of each channel. The length and types of the result list is as declared in `$output`.

A special input channel name is `"..."`, which creates a *vararg* channel that takes arbitrarily many arguments, all of the same type. If the `$input` table contains an `"..."`-entry, then the input given to `$train()` and `$predict()` may be longer than the number of declared input channels.

This class is an abstract base class that all PipeOps being used in a [Graph](#) should inherit from, and is not intended to be instantiated.

Format

Abstract [R6Class](#).

Construction

PipeOp\$new(id, param_set = ps(), param_vals = list(), input, output, packages = character(0), tags = cha

- `id :: character(1)`
Identifier of resulting object. See `$id` slot.
- `param_set :: ParamSet` | list of expression
Parameter space description. This should be created by the subclass and given to `super$initialize()`. If this is a `ParamSet`, it is used as the PipeOp's `ParamSet` directly. Otherwise it must be a list of expressions e.g. created by `alist()` that evaluate to `ParamSets`. These `ParamSet` are combined using a `ParamSetCollection`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `input :: data.table` with columns `name` (character), `train` (character), `predict` (character)
Sets the `$input` slot of the resulting object; see description there.
- `output :: data.table` with columns `name` (character), `train` (character), `predict` (character)
Sets the `$output` slot of the resulting object; see description there.
- `packages :: character`
Set of all required packages for the PipeOp's `$train` and `$predict` methods. See `$packages` slot. Default is `character(0)`.
- `tags :: character`
A set of tags associated with the PipeOp. Tags describe a PipeOp's purpose. Can be used to filter as `data.table(mlr_pipeops)`. Default is `"abstract"`, indicating an abstract PipeOp.

Internals

PipeOp is an abstract class with abstract functions `private$.train()` and `private$.predict()`. To create a functional PipeOp class, these two methods must be implemented. Each of these functions receives a named list according to the PipeOp's input channels, and must return a list (names are ignored) with values in the order of output channels in `$output`. The `private$.train()` and `private$.predict()` function should not be called by the user; instead, a `$train()` and `$predict()` should be used. The most convenient usage is to add the PipeOp to a `Graph` (possibly as singleton in that `Graph`), and using the `Graph`'s `$train()` / `$predict()` methods.

`private$.train()` and `private$.predict()` should treat their inputs as read-only. If they are `R6` objects, they should be cloned before being manipulated in-place. Objects, or parts of objects, that are not changed, do not need to be cloned, and it is legal to return the same identical-by-reference objects to multiple outputs.

Fields

- `id :: character`
ID of the PipeOp. IDs are user-configurable, and IDs of PipeOps must be unique within a `Graph`. IDs of PipeOps must not be changed once they are part of a `Graph`, instead the `Graph`'s `$set_names()` method should be used.

- `packages :: character`
Packages required for the PipeOp. Functions that are not in base R should still be called using `::` (or explicitly attached using `require()`) in `private$.train()` and `private$.predict()`, but packages declared here are checked before any (possibly expensive) processing has started within a [Graph](#).
- `param_set :: ParamSet`
Parameters and parameter constraints. Parameter values that influence the functioning of `$train` and/or `$predict` are in the `$param_set$values` slot; these are automatically checked against parameter constraints in `$param_set`.
- `state :: any | NULL`
Method-dependent state obtained during training step, and usually required for the prediction step. This is `NULL` if and only if the PipeOp has not been trained. The `$state` is the *only* slot that can be reliably modified during `$train()`, because `private$.train()` may theoretically be executed in a different R-session (e.g. for parallelization). `$state` should furthermore always be set to something with copy-semantics, since it is never cloned. This is a limitation not of PipeOp or `mlr3` pipelines, but of the way the system as a whole works, together with [GraphLearner](#) and [mlr3](#).
- `input :: data.table` with columns `name` (character), `train` (character), `predict` (character)
Input channels of PipeOp. Column `name` gives the names (and order) of values in the list given to `$train()` and `$predict()`. Column `train` is the (S3) class that an input object must conform to during training, column `predict` is the (S3) class that an input object must conform to during prediction. Types are checked by the PipeOp itself and do not need to be checked by `private$.train()` / `private$.predict()` code.
A special name is `"..."`, which creates a *vararg* input channel that accepts a variable number of inputs.
If a row has both `train` and `predict` values enclosed by square brackets ("`[`", "`]`"), then this channel is [Multiplicity](#)-aware. If the PipeOp receives a [Multiplicity](#) value on these channels, this [Multiplicity](#) is given to the `.train()` and `.predict()` functions directly. Otherwise, the [Multiplicity](#) is transparently unpacked and the `.train()` and `.predict()` functions are called multiple times, once for each [Multiplicity](#) element. The type enclosed by square brackets indicates that only a [Multiplicity](#) containing values of this type are accepted. See [Multiplicity](#) for more information.
- `output :: data.table` with columns `name` (character), `train` (character), `predict` (character)
Output channels of PipeOp, in the order in which they will be given in the list returned by `$train` and `$predict` functions. Column `train` is the (S3) class that an output object must conform to during training, column `predict` is the (S3) class that an output object must conform to during prediction. The PipeOp checks values returned by `private$.train()` and `private$.predict()` against these types specifications.
If a row has both `train` and `predict` values enclosed by square brackets ("`[`", "`]`"), then this signals that the channel emits a [Multiplicity](#) of the indicated type. See [Multiplicity](#) for more information.
- `inum :: numeric(1)`
Number of input channels. This equals `nrow($input)`.
- `outnum :: numeric(1)`
Number of output channels. This equals `nrow($output)`.
- `is_trained :: logical(1)`
Indicate whether the PipeOp was already trained and can therefore be used for prediction.

- `tags :: character`
A set of tags associated with the PipeOp. Tags describe a PipeOp's purpose. Can be used to filter `as.data.table(mlr_pipeops)`. PipeOp tags are inherited and child classes can introduce additional tags.
- `hash :: character(1)`
Checksum calculated on the PipeOp, depending on the PipeOp's class and the slots `$id` and `$param_set$values`. If a PipeOp's functionality may change depending on more than these values, it should inherit the `$hash` active binding and calculate the hash as `digest(list(super$hash, <OTHER THINGS>))`.
- `phash :: character(1)`
Checksum calculated on the PipeOp, depending on the PipeOp's class and the slots `$id` but ignoring `$param_set$values`. If a PipeOp's functionality may change depending on more than these values, it should inherit the `$hash` active binding and calculate the hash as `digest(list(super$hash, <OTHER THINGS>), algo = "xxhash64")`.
- `.result :: list`
If the `Graph`'s `$keep_results` flag is set to `TRUE`, then the intermediate Results of `$train()` and `$predict()` are saved to this slot, exactly as they are returned by these functions. This is mainly for debugging purposes and done, if requested, by the `Graph` backend itself; it should *not* be done explicitly by `private$.train()` or `private$.predict()`.
- `man :: character(1)`
Identifying string of the help page that shows with `help()`.
- `label :: character(1)`
Description of the PipeOp's functionality. Derived from the title of its help page.
- `properties :: character()`
The properties of the PipeOp. Currently supported values are:
 - "validation": the PipeOp can make use of the `$internal_valid_task` of an `mlr3::Task`. This is for example used for `PipeOpLearners` that wrap a `Learner` with this property, see `mlr3::Learner`. PipeOps that have this property, also have a `$validate` field, which controls whether to use the validation task, as well as a `$internal_valid_scores` field, which allows to access the internal validation scores after training.
 - "internal_tuning": the PipeOp is able to internally optimize hyperparameters. This works analogously to the internal tuning implementation for `mlr3::Learner`. PipeOps with that property also implement the standardized accessor `$internal_tuned_values` and have at least one parameter tagged with "internal_tuning". An example for such a PipeOp is a `PipeOpLearner` that wraps a `Learner` with the "internal_tuning" property.

Programatic access to all available properties is possible via `mlr_reflections$pipeops$properties`.

Methods

- `print()`
`() -> NULL`
Prints the PipeOps most salient information: `$id`, `$is_trained`, `$param_set$values`, `$input` and `$output`.
- `help(help_type)`
`(character(1)) -> help file`

Displays the help file of the concrete PipeOp instance. `help_type` is one of "text", "html", "pdf" and behaves as the `help_type` argument of R's `help()`.

The following public `$train()` and `$predict()` methods are the primary user-facing functions intended for direct use:

- `train(input)`
(list) -> named list
Train PipeOp on inputs, transform it to output and store the learned `$state`. If the PipeOp is already trained, already present `$state` is overwritten. Input list is typechecked against the `$input` train column. Return value is a list with as many entries as `$output` has rows, with each entry named after the `$output` name column and class according to the `$output` train column. The workhorse function for training each PipeOp is the `private$.train()` function.
- `predict(input)`
(list) -> named list
Predict on new data in input, possibly using the stored `$state`. Input and output are specified by `$input` and `$output` in the same way as for `$train()`, except that the `predict` column is used for type checking. The workhorse function for predicting in each PipeOp is the `private$.predict()` function.

To implement a PipeOp the following abstract private functions should be overloaded in the inheriting PipeOp. Note that these should not be called by a user; instead the public `$train()` and `$predict()` method should be used.

- `.train(input)`
(named list) -> list
Abstract function that must be implemented by concrete subclasses. `private$.train()` is called by `$train()` after typechecking. It must change the `$state` value to something non-NULL and return a list of transformed data according to the `$output` train column. Names of the returned list are ignored.
- `.predict(input)`
(named list) -> list
Abstract function that must be implemented by concrete subclasses. `private$.predict()` is called by `$predict()` after typechecking and works analogously to `private$.train()`. Unlike `private$.train()`, `private$.predict()` should not modify the PipeOp in any way.

Inheriting

To create your own PipeOp, you need to overload the `private$.train()` and `private$.predict()` functions. It is most likely also necessary to overload the `$initialize()` function to do additional initialization. The `$initialize()` method should have at least the arguments `id` and `param_vals`, which should be passed on to `super$initialize()` unchanged. `id` should have a useful default value, and `param_vals` should have the default value `list()`, meaning no initialization of hyperparameters.

If the `$initialize()` method has more arguments, then it is necessary to also overload the `private$.additional_phash_info()` function. This function should return either all objects, or a hash of all objects, that can change the function or behavior of the PipeOp and are independent of the class, the `id`, the `$state`, and the

`$param_set$values`. The last point is particularly important: changing the `$param_set$values` should *not* change the return value of `private$.additional_phash_input()`.

When you are implementing a PipeOp that operates a task (and is not a [PipeOpTaskPreproc](#)), you also need to handle the `$internal_valid_task` field of the input task, if there is one.

See Also

<https://mlr-org.com/pipeops.html>

Other mlr3pipelines backend related: [Graph](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_graphs](#), [mlr_pipeops](#), [mlr_pipeops_updatetarget](#)

Other PipeOps: [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodelmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalemxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Examples

```
# example (bogus) PipeOp that returns the sum of two numbers during $train()
# as well as a letter of the alphabet corresponding to that sum during $predict().
```

```
PipeOpSumLetter = R6::R6Class("sumletter",
  inherit = PipeOp, # inherit from PipeOp
  public = list(
    initialize = function(id = "posum", param_vals = list()) {
      super$initialize(id, param_vals = param_vals,
        # declare "input" and "output" during construction here
        # training takes two 'numeric' and returns a 'numeric';
        # prediction takes 'NULL' and returns a 'character'.
        input = data.table::data.table(name = c("input1", "input2"),
          train = "numeric", predict = "NULL"),
        output = data.table::data.table(name = "output",
          train = "numeric", predict = "character")
      )
    }
  )
)
```

```

    )
  }
),
private = list(
  # PipeOp deriving classes must implement .train and
  # .predict; each taking an input list and returning
  # a list as output.
  .train = function(input) {
    sum = input[[1]] + input[[2]]
    self$state = sum
    list(sum)
  },
  .predict = function(input) {
    list(letters[self$state])
  }
)
)
posum = PipeOpSumLetter$new()

print(posum)

posum$train(list(1, 2))
# note the name 'output' is the name of the output channel specified
# in the $output data.table.

posum$predict(list(NULL, NULL))

```

PipeOpEncodePL

Piecewise Linear Encoding Base Class

Description

Abstract base class for piecewise linear encoding.

Piecewise linear encoding works by splitting values of features into distinct bins, through an algorithm implemented in `private$.get_bins()`, and then creating new feature columns through a continuous alternative to one-hot encoding. Here, one new feature per bin is constructed, with values being either

- 0, if the original value was below the lower bin boundary,
- 1, if the original value was above or equal to the upper bin boundary, or
- a scaled value between 0 and 1, if the original value was inside the bin boundaries. Scaling is done by offsetting the original value by the lower bin boundary and dividing by the bin width.

[PipeOps](#) inheriting from this encode columns of type numeric and integer. Use the [PipeOpTaskPreproc\\$affect_columns](#) functionality to only encode a subset of columns, or only encode columns of a certain type, etc.

Format

Abstract [R6Class](#) object inheriting from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#).

Construction

PipeOpEncodePL\$new(id = "encodepl", param_set = ps(), param_vals = list(), packages = character(0), tas

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).
- `param_set :: ParamSet`
Parameter space description. This should be created by the subclass and given to `super$initialize()`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `packages :: character`
Set of all required packages for the [PipeOp](#)'s `private$.train()` and `private$.predict()` methods. See `$packages` slot. Default is `character(0)`.
- `task_type :: character(1)`
The class of [Task](#) that should be accepted as input and will be returned as output. This should generally be a `character(1)` identifying a type of [Task](#), e.g. `"Task"`, `"TaskClassif"` or `"TaskRegr"` (or another subclass introduced by other packages). Default is `"Task"`.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output is the input [Task](#) with all affected numeric and integer columns encoded using piecewise linear encoding.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#), as well as:

- `bins :: named list`
Named list of numeric vectors. Each element corresponds to and is named after one of the affected feature columns and contains the bin boundaries derived through `private$.get_bins()`.

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#).

Internals

PipeOpEncodePL is an abstract class inheriting from [PipeOpTaskPreprocSimple](#) that allows easier implementation of different binning algorithms for piecewise linear encoding. The respective binning algorithm should be implemented as `private$.get_bins()`.

Fields

Only fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOpTaskPreprocSimple](#)/[PipeOpTaskPreproc](#)/[PipeOp](#) as well as

- `.get_bins(task, cols)`
([Task](#), character) -> named list
Abstract method for splitting the value range of a feature column into distinct bins. The argument `cols` should give the names of the feature columns of the task for which bins should be derived. Returns a named list of numeric vectors containing the bin boundaries for each affected feature column, named by that corresponding feature column.

References

Gorishniy Y, Rubachev I, Babenko A (2022). “On Embeddings for Numerical Features in Tabular Deep Learning.” In *Advances in Neural Information Processing Systems*, volume 35, 24991–25004.

https://proceedings.neurips.cc/paper_files/paper/2022/hash/9e9f0ffc3d836836ca96cbf8fe14b105-Abstract.html.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsMOTE](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimlmer](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconst](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Piecewise Linear Encoding PipeOps: [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltree](#)

PipeOpEnsemble

Ensembling Base Class

Description

Parent class for [PipeOps](#) that aggregate predictions. Implements the `private$.train()` and `private$.predict()` methods necessary for a `PipeOp` and requires deriving classes to create the `private$weighted_avg_predictions()` function.

Format

Abstract [R6Class](#) inheriting from [PipeOp](#).

Construction

Note: This object is typically constructed via a derived class, e.g. [PipeOpClassifAvg](#) or [PipeOpRegrAvg](#).

```
PipeOpEnsemble$new(innum = 0, collect_multiplicity = FALSE, id, param_set = ps(), param_vals = list(), packages = character(0), prediction_type = "Prediction")
```

- `innum :: numeric(1)`
Determines the number of input channels. If `innum` is 0 (default), a vararg input channel is created that can take an arbitrary number of inputs.
- `collect_multiplicity :: logical(1)`
If TRUE, the input is a [Multiplicity](#) collecting channel. This means, a [Multiplicity](#) input, instead of multiple normal inputs, is accepted and the members are aggregated. This requires `innum` to be 0. Default is FALSE.
- `id :: character(1)`
Identifier of the resulting object.
- `param_set :: ParamSet`
(`"Hyper"`)-Parameters in form of a [ParamSet](#) for the resulting [PipeOp](#).
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings that would otherwise be set during construction. Default `list()`.
- `packages :: character`
Set of packages required for this `PipeOp`. These packages are loaded during `$train()` and `$predict()`, but not attached. Default `character(0)`.
- `prediction_type :: character(1)`
The predict entry of the `$input` and `$output` type specifications. Should be `"Prediction"` (default) or one of its subclasses, e.g. `"PredictionClassif"`, and correspond to the type accepted by `private$.train()` and `private$.predict()`.

Input and Output Channels

PipeOpEnsemble has multiple input channels depending on the `innum` construction argument, named "input1", "input2", ... if `innum` is nonzero; if `innum` is 0, there is only one *vararg* input channel named "...". All input channels take only NULL during training and take a [Prediction](#) during prediction.

PipeOpEnsemble has one output channel named "output", producing NULL during training and a [Prediction](#) during prediction.

The output during prediction is in some way a weighted averaged representation of the input.

State

The `$state` is left empty (`list()`).

Parameters

- `weights :: numeric`
Relative weights of input predictions. If this has length 1, it is ignored and weighs all inputs equally. Otherwise it must have length equal to the number of connected inputs. Initialized to 1 (equal weights).

Internals

The commonality of ensemble methods using PipeOpEnsemble is that they take a NULL-input during training and save an empty `$state`. They can be used following a set of [PipeOpLearner](#) [PipeOps](#) to perform (possibly weighted) prediction averaging. See e.g. [PipeOpClassifAvg](#) and [PipeOpRegrAvg](#) which both inherit from this class.

Should it be necessary to use the output of preceding [Learners](#) during the "training" phase, then PipeOpEnsemble should not be used. In fact, if training time behaviour of a [Learner](#) is important, then one should use a [PipeOpLearnerCV](#) instead of a [PipeOpLearner](#), and the ensemble can be created with a [Learner](#) encapsulated by a [PipeOpLearner](#). See [LearnerClassifAvg](#) and [LearnerRegrAvg](#) for examples.

Fields

Only fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOp](#) as well as:

- `weighted_avg_prediction(inputs, weights, row_ids, truth)`
(list of [Prediction](#), numeric, integer | character, list) -> NULL
Create [Predictions](#) that correspond to the weighted average of incoming [Predictions](#). This is called by `private$.predict()` with cleaned and sanity-checked values: inputs are guaranteed to fit together, `row_ids` and `truth` are guaranteed to be the same as each one in inputs, and `weights` is guaranteed to have the same length as inputs.
This method is abstract, it must be implemented by deriving classes.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimr](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconstant](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#), [mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other Multiplicity PipeOps: [Multiplicity\(\)](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityimply](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#), [mlr_pipeops_replicate](#)

Other Ensembles: [mlr_learners_avg](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_regravg](#)

PipeOpImpute

Imputation Base Class

Description

Abstract base class for feature imputation.

Format

Abstract [R6Class](#) object inheriting from [PipeOp](#).

Construction

`PipeOpImpute$new(id, param_set = ps(), param_vals = list(), whole_task_dependent = FALSE, empty_level, packages = character(0), task_type = "Task")`

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).

- `param_set :: ParamSet`
Parameter space description. This should be created by the subclass and given to `super$initialize()`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `whole_task_dependent :: logical(1)`
Whether the `context_columns` parameter should be added which lets the user limit the columns that are used for imputation inference. This should generally be `FALSE` if imputation depends only on individual features (e.g. mode imputation), and `TRUE` if imputation depends on other features as well (e.g. kNN-imputation).
- `empty_level_control :: logical(1)`
Control how to handle edge cases where NAs occur in factor or ordered features only during prediction but not during training. Can be one of "never", "always", or "param":
 - If set to "never", no empty level is introduced during training, but columns that have missing values only during prediction will *not* be imputed.
 - If set to "always", an unseen level is added to the feature during training and missing values are imputed as that value during prediction.
 - Finally, if set to "param", the hyperparameter `create_empty_level` is added and control over this behavior is left to the user.

For implementation details, see Internals below. Default is "never".
- `packages :: character`
Set of all required packages for the `PipeOp`'s `private$.train` and `private$.predict` methods. See `$packages` slot. Default is `character(0)`.
- `task_type :: character(1)`
The class of `Task` that should be accepted as input and will be returned as output. This should generally be a `character(1)` identifying a type of `Task`, e.g. "Task", "TaskClassif" or "TaskRegr" (or another subclass introduced by other packages). Default is "Task".
- `feature_types :: character`
Feature types affected by the `PipeOp`. See `private$.select_cols()` for more information.

Input and Output Channels

`PipeOpImpute` has one input channel named "input", taking a `Task`, or a subclass of `Task` if the `task_type` construction argument is given as such; both during training and prediction.

`PipeOpImpute` has one output channel named "output", producing a `Task`, or a subclass; the `Task` type is the same as for input; both during training and prediction.

The output `Task` is the modified input `Task` with features imputed according to the `private$.impute()` function.

State

The `$state` is a named list; besides members added by inheriting classes, the members are:

- `affected_cols :: character`
Names of features being selected by the `affect_columns` parameter.

- `context_cols` :: character
Names of features being selected by the `context_columns` parameter.
- `intasklayout` :: [data.table](#)
Copy of the training [Task](#)'s `$feature_types` slot. This is used during prediction to ensure that the prediction [Task](#) has the same features, feature layout, and feature types as during training.
- `outtasklayout` :: [data.table](#)
Copy of the trained [Task](#)'s `$feature_types` slot. This is used during prediction to ensure that the [Task](#) resulting from the prediction operation has the same features, feature layout, and feature types as after training.
- `model` :: named list
Model used for imputation. This is a list named by [Task](#) features, containing the result of the `private$.train_imputer()` or `private$.train_nullmodel()` function for each one.
- `imputed_train` :: character
Names of features that were imputed during training. This is used to ensure that factor levels that were added during training are also added during prediction. Note that features that are imputed during prediction but not during training will still have inconsistent factor levels.

Parameters

- `affect_columns` :: function | [Selector](#) | NULL
What columns the `PipeOpImpute` should operate on. The parameter must be a [Selector](#) function, which takes a [Task](#) as argument and returns a character of features to use. See [Selector](#) for example functions. Defaults to NULL, which selects all features.
- `context_columns` :: function | [Selector](#) | NULL
What columns the `PipeOpImpute` imputation may depend on. This parameter is only present if the constructor is called with the `whole_task_dependent` argument set to TRUE. The parameter must be a [Selector](#) function, which takes a [Task](#) as argument and returns a character of features to use. See [Selector](#) for example functions. Defaults to NULL, which selects all features.
- `create_empty_level` :: logical(1)
Whether an empty level should always be created for factor or ordered columns during training. If FALSE, columns that had no NAs during training but have NAs during prediction will not be imputed. This parameter is only present if the constructor is called with the `empty_level_control` argument set to "param". Initialized to FALSE.

Internals

`PipeOpImpute` is an abstract class inheriting from [PipeOp](#) that makes implementing imputer [PipeOps](#) simple.

Internally, the construction argument `empty_level_control` and the hyperparameter `create_empty_level` (should it exist) modify the `private$.create_empty_level` field. Behavior then depends on whether this field is set to TRUE or FALSE and works by controlling for which cases imputation is performed on factor or ordered columns. Its setting has no impact on columns of other types. If `private$.create_empty_level` is set to TRUE, `private$.impute()` is called for all factor or ordered columns during training, regardless of whether they have any missing values. For this to

lead to the creation of an empty level for columns with no missing values, inheriting PipeOps must implement `private$.train_imputer()` in such a way that it returns the name of the level to be created for the feature types factor and ordered.

If `private$.create_empty_level` is set to `FALSE`, `private$.impute()` is not called during prediction for factor or ordered columns which were not modified during training. This means that NAs will not be imputed for these columns.

See [PipeOpImpute00R](#), for a detailed explanation of why these controls are necessary.

Fields

Fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOp](#), as well as:

- `.select_cols(task)`
(*Task*) -> character
Selects which columns the [PipeOp](#) operates on. In contrast to the `affect_columns` parameter, `private$.select_cols()` is for the *inheriting class* to determine which columns the operator should function on, e.g. based on feature type, while `affect_columns` is a way for the *user* to limit the columns that a [PipeOpTaskPreproc](#) should operate on. This method can optionally be overloaded when inheriting [PipeOpImpute](#); If this method is not overloaded, it defaults to selecting the columns of type indicated by the `feature_types` construction argument.
- `.train_imputer(feature, type, context)`
(atomic, character(1), [data.table](#)) -> any
Abstract function that must be overloaded when inheriting. Called once for each feature selected by `affect_columns` to create the model entry to be used for `private$.impute()`. This function is only called for features with at least one non-missing value.
- `.train_nullmodel(feature, type, context)`
(atomic, character(1), [data.table](#)) -> any
Like `.train_imputer()`, but only called for each feature that only contains missing values. This is not an abstract function and, if not overloaded, gives a default response of 0 (integer, numeric), `c(TRUE, FALSE)` (logical), all available levels (factor/ordered), or the empty string (character).
- `.impute(feature, type, model, context)`
(atomic, character(1), any, [data.table](#)) -> atomic
Imputes the features. `model` is the model created by `private$.train_imputer()`. Default behaviour is to assume `model` is an atomic vector from which values are sampled to impute missing values of feature. `model` may have an attribute `probabilities` for non-uniform sampling. If `model` has length zero, feature is returned unchanged.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#),

```
mlr_pipeops_classweights, mlr_pipeops_colapply, mlr_pipeops_collapsefactors, mlr_pipeops_colroles,
mlr_pipeops_copy, mlr_pipeops_datefeatures, mlr_pipeops_decode, mlr_pipeops_encode,
mlr_pipeops_encodeimpact, mlr_pipeops_encodelmer, mlr_pipeops_encodeplquantiles, mlr_pipeops_encodepltr,
mlr_pipeops_featureunion, mlr_pipeops_filter, mlr_pipeops_fixfactors, mlr_pipeops_histbin,
mlr_pipeops_ica, mlr_pipeops_imputeconstant, mlr_pipeops_imputehist, mlr_pipeops_imputelearner,
mlr_pipeops_imputemean, mlr_pipeops_imputemedian, mlr_pipeops_imputemode, mlr_pipeops_imputeoor,
mlr_pipeops_imputesample, mlr_pipeops_info, mlr_pipeops_isomap, mlr_pipeops_kernelpca,
mlr_pipeops_learner, mlr_pipeops_learner_pi_cvplus, mlr_pipeops_learner_quantiles,
mlr_pipeops_missind, mlr_pipeops_modelmatrix, mlr_pipeops_multiplicityexply, mlr_pipeops_multiplicityin,
mlr_pipeops_mutate, mlr_pipeops_nearmiss, mlr_pipeops_nmf, mlr_pipeops_nop, mlr_pipeops_ovrsplit,
mlr_pipeops_ovrunite, mlr_pipeops_pca, mlr_pipeops_proxy, mlr_pipeops_quantilebin,
mlr_pipeops_randomprojection, mlr_pipeops_randomresponse, mlr_pipeops_regravg, mlr_pipeops_removeconst,
mlr_pipeops_renamecolumns, mlr_pipeops_replicate, mlr_pipeops_rowapply, mlr_pipeops_scale,
mlr_pipeops_scalexaxabs, mlr_pipeops_scalerange, mlr_pipeops_select, mlr_pipeops_smote,
mlr_pipeops_smotenc, mlr_pipeops_spatialsign, mlr_pipeops_subsample, mlr_pipeops_targetinvert,
mlr_pipeops_targetmutate, mlr_pipeops_targettrafoscalerange, mlr_pipeops_textvectorizer,
mlr_pipeops_threshold, mlr_pipeops_tomek, mlr_pipeops_tunethreshold, mlr_pipeops_unbranch,
mlr_pipeops_updatetarget, mlr_pipeops_vtreat, mlr_pipeops_yeojohnson
```

Other Imputation PipeOps: `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`

PipeOpTargetTrafo	<i>Target Transformation Base Class</i>
-------------------	---

Description

Base class for handling target transformation operations. Target transformations are different from feature transformation because they have to be "inverted" after prediction. The target is transformed during the training phase and information to invert this transformation is sent along to [PipeOpTargetInvert](#) which then inverts this transformation during the prediction phase. This inversion may need info about both the training and the prediction data.

Users can overload up to four private\$-functions: `.get_state()` (optional), `.transform()` (mandatory), `.train_invert()` (optional), and `.invert()` (mandatory).

Format

Abstract [R6Class](#) inheriting from [PipeOp](#).

Construction

```
PipeOpTargetTrafo$new(id, param_set = ps(), param_vals = list(), packages = character(0), task_type_in
```

- `id` :: `character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).
- `param_set` :: [ParamSet](#)
Parameter space description. This should be created by the subclass and given to `super$initialize()`.

- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `task_type_in :: character(1)`
The class of [Task](#) that should be accepted as input. This should generally be a `character(1)` identifying a type of [Task](#), e.g. "Task", "TaskClassif" or "TaskRegr" (or another subclass introduced by other packages). Default is "Task".
- `task_type_out :: character(1)`
The class of [Task](#) that is produced as output. This should generally be a `character(1)` identifying a type of [Task](#), e.g. "Task", "TaskClassif" or "TaskRegr" (or another subclass introduced by other packages). Default is the value of `task_type_in`.
- `packages :: character`
Set of all required packages for the [PipeOp](#)'s methods. See `$packages` slot. Default is `character(0)`.
- `tags :: character | NULL`
Tags of the resulting [PipeOp](#). This is added to the tag "target transform". Default `NULL`.

Input and Output Channels

[PipeOpTargetTrafo](#) has one input channels named "input" taking a [Task](#) (or whatever class was specified by the `task_type` during construction) both during training and prediction.

[PipeOpTargetTrafo](#) has two output channels named "fun" and "output". During training, "fun" returns `NULL` and during prediction, "fun" returns a function that can later be used to invert the transformation done during training according to the overloaded `.train_invert()` and `.invert()` functions. "output" returns the modified input [Task](#) (or `task_type`) according to the overloaded `transform()` function both during training and prediction.

State

The `$state` is a named list and should be returned explicitly by the user in the overloaded `.get_state()` function.

Internals

[PipeOpTargetTrafo](#) is an abstract class inheriting from [PipeOp](#). It implements the `private$.train()` and `private$.predict()` functions. These functions perform checks and go on to call `.get_state()`, `.transform()`, `.train_invert()`. `.invert()` is packaged and sent along the "fun" output to be applied to a [Prediction](#) by [PipeOpTargetInvert](#). A subclass of [PipeOpTargetTrafo](#) should implement these functions and be used in combination with [PipeOpTargetInvert](#).

Fields

Fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOp](#), as well as:

- `.get_state(task)`
([Task](#)) -> list
Called by `PipeOpTargetTrafo`'s implementation of `private$.train()`. Takes a single [Task](#) as input and returns a list to set the `$state`. `.get_state()` will be called a single time during *training* right before `.transform()` is called. The return value (i.e. the `$state`) should contain info needed in `.transform()` as well as in `.invert()`.
The base implementation returns `list()` and should be overloaded if setting the state is desired.
- `.transform(task, phase)`
([Task](#), character(1)) -> [Task](#)
Called by `PipeOpTargetTrafo`'s implementation of `private$.train()` and `private$.predict()`. Takes a single [Task](#) as input and modifies it. This should typically consist of calculating a new target and modifying the [Task](#) by using the `convert_task` function. `.transform()` will be called during training and prediction because the target (and if needed also type) of the input [Task](#) must be transformed both times. Note that unlike `$.train()`, the argument is *not* a list but a singular [Task](#), and the return object is also *not* a list but a singular [Task](#). The phase argument is "train" during training phase and "predict" during prediction phase and can be used to enable different behaviour during training and prediction. When phase is "train", the `$state` slot (as previously set by `.get_state()`) may also be modified, alternatively or in addition to overloading `.get_state()`.
The input should *not* be cloned and if possible should be changed in-place.
This function is abstract and should be overloaded by inheriting classes.
- `.train_invert(task)`
([Task](#)) -> any
Called by `PipeOpTargetTrafo`'s implementation of `private$.predict()`. Takes a single [Task](#) as input and returns an arbitrary value that will be given as `predict_phase_state` to `.invert()`. This should not modify the input [Task](#).
The base implementation returns a list with a single element, the `$truth` column of the [Task](#), and should be overloaded if a more training-phase-dependent state is desired.
- `.invert(prediction, predict_phase_state)`
([Prediction](#), any) -> [Prediction](#)
Takes a [Prediction](#) and a `predict_phase_state` object as input and inverts the prediction. This function is sent as "fun" to `PipeOpTargetInvert`.
This function is abstract and should be overloaded by inheriting classes. Care should be taken that the `predict_type` of the [Prediction](#) being inverted is handled well.
- `.invert_help(predict_phase_state)`
(`predict_phase_state` object) -> function
Helper function that packages `.invert()` that can later be used for the inversion.

See Also

<https://mlr-org.com/pipeops.html>

Other `mlr3` pipelines backend related: [Graph](#), [PipeOp](#), [PipeOpTaskPreproc](#), [PipeOpTaskPreprocSimple](#), [mlr_graphs](#), [mlr_pipeops](#), [mlr_pipeops_updatetarget](#)

Other PipeOps: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTaskPreproc`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexmaxabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

PipeOpTaskPreproc

Task Preprocessing Base Class

Description

Base class for handling most "preprocessing" operations. These are operations that have exactly one [Task](#) input and one [Task](#) output, and expect the column layout of these [Tasks](#) during input and output to be the same.

Prediction-behavior of preprocessing operations should always be independent for each row in the input-[Task](#). This means that the prediction-operation of preprocessing-[PipeOps](#) should commute with `rbind()`: Running prediction on an n-row [Task](#) should result in the same result as `rbind()`-ing the prediction-result from n 1-row [Tasks](#) with the same content. In the large majority of cases, the number and order of rows should also not be changed during prediction.

Users must implement `private$.train_task()` and `private$.predict_task()`, which have a [Task](#) input and should return that [Task](#). The [Task](#) should, if possible, be manipulated in-place, and should not be cloned.

Alternatively, the `private$.train_dt()` and `private$.predict_dt()` functions can be implemented, which operate on [data.table](#) objects instead. This should generally only be done if all data is in some way altered (e.g. PCA changing all columns to principal components) and not if only a few columns are added or removed (e.g. feature selection) because this should be done at the [Task](#)-level with `private$.train_task()`. The `private$.select_cols()` function can be overloaded for `private$.train_dt()` and `private$.predict_dt()` to operate only on subsets of the [Task](#)'s data, e.g. only on numerical columns.

If the `can_subset_cols` argument of the constructor is `TRUE` (the default), then the hyperparameter `affect_columns` is added, which can limit the columns of the `Task` that is modified by the `PipeOpTaskPreproc` using a `Selector` function. Note this functionality is entirely independent of the `private$.select_cols()` functionality.

`PipeOpTaskPreproc` is useful for operations that behave differently during training and prediction. For operations that perform essentially the same operation and only need to perform extra work to build a `$state` during training, the `PipeOpTaskPreprocSimple` class can be used instead.

Format

Abstract `R6Class` inheriting from `PipeOp`.

Construction

```
PipeOpTaskPreproc$new(id, param_set = ps(), param_vals = list(), can_subset_cols = TRUE,
  packages = character(0), task_type = "Task", tags = NULL, feature_types = mlr_reflections$task_feature
```

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of `PipeOp`.
- `param_set :: ParamSet`
Parameter space description. This should be created by the subclass and given to `super$initialize()`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `can_subset_cols :: logical(1)`
Whether the `affect_columns` parameter should be added which lets the user limit the columns that are modified by the `PipeOpTaskPreproc`. This should generally be `FALSE` if the operation adds or removes rows from the `Task`, and `TRUE` otherwise. Default is `TRUE`.
- `packages :: character`
Set of all required packages for the `PipeOp`'s `private$.train()` and `private$.predict()` methods. See `$packages` slot. Default is `character(0)`.
- `task_type :: character(1)`
The class of `Task` that should be accepted as input and will be returned as output. This should generally be a `character(1)` identifying a type of `Task`, e.g. `"Task"`, `"TaskClassif"` or `"TaskRegr"` (or another subclass introduced by other packages). Default is `"Task"`.
- `tags :: character | NULL`
Tags of the resulting `PipeOp`. This is added to the tag `"data transform"`. Default `NULL`.
- `feature_types :: character`
Feature types affected by the `PipeOp`. See `private$.select_cols()` for more information. Defaults to all available feature types.

Input and Output Channels

`PipeOpTaskPreproc` has one input channel named `"input"`, taking a `Task`, or a subclass of `Task` if the `task_type` construction argument is given as such; both during training and prediction.

PipeOpTaskPreproc has one output channel named "output", producing a [Task](#), or a subclass; the [Task](#) type is the same as for input; both during training and prediction.

The output [Task](#) is the modified input [Task](#) according to the overloaded `private$.train_task()/private$.predict_task()` or `private$.train_dt()/private$.predict_dt()` functions.

State

The `$state` is a named list; besides members added by inheriting classes, the members are:

- `affect_cols :: character`
Names of features being selected by the `affect_columns` parameter, if present; names of *all* present features otherwise.
- `intasklayout :: data.table`
Copy of the training [Task](#)'s `$feature_types` slot. This is used during prediction to ensure that the prediction [Task](#) has the same features, feature layout, and feature types as during training.
- `outtasklayout :: data.table`
Copy of the trained [Task](#)'s `$feature_types` slot. This is used during prediction to ensure that the [Task](#) resulting from the prediction operation has the same features, feature layout, and feature types as after training.
- `dt_columns :: character`
Names of features selected by the `private$.select_cols()` call during training. This is only present if the `private$.train_dt()` functionality is used, and not present if the `private$.train_task()` function is overloaded instead.
- `feature_types :: character`
Feature types affected by the PipeOp. See `private$.select_cols()` for more information.

Parameters

- `affect_columns :: function | Selector | NULL`
What columns the PipeOpTaskPreproc should operate on. This parameter is only present if the constructor is called with the `can_subset_cols` argument set to `TRUE` (the default). The parameter must be a [Selector](#) function, which takes a [Task](#) as argument and returns a character of features to use. See [Selector](#) for example functions. Defaults to `NULL`, which selects all features.

Internals

PipeOpTaskPreproc is an abstract class inheriting from [PipeOp](#). It implements the `private$.train()` and `$.predict()` functions. These functions perform checks and go on to call `private$.train_task()` and `private$.predict_task()`. A subclass of PipeOpTaskPreproc may implement these functions, or implement `private$.train_dt()` and `private$.predict_dt()` instead. This works by having the default implementations of `private$.train_task()` and `private$.predict_task()` call `private$.train_dt()` and `private$.predict_dt()`, respectively.

The `affect_columns` functionality works by unsetting columns by removing their "col_role" before processing, and adding them afterwards by setting the `col_role` to "feature".

Fields

Fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOp](#), as well as:

- `.train_task(task)`
`(Task) -> Task`
 Called by the `PipeOpTaskPreproc`'s implementation of `private$.train()`. Takes a single [Task](#) as input and modifies it (ideally in-place without cloning) while storing information in the `$state` slot. Note that unlike `$.train()`, the argument is *not* a list but a singular [Task](#), and the return object is also *not* a list but a singular [Task](#). Also, contrary to `private$.train()`, the `$state` being generated must be a list, which the `PipeOpTaskPreproc` will add additional slots to (see Section *State*). Care should be taken to avoid name collisions between `$state` elements added by `private$.train_task()` and `PipeOpTaskPreproc`.
 By default this function calls the `private$.train_dt()` function, but it can be overloaded to perform operations on the [Task](#) directly.
- `.predict_task(task)`
`(Task) -> Task`
 Called by the `PipeOpTaskPreproc`'s implementation of `$.predict()`. Takes a single [Task](#) as input and modifies it (ideally in-place without cloning) while using information in the `$state` slot. Works analogously to `private$.train_task()`. If `private$.predict_task()` should only be overloaded if `private$.train_task()` is overloaded (i.e. `private$.train_dt()` is *not* used).
- `.train_dt(dt, levels, target)`
`(data.table, named list, any) -> data.table | data.frame | matrix`
 Train `PipeOpTaskPreproc` on `dt`, transform it and store a state in `$state`. A transformed object must be returned that can be converted to a `data.table` using `as.data.table`. `dt` does not need to be copied deliberately, it is possible and encouraged to change it in-place.
 The `levels` argument is a named list of factor levels for factorial or character features. If the input [Task](#) inherits from [TaskSupervised](#), the `target` argument contains the `$truth()` information of the training [Task](#); its type depends on the [Task](#) type being trained on.
 This method can be overloaded when inheriting from `PipeOpTaskPreproc`, together with `private$.predict_dt()` and optionally `private$.select_cols()`; alternatively, `private$.train_task()` and `private$.predict_task()` can be overloaded.
- `.predict_dt(dt, levels)`
`(data.table, named list) -> data.table | data.frame | matrix`
 Predict on new data in `dt`, possibly using the stored `$state`. A transformed object must be returned that can be converted to a `data.table` using `as.data.table`. `dt` does not need to be copied deliberately, it is possible and encouraged to change it in-place.
 The `levels` argument is a named list of factor levels for factorial or character features.
 This method can be overloaded when inheriting `PipeOpTaskPreproc`, together with `private$.train_dt()` and optionally `private$.select_cols()`; alternatively, `private$.train_task()` and `private$.predict_task()` can be overloaded.
- `.select_cols(task)`
`(Task) -> character`

Selects which columns the `PipeOp` operates on, if `private$.train_dt()` and `private$.predict_dt()` are overloaded. This function is not called if `private$.train_task()` and `private$.predict_task()` are overloaded. In contrast to the `affect_columns` parameter, `private$.select_cols()` is for the *inheriting class* to determine which columns the operator should function on, e.g. based on feature type, while `affect_columns` is a way for the *user* to limit the columns that a `PipeOpTaskPreproc` should operate on.

This method can optionally be overloaded when inheriting `PipeOpTaskPreproc`, together with `private$.train_dt()` and `private$.predict_dt()`; alternatively, `private$.train_task()` and `private$.predict_task()` can be overloaded.

If this method is not overloaded, it defaults to selecting of type indicated by the `feature_types` construction argument.

See Also

<https://mlr-org.com/pipeops.html>

Other `mlr3` pipelines backend related: `Graph`, `PipeOp`, `PipeOpTargetTrafo`, `PipeOpTaskPreprocSimple`, `mlr_graphs`, `mlr_pipeops`, `mlr_pipeops_updatetarget`

Other `PipeOps`: `PipeOp`, `PipeOpEncodePL`, `PipeOpEnsemble`, `PipeOpImpute`, `PipeOpTargetTrafo`, `PipeOpTaskPreprocSimple`, `mlr_pipeops`, `mlr_pipeops_adas`, `mlr_pipeops_blsmote`, `mlr_pipeops_boxcox`, `mlr_pipeops_branch`, `mlr_pipeops_chunk`, `mlr_pipeops_classbalancing`, `mlr_pipeops_classifavg`, `mlr_pipeops_classweights`, `mlr_pipeops_colapply`, `mlr_pipeops_collapsefactors`, `mlr_pipeops_colroles`, `mlr_pipeops_copy`, `mlr_pipeops_datefeatures`, `mlr_pipeops_decode`, `mlr_pipeops_encode`, `mlr_pipeops_encodeimpact`, `mlr_pipeops_encodelmer`, `mlr_pipeops_encodeplquantiles`, `mlr_pipeops_encodepltr`, `mlr_pipeops_featureunion`, `mlr_pipeops_filter`, `mlr_pipeops_fixfactors`, `mlr_pipeops_histbin`, `mlr_pipeops_ica`, `mlr_pipeops_imputeconstant`, `mlr_pipeops_imputehist`, `mlr_pipeops_imputelearner`, `mlr_pipeops_imputemean`, `mlr_pipeops_imputemedian`, `mlr_pipeops_imputemode`, `mlr_pipeops_imputeoor`, `mlr_pipeops_imputesample`, `mlr_pipeops_info`, `mlr_pipeops_isomap`, `mlr_pipeops_kernelpca`, `mlr_pipeops_learner`, `mlr_pipeops_learner_pi_cvplus`, `mlr_pipeops_learner_quantiles`, `mlr_pipeops_missind`, `mlr_pipeops_modelmatrix`, `mlr_pipeops_multiplicityexply`, `mlr_pipeops_multiplicityin`, `mlr_pipeops_mutate`, `mlr_pipeops_nearmiss`, `mlr_pipeops_nmf`, `mlr_pipeops_nop`, `mlr_pipeops_ovrsplit`, `mlr_pipeops_ovrunite`, `mlr_pipeops_pca`, `mlr_pipeops_proxy`, `mlr_pipeops_quantilebin`, `mlr_pipeops_randomprojection`, `mlr_pipeops_randomresponse`, `mlr_pipeops_regravg`, `mlr_pipeops_removeconst`, `mlr_pipeops_renamecolumns`, `mlr_pipeops_replicate`, `mlr_pipeops_rowapply`, `mlr_pipeops_scale`, `mlr_pipeops_scalexabs`, `mlr_pipeops_scalerange`, `mlr_pipeops_select`, `mlr_pipeops_smote`, `mlr_pipeops_smotenc`, `mlr_pipeops_spatialsign`, `mlr_pipeops_subsample`, `mlr_pipeops_targetinvert`, `mlr_pipeops_targetmutate`, `mlr_pipeops_targettrafoscalerange`, `mlr_pipeops_textvectorizer`, `mlr_pipeops_threshold`, `mlr_pipeops_tomek`, `mlr_pipeops_tunethreshold`, `mlr_pipeops_unbranch`, `mlr_pipeops_updatetarget`, `mlr_pipeops_vtreat`, `mlr_pipeops_yeojohnson`

PipeOpTaskPreprocSimple

Simple Task Preprocessing Base Class

Description

Base class for handling many "preprocessing" operations that perform essentially the same operation during training and prediction. Instead implementing a `private$.train_task()` and a `private$.predict_task()` operation, only a `private$.get_state()` and a `private$.transform()` operation needs to be defined, both of which take one argument: a [Task](#).

Alternatively, analogously to the [PipeOpTaskPreproc](#) approach of offering `private$.train_dt()/private$.predict_dt()` the `private$.get_state_dt()` and `private$.transform_dt()` functions may be implemented.

`private$.get_state` must not change its input value in-place and must return something that will be written into `$state` (which must not be `NULL`), `private$.transform()` should modify its argument in-place; it is called both during training and prediction.

This inherits from [PipeOpTaskPreproc](#) and behaves essentially the same.

Format

Abstract [R6Class](#) inheriting from [PipeOpTaskPreproc/PipeOp](#).

Construction

`PipeOpTaskPreprocSimple$new(id, param_set = ps(), param_vals = list(), can_subset_cols = TRUE, packages = character(0), task_type = "Task", tags = NULL, feature_types = mlr_reflections$task_feature_types)`
(Construction is identical to [PipeOpTaskPreproc](#).)

- `id :: character(1)`
Identifier of resulting object. See `$id` slot of [PipeOp](#).
- `param_set :: ParamSet`
Parameter space description. This should be created by the subclass and given to `super$initialize()`.
- `param_vals :: named list`
List of hyperparameter settings, overwriting the hyperparameter settings given in `param_set`. The subclass should have its own `param_vals` parameter and pass it on to `super$initialize()`. Default `list()`.
- `can_subset_cols :: logical(1)`
Whether the `affect_columns` parameter should be added which lets the user limit the columns that are modified by the [PipeOpTaskPreprocSimple](#). This should generally be `FALSE` if the operation adds or removes rows from the [Task](#), and `TRUE` otherwise. Default is `TRUE`.
- `packages :: character`
Set of all required packages for the [PipeOp](#)'s `private$.train()` and `private$.predict()` methods. See `$packages` slot. Default is `character(0)`.
- `task_type :: character(1)`
The class of [Task](#) that should be accepted as input and will be returned as output. This should generally be a `character(1)` identifying a type of [Task](#), e.g. `"Task"`, `"TaskClassif"` or `"TaskRegr"` (or another subclass introduced by other packages). Default is `"Task"`.
- `tags :: character | NULL`
Tags of the resulting [PipeOp](#). This is added to the tag `"data transform"`. Default `NULL`.
- `feature_types :: character`
Feature types affected by the [PipeOp](#). See `private$.select_cols()` for more information. Defaults to all available feature types.

Input and Output Channels

Input and output channels are inherited from [PipeOpTaskPreproc](#).

The output during training and prediction is the [Task](#), modified by `private$.transform()` or `private$.transform_dt()`.

State

The `$state` is a named list with the `$state` elements inherited from [PipeOpTaskPreproc](#).

Parameters

The parameters are the parameters inherited from [PipeOpTaskPreproc](#).

Internals

`PipeOpTaskPreprocSimple` is an abstract class inheriting from [PipeOpTaskPreproc](#) and implementing the `private$.train_task()` and `private$.predict_task()` functions. A subclass of `PipeOpTaskPreprocSimple` may implement the functions `private$.get_state()` and `private$.transform()`, or alternatively the functions `private$.get_state_dt()` and `private$.transform_dt()` (as well as `private$.select_cols()`, in the latter case). This works by having the default implementations of `private$.get_state()` and `private$.transform()` call `private$.get_state_dt()` and `private$.transform_dt()`.

Fields

Fields inherited from [PipeOp](#).

Methods

Methods inherited from [PipeOpTaskPreproc](#), as well as:

- `.get_state(task)`
`(Task)` -> named list
 Store create something that will be stored in `$state` during training phase of `PipeOpTaskPreprocSimple`. The state can then influence the `private$.transform()` function. Note that `private$.get_state()` must *return* the state, and should not store it in `$state`. It is not strictly necessary to implement either `private$.get_state()` or `private$.get_state_dt()`; if they are not implemented, the state will be stored as `list()`.
 This method can optionally be overloaded when inheriting from `PipeOpTaskPreprocSimple`, together with `private$.transform()`; alternatively, `private$.get_state_dt()` (optional) and `private$.transform_dt()` (and possibly `private$.select_cols()`, from [PipeOpTaskPreproc](#)) can be overloaded.
- `.transform(task)`
`(Task)` -> [Task](#)
 Predict on new data in `task`, possibly using the stored `$state`. `task` should not be cloned, instead it should be changed in-place. This method is called both during training and prediction phase, and should essentially behave the same independently of phase. (If this is incongruent with the functionality to be implemented, then it should inherit from [PipeOpTaskPreproc](#), not from `PipeOpTaskPreprocSimple`.)

This method can be overloaded when inheriting from `PipeOpTaskPreprocSimple`, optionally with `private$.get_state()`; alternatively, `private$.get_state_dt()` (optional) and `private$.transform_dt()` (and possibly `private$.select_cols()`, from [PipeOpTaskPreproc](#)) can be overloaded.

- `.get_state_dt(dt)`
([data.table](#)) -> named list
Create something that will be stored in `$state` during training phase of `PipeOpTaskPreprocSimple`. The state can then influence the `private$.transform_dt()` function. Note that `private$.get_state_dt()` must *return* the state, and should not store it in `$state`. If neither `private$.get_state()` nor `private$.get_state_dt()` are overloaded, the state will be stored as `list()`. This method can optionally be overloaded when inheriting from `PipeOpTaskPreprocSimple`, together with `private$.transform_dt()` (and optionally `private$.select_cols()`, from [PipeOpTaskPreproc](#)); Alternatively, `private$.get_state()` (optional) and `private$.transform()` can be overloaded.
- `.transform_dt(dt)`
([data.table](#)) -> [data.table](#) | `data.frame` | `matrix`
Predict on new data in `dt`, possibly using the stored `$state`. A transformed object must be returned that can be converted to a `data.table` using `as.data.table`. `dt` does not need to be copied deliberately, it is possible and encouraged to change it in-place. This method is called both during training and prediction phase, and should essentially behave the same independently of phase. (If this is incongruent with the functionality to be implemented, then it should inherit from [PipeOpTaskPreproc](#), not from `PipeOpTaskPreprocSimple`.) This method can optionally be overloaded when inheriting from `PipeOpTaskPreprocSimple`, together with `private$.transform_dt()` (and optionally `private$.select_cols()`, from [PipeOpTaskPreproc](#)); Alternatively, `private$.get_state()` (optional) and `private$.transform()` can be overloaded.

See Also

<https://mlr-org.com/pipeops.html>

Other PipeOps: [PipeOp](#), [PipeOpEncodePL](#), [PipeOpEnsemble](#), [PipeOpImpute](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [mlr_pipeops](#), [mlr_pipeops_adas](#), [mlr_pipeops_blsmote](#), [mlr_pipeops_boxcox](#), [mlr_pipeops_branch](#), [mlr_pipeops_chunk](#), [mlr_pipeops_classbalancing](#), [mlr_pipeops_classifavg](#), [mlr_pipeops_classweights](#), [mlr_pipeops_colapply](#), [mlr_pipeops_collapsefactors](#), [mlr_pipeops_colroles](#), [mlr_pipeops_copy](#), [mlr_pipeops_datefeatures](#), [mlr_pipeops_decode](#), [mlr_pipeops_encode](#), [mlr_pipeops_encodeimpact](#), [mlr_pipeops_encodeimr](#), [mlr_pipeops_encodeplquantiles](#), [mlr_pipeops_encodepltr](#), [mlr_pipeops_featureunion](#), [mlr_pipeops_filter](#), [mlr_pipeops_fixfactors](#), [mlr_pipeops_histbin](#), [mlr_pipeops_ica](#), [mlr_pipeops_imputeconstant](#), [mlr_pipeops_imputehist](#), [mlr_pipeops_imputelearner](#), [mlr_pipeops_imputemean](#), [mlr_pipeops_imputemedian](#), [mlr_pipeops_imputemode](#), [mlr_pipeops_imputeoor](#), [mlr_pipeops_imputesample](#), [mlr_pipeops_info](#), [mlr_pipeops_isomap](#), [mlr_pipeops_kernelpca](#), [mlr_pipeops_learner](#), [mlr_pipeops_learner_pi_cvplus](#), [mlr_pipeops_learner_quantiles](#), [mlr_pipeops_missind](#), [mlr_pipeops_modelmatrix](#), [mlr_pipeops_multiplicityexply](#), [mlr_pipeops_multiplicityin](#), [mlr_pipeops_mutate](#), [mlr_pipeops_nearmiss](#), [mlr_pipeops_nmf](#), [mlr_pipeops_nop](#), [mlr_pipeops_ovrsplit](#), [mlr_pipeops_ovrunite](#), [mlr_pipeops_pca](#), [mlr_pipeops_proxy](#), [mlr_pipeops_quantilebin](#), [mlr_pipeops_randomprojection](#), [mlr_pipeops_randomresponse](#), [mlr_pipeops_regravg](#), [mlr_pipeops_removeconsta](#), [mlr_pipeops_renamecolumns](#), [mlr_pipeops_replicate](#), [mlr_pipeops_rowapply](#), [mlr_pipeops_scale](#), [mlr_pipeops_scalexmaxabs](#), [mlr_pipeops_scalerange](#), [mlr_pipeops_select](#), [mlr_pipeops_smote](#), [mlr_pipeops_smotenc](#), [mlr_pipeops_spatialsign](#), [mlr_pipeops_subsample](#), [mlr_pipeops_targetinvert](#),

[mlr_pipeops_targetmutate](#), [mlr_pipeops_targettrafoscalerange](#), [mlr_pipeops_textvectorizer](#), [mlr_pipeops_threshold](#), [mlr_pipeops_tomek](#), [mlr_pipeops_tunethreshold](#), [mlr_pipeops_unbranch](#), [mlr_pipeops_updatetarget](#), [mlr_pipeops_vtreat](#), [mlr_pipeops_yeojohnson](#)

Other mlr3pipelines backend related: [Graph](#), [PipeOp](#), [PipeOpTargetTrafo](#), [PipeOpTaskPreproc](#), [mlr_graphs](#), [mlr_pipeops](#), [mlr_pipeops_updatetarget](#)

po

Shorthand PipeOp Constructor

Description

Create

- a [PipeOp](#) from [mlr_pipeops](#) from given ID
- a [PipeOpLearner](#) from a [Learner](#) object
- a [PipeOpFilter](#) from a [Filter](#) object
- a [PipeOpSelect](#) from a [Selector](#) object
- a clone of a [PipeOp](#) from a given [PipeOp](#) (possibly with changed settings)

The object is initialized with given parameters and `param_vals`.

`po()` takes a single obj ([PipeOp](#) id, [Learner](#), ...) and converts it to a [PipeOp](#). `pos()` (with plural-s) takes either a character-vector, or a list of objects, and creates a list of [PipeOps](#).

Usage

```
po(.obj, ...)
```

```
pos(.objs, ...)
```

Arguments

<code>.obj</code>	[any] The object from which to construct a PipeOp . If this is a character(1), it is looked up in the mlr_pipeops dictionary. Otherwise, it is converted to a PipeOp .
<code>...</code>	any Additional parameters to give to constructed object. This may be an argument of the constructor of the PipeOp , in which case it is given to this constructor; or it may be a parameter value, in which case it is given to the <code>param_vals</code> argument of the constructor.
<code>.objs</code>	character list Either a character of PipeOps to look up in mlr_pipeops , or a list of other objects to be converted to a PipeOp . If this is a named list, then the names are used as <code>\$id</code> slot for the resulting PipeOps .

Value

A [PipeOp](#) (for `po()`), or a list of [PipeOps](#) (for `pos()`).

Examples

```
library("mlr3")

po("learner", lrn("classif.rpart"), cp = 0.3)

po(lrn("classif.rpart"), cp = 0.3)

# is equivalent with:
mlr_pipeops$get("learner", lrn("classif.rpart"),
  param_vals = list(cp = 0.3))

mlr3pipelines::pos(c("pca", original = "nop"))
```

ppl

*Shorthand Graph Constructor***Description**

Creates a [Graph](#) from [mlr_graphs](#) from given ID

`ppl()` takes a character(1) and returns a [Graph](#). `ppls()` takes a character vector of any list and returns a list of possibly multiple [Graphs](#).

Usage

```
ppl(.key, ...)

ppls(.keys, ...)
```

Arguments

<code>.key</code>	[character(1)] The key of the Graph in mlr_graphs .
<code>...</code>	any Additional parameters to give to constructed object. This may be an argument of the constructor of the underlying function.
<code>.keys</code>	[character] The key of possibly multiple Graphs in mlr_graphs . If this is named, a named list is returned, but unlike pos() it will not set any \$id slots.

Value

[Graph](#) (for `ppl()`) or list of [Graphs](#) (for `ppls()`).

Examples

```
library("mlr3")

gr = ppl("bagging", graph = po(lrn("regr.rpart")),
  averager = po("regravg", collect_multiplicity = TRUE))
```

preproc

*Simple Pre-processing***Description**

Function that offers a simple and direct way to train or predict [PipeOps](#) and [Graphs](#) on [Tasks](#), [data.frames](#) or [data.tables](#).

Training happens if predict is set to FALSE and no state is passed to this function. Prediction happens if predict is set to TRUE and if the passed Graph or PipeOp is either trained or a state is explicitly passed to this function.

The passed PipeOp or Graph gets modified by-reference.

Usage

```
preproc(indata, processor, state = NULL, predict = !is.null(state))
```

Arguments

indata	(Task data.frame data.table) Data to be pre-processed.
processor	(Graph PipeOp) Graph or PipeOp accepting a Task that has one output channel. Whenever indata is passed a data.frame or data.table , the output channel must return a Task to be converted back into a data.frame or data.table. Additionally, processors which only work on sub-classes of TaskSupervised will not accept data.frame or data.table , as it would be unclear which column was the target. Be aware that the processor gets modified by-reference both during training, and if a state is passed to this function. This especially means that the state of a trained processor will get overwritten when state is passed. You may want to use dictionary sugar functions to select a processor and to set its hyperparameters, e.g. po() or ppl() .
state	(named list NULL) Optional state to be used for prediction, if the processor is untrained or if the current state of the processor should be overwritten. Must be a complete and correct state for the respective processor. Default NULL (do not overwrite processor's state).
predict	(logical(1)) Whether to predict (TRUE) or train (FALSE). By default, this is FALSE if state is NULL (state's default), and TRUE otherwise.

Value

any | [data.frame](#) | [data.table](#): If `indata` is a `Task`, whatever is returned by the processor's single output channel is returned. If `indata` is a [data.frame](#) or [data.table](#), an object of the same class is returned, or if the processor's output channel does not return a `Task`, an error is thrown.

Internals

If processor is a [PipeOp](#), the S3 method `preproc.PipeOp` gets called first, converting the `PipeOp` into a [Graph](#) and wrapping the state appropriately, before calling the S3 method `preproc.Graph` with the modified objects.

If `indata` is a [data.frame](#) or [data.table](#), a [TaskUnsupervised](#) is constructed internally. This implies that processors which only work on sub-classes of [TaskSupervised](#) will not work with these input types for `indata`.

Examples

```
library("mlr3")

task = tsk("iris")
pop = po("pca")

# Training
preproc(task, pop)
# Note that the PipeOp gets trained through this
pop$trained

# Predicting a trained PipeOp (trained through previous call to preproc)
preproc(task, pop, predict = TRUE)

# Predicting using a given state
# We use the state of the PipeOp from the last example and then reset it
state = pop$state
pop$state = NULL
preproc(task, pop, state)

# Note that the PipeOp's state may get overwritten inadvertently during
# training or if a state is given
pop$state$sdev
preproc(tsk("wine"), pop)
pop$state$sdev

# Piping multiple preproc() calls, using dictionary sugar to set parameters
tsk("penguins") |>
  preproc(po("imputemode", affect_columns = selector_name("sex"))) |>
  preproc(po("imputemean"))

# Use preproc with a Graph
gr = po("pca", rank. = 4) %>% po("learner", learner = lrn("classif.rpart"))
preproc(tsk("sonar"), gr) # returns NULL because of the learner
preproc(tsk("sonar"), gr, predict = TRUE)
```

```
# Training with a data.table input
# Note that `data()` drops the information that "Species" is the target.
# It gets handled like an ordinary feature here.
dt = tsk("iris")$data()
preproc(dt, pop)

# Predicting with a data.table input
preproc(dt, pop)
```

register_autoconvert_function

Add Autoconvert Function to Conversion Register

Description

Add functions that perform conversion to a desired class.

Whenever a [Graph](#) or a [PipeOp](#) is called with an object that does not conform to its declared input type, the "autoconvert register" is queried for functions that may turn the object into a desired type.

Conversion functions should try to avoid cloning.

Usage

```
register_autoconvert_function(cls, fun, packages = character(0))
```

Arguments

cls	character(1) The class that fun converts to.
fun	function The conversion function. Must take one argument and return an object of class cls, or possibly a sub-class as recognized by <code>are_types_compatible()</code> .
packages	character The packages required to be loaded for fun to operate.

Value

NULL.

See Also

Other class hierarchy operations: [add_class_hierarchy_cache\(\)](#), [reset_autoconvert_register\(\)](#), [reset_class_hierarchy_cache\(\)](#)

Examples

```
# This lets mlr3pipelines automatically try to convert a string into
# a `PipeOp` by querying the [mlr3pipeops] [Dictionary][mlr3misc::Dictionary].
# This is an example and not necessary, because mlr3pipelines adds it by default.
register_autoconvert_function("PipeOp", function(x) as_pipeop(x), packages = "mlr3pipelines")
```

`reset_autoconvert_register`*Reset Autoconvert Register*

Description

Reset autoconvert register to factory default, thereby undoing any calls to [register_autoconvert_function\(\)](#) by the user.

Usage

```
reset_autoconvert_register()
```

Value

NULL

See Also

Other class hierarchy operations: [add_class_hierarchy_cache\(\)](#), [register_autoconvert_function\(\)](#), [reset_class_hierarchy_cache\(\)](#)

`reset_class_hierarchy_cache`*Reset the Class Hierarchy Cache*

Description

Reset the class hierarchy cache to factory default, thereby undoing any calls to [add_class_hierarchy_cache\(\)](#) by the user.

Usage

```
reset_class_hierarchy_cache()
```

Value

NULL

See Also

Other class hierarchy operations: [add_class_hierarchy_cache\(\)](#), [register_autoconvert_function\(\)](#), [reset_autoconvert_register\(\)](#)

Selector

*Selector Functions***Description**

A [Selector](#) function is used by different [PipeOps](#), most prominently [PipeOpSelect](#) and many [PipeOps](#) inheriting from [PipeOpTaskPreproc](#), to determine a subset of [Tasks](#) to operate on.

Even though a [Selector](#) is a function that can be written itself, it is preferable to use the [Selector](#) constructors shown here. Each of these can be called with its arguments to create a [Selector](#), which can then be given to the [PipeOpSelect](#) selector parameter, or many [PipeOpTaskPreprocs](#)' `affect_columns` parameter. See there for examples of this usage.

Usage

```
selector_all()

selector_none()

selector_type(types)

selector_grep(pattern, ignore.case = FALSE, perl = FALSE, fixed = FALSE)

selector_name(feature_names, assert_present = FALSE)

selector_invert(selector)

selector_intersect(selector_x, selector_y)

selector_union(selector_x, selector_y)

selector_setdiff(selector_x, selector_y)

selector_missing()

selector_cardinality_greater_than(min_cardinality)
```

Arguments

<code>types</code>	(character) Type of feature to select
<code>pattern</code>	(character(1)) grep pattern
<code>ignore.case</code>	(logical(1)) ignore case
<code>perl</code>	(logical(1)) perl regex

fixed	(logical(1)) fixed pattern instead of regex
feature_names	(character) Select features by exact name match.
assert_present	(logical(1)) Throw an error if feature_names are not all present in the task being operated on.
selector	(Selector) Selector to invert.
selector_x	(Selector) First Selector to query.
selector_y	(Selector) Second Selector to query.
min_cardinality	(integer) Minimum number of levels required to be selected.

Value

function: A [Selector](#) function that takes a [Task](#) and returns the feature names to be processed.

Functions

- `selector_all()`: `selector_all` selects all features.
- `selector_none()`: `selector_none` selects none of the features.
- `selector_type()`: `selector_type` selects features according to type. Legal types are listed in `mlr_reflections$task_feature_types`.
- `selector_grep()`: `selector_grep` selects features with names matching the `grep()` pattern.
- `selector_name()`: `selector_name` selects features with names matching exactly the names listed.
- `selector_invert()`: `selector_invert` inverts a given [Selector](#): It always selects the features that would be *dropped* by the other [Selector](#), and drops the features that would be kept.
- `selector_intersect()`: `selector_intersect` selects the intersection of two [Selectors](#): Only features selected by both [Selectors](#) are selected in the end.
- `selector_union()`: `selector_union` selects the union of two [Selectors](#): Features selected by either [Selector](#) are selected in the end.
- `selector_setdiff()`: `selector_setdiff` selects the setdiff of two [Selectors](#): Features selected by `selector_x` are selected, unless they are also selected by `selector_y`.
- `selector_missing()`: `selector_missing` selects features with missing values.
- `selector_cardinality_greater_than()`: `selector_cardinality_greater_than` selects categorical features with cardinality greater than a given threshold.

Details

A [Selector](#) is a function that has one input argument (commonly named `task`). The function is called with the [Task](#) that a [PipeOp](#) is operating on. The return value of the function must be a character vector that is a subset of the feature names present in the [Task](#).

For example, a [Selector](#) that selects all columns is

```
function(task) {  
  task$feature_names  
}
```

(this is the `selector_all()`-[Selector](#).) A [Selector](#) that selects all columns that have names shorter than four letters would be:

```
function(task) {  
  task$feature_names[  
    nchar(task$feature_names) < 4  
  ]  
}
```

A [Selector](#) that selects only the column "Sepal.Length" (as in the [iris task](#)), if present, is

```
function(task) {  
  intersect(task$feature_names, "Sepal.Length")  
}
```

It is preferable to use the [Selector](#) construction functions like `select_type`, `select_grep` etc. if possible, instead of writing custom [Selectors](#).

See Also

Other Selectors: [mlr_pipeops_select](#)

Examples

```
library("mlr3")  
  
iris_task = tsk("iris")  
bh_task = tsk("boston_housing")  
  
sela = selector_all()  
sela(iris_task)  
sela(bh_task)  
  
self = selector_type("factor")  
self(iris_task)  
self(bh_task)  
  
selg = selector_grep("a.*i")  
selg(iris_task)
```

```

selg(bh_task)

selgi = selector_invert(selg)
selgi(iris_task)
selgi(bh_task)

selgf = selector_union(selg, self)
selgf(iris_task)
selgf(bh_task)

```

```
set_validate.GraphLearner
```

Configure Validation for a GraphLearner

Description

Configure validation for a graph learner.

In a [GraphLearner](#), validation can be configured on two levels:

1. On the [GraphLearner](#) level, which specifies **how** the validation set is constructed before entering the graph.
2. On the level of the individual PipeOps (such as PipeOpLearner), which specifies which pipeops actually make use of the validation data (set its \$validate field to "predefined") or not (set it to NULL). This can be specified via the argument ids.

Usage

```

## S3 method for class 'GraphLearner'
set_validate(
  learner,
  validate,
  ids = NULL,
  args_all = list(),
  args = list(),
  ...
)

```

Arguments

learner	(GraphLearner) The graph learner to configure.
validate	(numeric(1), "predefined", "test", or NULL) How to set the \$validate field of the learner. If set to NULL all validation is disabled, both on the graph learner level, but also for all pipeops.
ids	(NULL or character()) For which pipeops to enable validation. This parameter is ignored when validate is set to NULL. By default, validation is enabled for the final PipeOp in the Graph.

<code>args_all</code>	(<code>list()</code>) Rarely needed. A named list of parameter values that are passed to all subsequent <code>set_validate()</code> calls on the individual PipeOps.
<code>args</code>	(named <code>list()</code>) Rarely needed. A named list of lists, specifying additional arguments to be passed to <code>set_validate()</code> when calling it on the individual PipeOps.
<code>...</code>	(any) Currently unused.

Examples

```
library(mlr3)

glrn = as_learner(po("pca") %>>% lrn("classif.debug"))
set_validate(glrn, 0.3)
glrn$validate
glrn$graph$pipeops$classif.debug$learner$validate

set_validate(glrn, NULL)
glrn$validate
glrn$graph$pipeops$classif.debug$learner$validate

set_validate(glrn, 0.2, ids = "classif.debug")
glrn$validate
glrn$graph$pipeops$classif.debug$learner$validate
```

%>>%

PipeOp Composition Operator

Description

These operators creates a connection that "pipes" data from the source `g1` into the sink `g2`. Both source and sink can either be a [Graph](#) or a [PipeOp](#) (or an object that can be automatically converted into a [Graph](#) or [PipeOp](#), see [as_graph\(\)](#) and [as_pipeop\(\)](#)).

`%>>%` and `%>>!%` try to automatically match output channels of `g1` to input channels of `g2`; this is only possible if either

- the number of output channels of `g1` (as given by `g1$output`) is equal to the number of input channels of `g2` (as given by `g2$input`), or
- `g1` has only one output channel (i.e. `g1$output` has one line), or
- `g2` has only one input channel, which is a *vararg* channel (i.e. `g2$input` has one line, with name entry "...").

Connections between channels are created in the order in which they occur in `g1` and `g2`, respectively: `g1`'s output channel 1 is connected to `g2`'s input channel 1, channel 2 to 2 etc.

`%>>%` always creates deep copies of its input arguments, so they cannot be modified by reference afterwards. To access individual [PipeOps](#) after composition, use the resulting [Graph](#)'s `$pipeops`

list. %>>!, on the other hand, tries to avoid cloning its first argument: If it is a [Graph](#), then this [Graph](#) will be modified in-place.

When %>>!% fails, then it leaves g1 in an incompletely modified state. It is therefore usually recommended to use %>>%, since the very marginal gain of performance from using %>>!% often does not outweigh the risk of either modifying objects by-reference that should not be modified or getting graphs that are in an incompletely modified state. However, when creating long [Graphs](#), chaining with %>>!% instead of %>>% can give noticeable performance benefits because %>>% makes a number of clone()-calls that is quadratic in chain length, %>>!% only linear.

concat_graphs(g1, g2, in_place = FALSE) is equivalent to g1 %>>% g2. concat_graphs(g1, g2, in_place = TRUE) is equivalent to g1 %>>!% g2.

Both arguments of %>>% are automatically converted to [Graphs](#) using [as_graph\(\)](#); this means that objects on either side may be objects that can be automatically converted to [PipeOps](#) (such as [Learners](#) or [Filters](#)), or that can be converted to [Graphs](#). This means, in particular, lists of [Graphs](#), [PipeOps](#) or objects convertible to that, because [as_graph\(\)](#) automatically applies [gunion\(\)](#) to lists. See examples. If the first argument of %>>!% is not a [Graph](#), then it is cloned just as when %>>% is used; %>>!% only avoids clone() if the first argument is a [Graph](#).

Note that if g1 is NULL, g2 converted to a [Graph](#) will be returned. Analogously, if g2 is NULL, g1 converted to a [Graph](#) will be returned.

Usage

```
g1 %>>% g2
```

```
concat_graphs(g1, g2, in_place = FALSE)
```

```
g1 %>>!% g2
```

Arguments

g1	(Graph PipeOp Learner Filter list ...) Graph / PipeOp / object-convertible-to- PipeOp to put in front of g2.
g2	(Graph PipeOp Learner Filter list ...) Graph / PipeOp / object-convertible-to- PipeOp to put after g1.
in_place	(logical(1)) Whether to try to avoid cloning g1. If g1 is not a Graph , then it is cloned regardless.

Value

[Graph](#): the constructed [Graph](#).

See Also

Other [Graph](#) operators: [as_graph\(\)](#), [as_pipeop\(\)](#), [assert_graph\(\)](#), [assert_pipeop\(\)](#), [chain_graphs\(\)](#), [grepligate\(\)](#), [gunion\(\)](#), [mlr_graphs_grepligate](#)

Examples

```

o1 = PipeOpScale$new()
o2 = PipeOpPCA$new()
o3 = PipeOpFeatureUnion$new(2)

# The following two are equivalent:
pipe1 = o1 %>>% o2

pipe2 = Graph$new()$
  add_pipeop(o1)$
  add_pipeop(o2)$
  add_edge(o1$id, o2$id)

# Note automatical gunion() of lists.
# The following three are equivalent:
graph1 = list(o1, o2) %>>% o3

graph2 = gunion(list(o1, o2)) %>>% o3

graph3 = Graph$new()$
  add_pipeop(o1)$
  add_pipeop(o2)$
  add_pipeop(o3)$
  add_edge(o1$id, o3$id, dst_channel = 1)$
  add_edge(o2$id, o3$id, dst_channel = 2)

pipe1 %>>|% o3 # modify pipe1 in-place

pipe1 # contains o1, o2, and o3 now.

o1 %>>|% o2

o1 # not changed, because not a Graph.

```

Index

* Dictionaries

- mlr_graphs, 19
- mlr_pipeops, 37

* Ensembles

- mlr_learners_avg, 31
- mlr_pipeops_classifavg, 52
- mlr_pipeops_ovrunite, 152
- mlr_pipeops_regravg, 164
- PipeOpEnsemble, 230

* Experimental Features

- mlr_pipeops_multiplicityexply, 137
- mlr_pipeops_multiplicityimply, 139
- mlr_pipeops_ovrsplit, 150
- mlr_pipeops_ovrunite, 152
- mlr_pipeops_replicate, 172
- Multiplicity, 219

* Graph operators

- %>>%, 257
- as_graph, 8
- as_pipeop, 9
- assert_graph, 7
- assert_pipeop, 8
- chain_graphs, 10
- grePLICATE, 15
- gunion, 16
- mlr_graphs_greplicate, 24

* Imputation PipeOps

- mlr_pipeops_imputeconstant, 98
- mlr_pipeops_imputehist, 100
- mlr_pipeops_imputelearner, 102
- mlr_pipeops_imputemean, 105
- mlr_pipeops_imputemedian, 106
- mlr_pipeops_imputemode, 108
- mlr_pipeops_imputeoor, 110
- mlr_pipeops_imputesample, 113
- PipeOpImpute, 232

* Learners

- mlr_learners_avg, 31
- mlr_learners_graph, 32

* Meta PipeOps

- mlr_pipeops_learner, 121
- mlr_pipeops_learner_cv, 124
- mlr_pipeops_learner_pi_cvplus, 127
- mlr_pipeops_learner_quantiles, 130

* Multiplicity PipeOps

- mlr_pipeops_classifavg, 52
- mlr_pipeops_featureunion, 85
- mlr_pipeops_multiplicityexply, 137
- mlr_pipeops_multiplicityimply, 139
- mlr_pipeops_ovrsplit, 150
- mlr_pipeops_ovrunite, 152
- mlr_pipeops_regravg, 164
- mlr_pipeops_replicate, 172
- Multiplicity, 219
- PipeOpEnsemble, 230

* Path Branching

- filter_noop, 11
- is_noop, 17
- mlr_pipeops_branch, 45
- mlr_pipeops_unbranch, 209
- NO_OP, 220

* Piecewise Linear Encoding PipeOps

- mlr_pipeops_encodeplquantiles, 80
- mlr_pipeops_encodepltree, 83
- PipeOpEncodePL, 227

* PipeOps

- mlr_pipeops, 37
- mlr_pipeops_adas, 39
- mlr_pipeops_blsmote, 41
- mlr_pipeops_boxcox, 43
- mlr_pipeops_branch, 45
- mlr_pipeops_chunk, 48
- mlr_pipeops_classbalancing, 49
- mlr_pipeops_classifavg, 52
- mlr_pipeops_classweights, 55
- mlr_pipeops_colapply, 57
- mlr_pipeops_collapsefactors, 60
- mlr_pipeops_colroles, 62

- mlr_pipeops_copy, 64
- mlr_pipeops_datefeatures, 67
- mlr_pipeops_decode, 69
- mlr_pipeops_encode, 73
- mlr_pipeops_encodeimpact, 76
- mlr_pipeops_encodeimlmer, 78
- mlr_pipeops_encodeplquantiles, 80
- mlr_pipeops_encodepltree, 83
- mlr_pipeops_featureunion, 85
- mlr_pipeops_filter, 88
- mlr_pipeops_fixfactors, 91
- mlr_pipeops_histbin, 93
- mlr_pipeops_ica, 95
- mlr_pipeops_imputeconstant, 98
- mlr_pipeops_imputehist, 100
- mlr_pipeops_imputelearner, 102
- mlr_pipeops_imputemean, 105
- mlr_pipeops_imputemedian, 106
- mlr_pipeops_imputemode, 108
- mlr_pipeops_imputeoor, 110
- mlr_pipeops_imputesample, 113
- mlr_pipeops_info, 115
- mlr_pipeops_isomap, 117
- mlr_pipeops_kernelpca, 119
- mlr_pipeops_learner, 121
- mlr_pipeops_learner_pi_cvplus, 127
- mlr_pipeops_learner_quantiles, 130
- mlr_pipeops_missind, 133
- mlr_pipeops_modelmatrix, 135
- mlr_pipeops_multiplicityexply, 137
- mlr_pipeops_multiplicityimply, 139
- mlr_pipeops_mutate, 141
- mlr_pipeops_nearmiss, 143
- mlr_pipeops_nmf, 145
- mlr_pipeops_nop, 148
- mlr_pipeops_ovrsplit, 150
- mlr_pipeops_ovrunite, 152
- mlr_pipeops_pca, 154
- mlr_pipeops_proxy, 156
- mlr_pipeops_quantilebin, 158
- mlr_pipeops_randomprojection, 160
- mlr_pipeops_randomresponse, 162
- mlr_pipeops_regravg, 164
- mlr_pipeops_removeconstants, 168
- mlr_pipeops_renamecolumns, 170
- mlr_pipeops_replicate, 172
- mlr_pipeops_rowapply, 174
- mlr_pipeops_scale, 175
- mlr_pipeops_scalexmaxabs, 178
- mlr_pipeops_scalerange, 179
- mlr_pipeops_select, 181
- mlr_pipeops_smote, 183
- mlr_pipeops_smotenc, 186
- mlr_pipeops_spatialsign, 188
- mlr_pipeops_subsample, 190
- mlr_pipeops_targetinvert, 192
- mlr_pipeops_targetmutate, 194
- mlr_pipeops_targettrafoscalerange, 197
- mlr_pipeops_textvectorizer, 199
- mlr_pipeops_threshold, 203
- mlr_pipeops_tomek, 205
- mlr_pipeops_tunethreshold, 207
- mlr_pipeops_unbranch, 209
- mlr_pipeops_updatetarget, 211
- mlr_pipeops_vtreat, 213
- mlr_pipeops_yeojohnson, 217
- PipeOp, 221
- PipeOpEncodePL, 227
- PipeOpEnsemble, 230
- PipeOpImpute, 232
- PipeOpTargetTrafo, 236
- PipeOpTaskPreproc, 239
- PipeOpTaskPreprocSimple, 243
- * Pipeops**
 - mlr_pipeops_learner_cv, 124
- * Placeholder Pipeops**
 - mlr_pipeops_copy, 64
 - mlr_pipeops_nop, 148
- * Selectors**
 - mlr_pipeops_select, 181
 - Selector, 253
- * Special Graph Messages**
 - Multiplicity, 219
 - NO_OP, 220
- * Target Trafo PipeOps**
 - PipeOpTargetTrafo, 236
- * class hierarchy operations**
 - add_class_hierarchy_cache, 6
 - register_autoconvert_function, 251
 - reset_autoconvert_register, 252
 - reset_class_hierarchy_cache, 252
- * datasets**
 - mlr_graphs, 19
 - mlr_pipeops, 37
 - NO_OP, 220

*** mlr3pipelines backend related**

Graph, 11
 mlr_graphs, 19
 mlr_pipeops, 37
 mlr_pipeops_updatetarget, 211
 PipeOp, 221
 PipeOpTargetTrafo, 236
 PipeOpTaskPreproc, 239
 PipeOpTaskPreprocSimple, 243
 %»!% (%>>%), 257
 %>>
 %>>
 %, 10, 16
 %>>%, 8–11, 13, 15, 16, 25, 65, 148, 257
 ADAS(), 40
 add_class_hierarchy_cache, 6, 251, 252
 add_class_hierarchy_cache(), 252
 apply, 174
 as.data.table, 58, 242, 246
 as.data.table(mlr_pipeops), 224
 as.Multiplicity, 7
 as_graph, 8, 8, 10, 11, 15, 16, 25, 258
 as_graph(), 9, 10, 13, 16, 36, 157, 257, 258
 as_pipeop, 8, 9, 9, 11, 15, 16, 25, 258
 as_pipeop(), 9, 10, 13, 16, 257
 assert_graph, 7, 8–11, 15, 16, 25, 258
 assert_pipeop, 8, 8, 9–11, 15, 16, 25, 258
 basis(), 147
 bestNormalize::boxcox, 44
 bestNormalize::boxcox(), 43
 bestNormalize::yeojohnson, 218
 bestNormalize::yeojohnson(), 217
 binary Task, 150, 152
 BLSMOTE(), 42
 BostonHousing2, 219
 boxcox(), 44
 cbind(), 86
 chain_graphs, 8–10, 10, 15, 16, 25, 258
 chain_graphs(), 16
 classification Prediction, 25
 classification Predictions, 152
 classification Task, 25, 77, 150
 classification Tasks, 76, 77, 150, 151
 classification tasks, 41, 55, 143, 186, 205, 213, 215
 coef(), 147

concat_graphs (%>>%), 257
 convert_task, 238
 data.frame, 249, 250
 data.table, 12, 34, 51, 58, 122, 125, 191, 222, 223, 234, 235, 239, 241, 242, 246, 249, 250
 data.table::data.table, 20, 37
 DataBackend, 86
 Dictionary, 19, 20, 37, 102, 122, 125, 131
 fastICA(), 96
 fastICA::fastICA, 95
 fastICA::fastICA(), 96
 Filter, 9, 13, 18, 88–90, 168, 258
 filter_noop, 11, 17, 47, 211, 221
 FilterEnsemble (mlr_filters_ensemble), 18
 GenSA, 207
 ginv(), 147
 Graph, 8–11, 11, 15, 16, 19–26, 28–30, 33–36, 38, 45, 121, 124, 128, 148, 156, 157, 212, 219, 221–224, 226, 238, 243, 247–251, 257, 258
 graphics::hist, 94
 graphics::hist(), 93, 101
 GraphLearner, 11, 33, 121, 123, 223, 256
 GraphLearner (mlr_learners_graph), 32
 grDevices::nclass.Sturges(), 94
 greplicate, 8–11, 15, 16, 25, 258
 gunion, 8–11, 15, 16, 25, 258
 gunion(), 9, 36, 258
 hist(), 94, 100
 htmlWidget, 14, 35
 identity(), 174
 iris task, 255
 is.Multiplicity, 17
 is_noop, 11, 17, 47, 211, 221
 kernlab::kpca, 119, 120
 kernlab::kpca(), 120
 kpca(), 120
 Learner, 9, 11, 13, 27–29, 33–36, 52, 53, 55, 56, 83, 84, 102, 103, 110, 121–132, 152, 203, 224, 231, 247, 258
 LearnerClassif, 32

- LearnerClassifAvg, [231](#)
- LearnerClassifAvg(mlr_learners_avg), [31](#)
- LearnerClassifRpart, [83, 84](#)
- LearnerRegr, [128, 130–132](#)
- LearnerRegrAvg, [231](#)
- LearnerRegrAvg(mlr_learners_avg), [31](#)
- LearnerRegrRpart, [83, 84](#)
- Learners, [98, 111](#)
- lme4::glmer, [79](#)

- mad, [177](#)
- map, [58](#)
- Measure, [32, 208](#)
- mlr3, [33](#)
- mlr3::Learner, [32–34, 121, 124, 128, 207, 224](#)
- mlr3::LearnerClassif, [32](#)
- mlr3::mlr_learners, [102, 122, 125, 131](#)
- mlr3::Task, [168, 224](#)
- mlr3::TaskRegr, [215](#)
- mlr3filters::Filter, [88](#)
- mlr3misc::chunk_vector(), [48](#)
- mlr3misc::Dictionary, [19, 37](#)
- mlr3pipelines(mlr3pipelines-package), [5](#)
- mlr3pipelines-package, [5](#)
- mlr_filters_ensemble, [18](#)
- mlr_graphs, [14, 19, 38, 212, 226, 238, 243, 247, 248](#)
- mlr_graphs_bagging, [20](#)
- mlr_graphs_branch, [22](#)
- mlr_graphs_convert_types, [23](#)
- mlr_graphs_greplicate, [8–11, 15, 16, 24, 258](#)
- mlr_graphs_ovr, [25](#)
- mlr_graphs_robustify, [26](#)
- mlr_graphs_stacking, [28](#)
- mlr_graphs_targettrafo, [30](#)
- mlr_learners_avg, [31, 36, 55, 153, 168, 232](#)
- mlr_learners_classif_avg
(mlr_learners_avg), [31](#)
- mlr_learners_graph, [32, 32](#)
- mlr_learners_regr_avg
(mlr_learners_avg), [31](#)
- mlr_pipeops, [14, 20, 37, 40, 42, 45, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226, 229, 232, 235, 238, 239, 243, 246, 247](#)
- mlr_pipeops_adas, [38, 39, 42, 45, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226, 229, 232, 235, 238, 239, 243, 246](#)
- mlr_pipeops_blsmote, [38, 40, 41, 45, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226, 229, 232, 235, 238, 239, 243, 246](#)
- mlr_pipeops_boxcox, [38, 40, 42, 43, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226, 229, 232, 235, 238, 239, 243, 246](#)
- mlr_pipeops_branch, [11, 17, 38, 40, 42, 45, 45, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147,](#)

- 149, 151, 153, 155, 157, 159, 161,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210–212, 216, 218, 221, 226, 229,
232, 235, 239, 243, 246
- `mlr_pipeops_chunk`, 38, 40, 42, 45, 47, 48,
51, 54, 56, 59, 61, 64, 66, 69, 71, 74,
77, 79, 82, 84, 87, 90, 92, 94, 97, 99,
101, 103, 106, 107, 109, 112, 114,
116, 118, 120, 123, 129, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 155, 157, 159, 161, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 235,
239, 243, 246
- `mlr_pipeops_classbalancing`, 38, 40, 42,
45, 47, 49, 54, 56, 59, 61, 64, 66,
69, 71, 74, 77, 79, 82, 84, 87, 90, 92,
94, 97, 99, 101, 103, 106, 107, 109,
112, 114, 116, 118, 120, 123, 129,
132, 134, 136, 138, 140, 142, 144,
147, 149, 151, 153, 155, 157, 159,
161, 164, 167, 169, 171, 173, 175,
177, 179, 181, 183, 185, 187, 189,
191, 193, 196, 198, 202, 204, 206,
208, 210, 212, 216, 218, 226, 229,
232, 235, 239, 243, 246
- `mlr_pipeops_classifavg`, 32, 38, 40, 42, 45,
47, 49, 51, 52, 56, 59, 61, 64, 66, 69,
71, 74, 77, 79, 82, 84, 87, 88, 90, 92,
94, 97, 99, 101, 103, 106, 107, 109,
112, 114, 116, 118, 121, 123, 129,
132, 134, 136, 138, 140, 142, 144,
147, 149, 151, 153, 155, 157, 159,
161, 164, 167–169, 171, 173, 175,
177, 179, 181, 183, 185, 187, 189,
191, 193, 196, 198, 202, 204, 206,
208, 210, 212, 216, 218, 220, 226,
229, 232, 235, 239, 243, 246
- `mlr_pipeops_classweights`, 38, 40, 42, 45,
47, 49, 51, 54, 55, 59, 61, 64, 66, 69,
71, 74, 77, 79, 82, 84, 87, 90, 92, 94,
97, 99, 101, 103, 106, 107, 109, 112,
114, 116, 118, 121, 123, 129, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 159, 161,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_colapply`, 38, 40, 42, 45, 47,
49, 51, 54, 56, 57, 61, 64, 66, 69, 71,
74, 77, 79, 82, 84, 87, 90, 92, 94, 97,
99, 101, 103, 106, 107, 109, 112,
114, 116, 118, 121, 123, 129, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 159, 161,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_collapsefactors`, 38, 40, 42,
45, 47, 49, 51, 54, 56, 59, 60, 64, 66,
69, 71, 74, 77, 79, 82, 84, 87, 90, 92,
94, 97, 99, 101, 103, 106, 107, 109,
112, 114, 116, 118, 121, 123, 129,
132, 134, 136, 138, 140, 142, 144,
147, 149, 151, 153, 155, 157, 159,
161, 164, 167, 169, 171, 173, 175,
177, 179, 181, 183, 185, 187, 189,
191, 193, 196, 198, 202, 204, 206,
208, 210, 212, 216, 218, 226, 229,
232, 236, 239, 243, 246
- `mlr_pipeops_colroles`, 38, 40, 42, 45, 47,
49, 51, 54, 56, 59, 61, 62, 66, 69, 71,
75, 77, 79, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 106, 107, 110, 112,
114, 116, 118, 121, 123, 129, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 159, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_copy`, 38, 40, 42, 45, 47, 49, 51,
54, 56, 59, 61, 64, 64, 69, 71, 75, 77,
79, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 107, 110, 112, 114,
116, 118, 121, 123, 129, 132, 134,
136, 138, 140, 142, 144, 147, 149,

- 151, 153, 155, 157, 159, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_datefeatures`, 38, 40, 42, 45,
47, 49, 51, 54, 56, 59, 61, 64, 66, 67,
71, 75, 77, 79, 82, 84, 87, 90, 92, 94,
97, 99, 101, 104, 106, 107, 110, 112,
114, 116, 118, 121, 123, 129, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 159, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_decode`, 38, 40, 42, 45, 47, 49,
51, 54, 56, 59, 61, 64, 66, 69, 69, 75,
77, 79, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 107, 110, 112, 114,
116, 118, 121, 123, 129, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 155, 157, 159, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_encode`, 38, 40, 42, 45, 47, 49,
51, 54, 56, 59, 61, 64, 66, 69, 71, 73,
77, 80, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 107, 110, 112, 114,
116, 118, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 155, 157, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_encodeimpact`, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 61, 64, 66, 69,
71, 75, 76, 80, 82, 84, 87, 90, 92, 94,
97, 99, 101, 104, 106, 107, 110, 112,
114, 116, 118, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_encodekmer`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 78, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 106, 107, 110, 112,
114, 116, 118, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_encodeplquantiles`, 38, 40,
43, 45, 47, 49, 51, 54, 56, 59, 61, 64,
66, 69, 71, 75, 77, 80, 80, 84, 85, 87,
90, 92, 94, 97, 99, 101, 104, 106,
107, 110, 112, 114, 116, 118, 121,
123, 130, 132, 134, 136, 138, 140,
142, 144, 147, 149, 151, 153, 155,
157, 160, 162, 164, 167, 169, 171,
173, 175, 177, 179, 181, 183, 185,
187, 189, 191, 193, 196, 198, 202,
204, 206, 208, 210, 212, 216, 218,
226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_encodepltree`, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 61, 64, 66, 69,
71, 75, 77, 80, 82, 83, 87, 90, 92, 94,
97, 99, 101, 104, 106, 108, 110, 112,
114, 116, 118, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_featureunion`, 38, 40, 43, 45,
47, 49, 51, 54–56, 59, 61, 64, 66, 69,
71, 75, 77, 80, 82, 84, 85, 90, 92, 94,
97, 99, 101, 104, 106, 108, 110, 112,
114, 116, 118, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,

- 149, 151, 153, 155, 157, 160, 162,
164, 167–169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 220, 226, 229,
232, 236, 239, 243, 246
- `mlr_pipeops_filter`, 38, 40, 43, 45, 47, 49,
51, 54, 56, 59, 61, 64, 66, 69, 71, 75,
77, 80, 82, 84, 87, 88, 92, 94, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 118, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 155, 157, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_fixfactors`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 91, 94, 97,
99, 101, 104, 106, 108, 110, 112,
114, 116, 118, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 155, 157, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_histbin`, 38, 40, 43, 45, 47, 49,
51, 54, 56, 59, 61, 64, 66, 69, 71, 75,
77, 80, 82, 84, 87, 90, 92, 93, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_ica`, 38, 40, 43, 45, 47, 49, 51,
54, 56, 59, 61, 64, 66, 69, 71, 75, 77,
80, 82, 84, 87, 90, 92, 94, 95, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 193,
196, 198, 202, 204, 206, 208, 210,
212, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_imputeconstant`, 38, 40, 43,
45, 47, 49, 51, 54, 56, 59, 61, 64, 66,
69, 71, 75, 77, 80, 82, 84, 87, 90, 92,
94, 97, 98, 101, 104, 106, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputehist`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 92, 94, 97,
99, 100, 104, 106, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 212, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputelearner`, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 61, 64, 66, 69,
71, 75, 77, 80, 82, 84, 87, 90, 92, 94,
97, 99, 101, 102, 106, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputemean`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 105, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,

- 149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputemedian`, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 61, 64, 66, 69,
71, 75, 77, 80, 82, 84, 87, 90, 92, 94,
97, 99, 101, 104, 106, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputemode`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 106, 108, 110,
112–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
193, 196, 198, 202, 204, 206, 208,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputeoor`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 61, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 106, 108, 110, 112,
114–116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 208,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_imputesample`, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 62, 64, 66, 69,
71, 75, 77, 80, 82, 84, 87, 90, 92, 94,
97, 99, 101, 104, 106, 108, 110, 112,
113, 116, 119, 121, 123, 130,
132, 134, 136, 138, 140, 142, 144,
147, 149, 151, 153, 156, 158, 160, 162,
162, 164, 167, 169, 171, 173, 175,
177, 179, 181, 183, 185, 187, 189,
191, 194, 196, 198, 203, 205, 206, 208,
208, 210, 213, 216, 218, 226, 229,
232, 236, 239, 243, 246
- `mlr_pipeops_info`, 38, 40, 43, 45, 47, 49, 51,
54, 56, 59, 62, 64, 66, 69, 71, 75, 77,
80, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 108, 110, 112, 114,
115, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 208, 210,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_isomap`, 38, 40, 43, 45, 47, 49,
51, 54, 56, 59, 62, 64, 66, 69, 71, 75,
77, 80, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 117, 121, 123, 130, 132, 134,
136, 138, 140, 142, 144, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 208, 210,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- `mlr_pipeops_kernelpca`, 38, 40, 43, 45, 47,
49, 51, 54, 56, 59, 62, 64, 66, 69, 71,
75, 77, 80, 82, 84, 87, 90, 92, 94, 97,
99, 101, 104, 106, 108, 110, 112,
114, 116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 144, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 209,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- `mlr_pipeops_learner`, 38, 40, 43, 45, 47, 49,
51, 54, 56, 59, 62, 64, 66, 69, 71, 75,
77, 80, 82, 84, 87, 90, 92, 94, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 127, 130, 132,
134, 136, 138, 140, 142, 144, 147,

- 149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 209,
210, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- mlr_pipeops_learner_cv, 124, 124, 130,
132
- mlr_pipeops_learner_pi_cvplus, 38, 40,
43, 45, 47, 49, 51, 54, 56, 59, 62, 64,
66, 69, 71, 75, 77, 80, 82, 84, 87, 90,
92, 94, 97, 99, 101, 104, 106, 108,
110, 112, 114, 116, 119, 121, 123,
124, 127, 127, 132, 134, 136, 138,
140, 142, 144, 147, 149, 151, 153,
156, 158, 160, 162, 164, 167, 169,
171, 173, 175, 177, 179, 181, 183,
185, 187, 189, 191, 194, 196, 198,
203, 205, 206, 209, 210, 213, 216,
218, 226, 229, 232, 236, 239, 243,
246
- mlr_pipeops_learner_quantiles, 38, 40,
43, 45, 47, 49, 51, 54, 56, 59, 62, 64,
66, 69, 71, 75, 77, 80, 82, 84, 87, 90,
92, 94, 97, 99, 101, 104, 106, 108,
110, 112, 114, 116, 119, 121, 123,
124, 127, 130, 130, 134, 136, 138,
140, 142, 144, 147, 149, 151, 153,
156, 158, 160, 162, 164, 167, 169,
171, 173, 175, 177, 179, 181, 183,
185, 187, 189, 191, 194, 196, 198,
203, 205, 206, 209, 210, 213, 216,
218, 226, 229, 232, 236, 239, 243,
246
- mlr_pipeops_missind, 38, 40, 43, 45, 47, 49,
51, 54, 56, 59, 62, 64, 66, 69, 71, 75,
77, 80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 133,
136, 138, 140, 142, 145, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- mlr_pipeops_modelmatrix, 38, 40, 43, 45,
47, 49, 51, 54, 56, 59, 62, 64, 66, 69,
71, 75, 77, 80, 82, 84, 87, 90, 92, 95,
97, 99, 101, 104, 106, 108, 110, 112,
114, 116, 119, 121, 123, 130, 132,
134, 135, 138, 140, 142, 145, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 209,
211, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- mlr_pipeops_multiplicityexply, 38, 40,
43, 45, 47, 49, 51, 54–56, 59, 62, 64,
66, 69, 71, 75, 77, 80, 82, 84, 87, 88,
90, 92, 95, 97, 99, 101, 104, 106,
108, 110, 112, 114, 116, 119, 121,
123, 130, 132, 134, 136, 137, 140,
142, 145, 147, 149, 151, 153, 154,
156, 158, 160, 162, 164, 167–169,
171, 173, 175, 177, 179, 181, 183,
185, 187, 189, 191, 194, 196, 198,
203, 205, 206, 209, 211, 213, 216,
218, 220, 226, 229, 232, 236, 239,
243, 246
- mlr_pipeops_multiplicityimply, 38, 40,
43, 45, 47, 49, 51, 54–56, 59, 62, 64,
66, 69, 71, 75, 77, 80, 82, 84, 87, 88,
90, 92, 95, 97, 99, 101, 104, 106,
108, 110, 112, 114, 116, 119, 121,
123, 130, 132, 134, 136, 138, 139,
142, 145, 147, 149, 151, 153, 154,
156, 158, 160, 162, 164, 167–169,
171, 173, 175, 177, 179, 181, 183,
185, 187, 189, 191, 194, 196, 198,
203, 205, 206, 209, 211, 213, 216,
218, 220, 226, 229, 232, 236, 239,
243, 246
- mlr_pipeops_mutate, 38, 40, 43, 45, 47, 49,
51, 54, 57, 59, 62, 64, 66, 69, 72, 75,
77, 80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 134,
136, 138, 140, 141, 145, 147, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246

- mlr_pipeops_nearmiss, 38, 40, 43, 45, 47,
49, 51, 54, 57, 59, 62, 64, 66, 69, 72,
75, 77, 80, 82, 84, 87, 90, 92, 95, 97,
99, 101, 104, 106, 108, 110, 112,
114, 116, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 143, 147,
149, 151, 153, 156, 158, 160, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 209,
211, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246
- mlr_pipeops_nmf, 38, 40, 43, 45, 47, 49, 51,
54, 57, 59, 62, 64, 66, 69, 72, 75, 77,
80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 145, 145, 149,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- mlr_pipeops_nop, 38, 40, 43, 45, 47, 49, 51,
54, 57, 59, 62, 64, 66, 69, 72, 75, 77,
80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 114,
116, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 145, 147, 148,
151, 153, 156, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- mlr_pipeops_ovrsplit, 38, 40, 43, 45, 47,
49, 51, 54, 55, 57, 59, 62, 64, 66, 69,
72, 75, 77, 80, 82, 84, 87, 88, 90, 92,
95, 97, 99, 101, 104, 106, 108, 110,
112, 114, 116, 119, 121, 123, 130,
132, 134, 136, 138, 140, 142, 145,
147, 149, 150, 153, 154, 156, 158,
160, 162, 164, 167–169, 171, 173,
175, 177, 179, 181, 183, 185, 187,
189, 191, 194, 196, 198, 203, 205,
206, 209, 211, 213, 216, 218, 220,
226, 229, 232, 236, 239, 243, 246
- mlr_pipeops_ovrunite, 32, 38, 40, 43, 45,
47, 49, 52, 54, 55, 57, 59, 62, 64, 66,
69, 72, 75, 77, 80, 82, 84, 87, 88, 90,
92, 95, 97, 99, 101, 104, 106, 108,
110, 112, 115, 117, 119, 121, 123,
130, 132, 134, 136, 138, 140, 142,
145, 147, 149, 151, 152, 156, 158,
160, 162, 164, 167–169, 171, 173,
175, 177, 179, 181, 183, 185, 187,
189, 191, 194, 196, 198, 203, 205,
206, 209, 211, 213, 216, 218, 220,
226, 229, 232, 236, 239, 243, 246
- mlr_pipeops_pca, 38, 40, 43, 45, 47, 49, 52,
54, 57, 59, 62, 64, 66, 69, 72, 75, 77,
80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 115,
117, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 145, 147, 149,
151, 153, 154, 158, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- mlr_pipeops_proxy, 38, 40, 43, 45, 47, 49,
52, 54, 57, 59, 62, 64, 66, 69, 72, 75,
77, 80, 82, 84, 87, 90, 92, 95, 97, 99,
101, 104, 106, 108, 110, 112, 115,
117, 119, 121, 123, 130, 132, 134,
136, 138, 140, 142, 145, 147, 149,
151, 153, 156, 156, 160, 162, 164,
167, 169, 171, 173, 175, 177, 179,
181, 183, 185, 187, 189, 191, 194,
196, 198, 203, 205, 206, 209, 211,
213, 216, 218, 226, 229, 232, 236,
239, 243, 246
- mlr_pipeops_quantilebin, 38, 40, 43, 45,
47, 49, 52, 54, 57, 59, 62, 64, 66, 69,
72, 75, 77, 80, 82, 84, 87, 90, 92, 95,
97, 99, 101, 104, 106, 108, 110, 112,
115, 117, 119, 121, 123, 130, 132,
134, 136, 138, 140, 142, 145, 147,
149, 151, 153, 156, 158, 158, 162,
164, 167, 169, 171, 173, 175, 177,
179, 181, 183, 185, 187, 189, 191,
194, 196, 198, 203, 205, 206, 209,
211, 213, 216, 218, 226, 229, 232,
236, 239, 243, 246

- `mlr_pipeops_randomprojection`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 160, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_randomresponse`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 162, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_regravg`, 32, 38, 40, 43, 45, 47, 49, 52, 54, 55, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 88, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 164, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 220, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_removeconstants`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 168, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_renamecolumns`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 170, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_replicate`, 38, 40, 43, 45, 47, 49, 52, 54, 55, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 88, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 154, 156, 158, 160, 162, 164, 167–169, 171, 172, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 220, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_rowapply`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 174, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_scale`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 175, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246

- `mlr_pipeops_scalexmaxabs`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 178, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_scalerange`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_select`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246, 255
- `mlr_pipeops_smote`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 196, 198, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_smotenc`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 186, 189, 192, 194, 196, 199, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_spatialsign`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 188, 192, 194, 196, 199, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_subsample`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 190, 194, 196, 199, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246
- `mlr_pipeops_targetinvert`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 112, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 192, 196, 199, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 246

- `mlr_pipeops_targetmutate`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 142, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 192, 194, 194, 199, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_targettrafoscalerange`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 190, 192, 194, 196, 197, 203, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_textvectorizer`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 84, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 123, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 190, 192, 194, 196, 199, 199, 205, 206, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_threshold`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 85, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 124, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 190, 192, 194, 196, 199, 203, 203, 207, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_tomek`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 85, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 124, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 170, 171, 173, 175, 177, 179, 181, 183, 185, 188, 190, 192, 194, 196, 199, 203, 205, 205, 209, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_tunethreshold`, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 85, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 124, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 170, 171, 173, 175, 177, 179, 181, 183, 185, 188, 190, 192, 194, 196, 199, 203, 205, 207, 207, 211, 213, 216, 218, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_unbranch`, 11, 17, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 85, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 124, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 170, 171, 173, 175, 177, 179, 181, 183, 185, 188, 190, 192, 194, 196, 199, 203, 205, 207, 209, 209, 213, 216, 218, 221, 226, 229, 232, 236, 239, 243, 247
- `mlr_pipeops_updatetarget`, 14, 20, 38, 40, 43, 45, 47, 49, 52, 54, 57, 59, 62, 64, 66, 69, 72, 75, 77, 80, 82, 85, 87, 90, 93, 95, 97, 99, 101, 104, 106, 108, 110, 113, 115, 117, 119, 121, 124, 130, 132, 134, 136, 138, 140, 143, 145, 147, 149, 151, 153, 156, 158, 160, 162, 164, 167, 170, 171, 173, 175, 177, 179, 181, 183, 185, 188, 190, 192, 194, 196, 199, 203, 205, 207, 209, 211, 211, 216, 218, 226, 229, 232, 236, 238, 239, 243, 247

- mlr_pipeops_vtreat, [38](#), [40](#), [43](#), [45](#), [47](#), [49](#),
[52](#), [54](#), [57](#), [59](#), [62](#), [64](#), [66](#), [69](#), [72](#), [75](#),
[77](#), [80](#), [82](#), [85](#), [87](#), [90](#), [93](#), [95](#), [97](#), [99](#),
[101](#), [104](#), [106](#), [108](#), [110](#), [113](#), [115](#),
[117](#), [119](#), [121](#), [124](#), [130](#), [132](#), [134](#),
[136](#), [138](#), [140](#), [143](#), [145](#), [147](#), [149](#),
[151](#), [153](#), [156](#), [158](#), [160](#), [162](#), [164](#),
[167](#), [170](#), [171](#), [173](#), [175](#), [177](#), [179](#),
[181](#), [183](#), [185](#), [188](#), [190](#), [192](#), [194](#),
[196](#), [199](#), [203](#), [205](#), [207](#), [209](#), [211](#),
[213](#), [213](#), [218](#), [226](#), [229](#), [232](#), [236](#),
[239](#), [243](#), [247](#)
- mlr_pipeops_yeojohnson, [38](#), [40](#), [43](#), [45](#), [47](#),
[49](#), [52](#), [54](#), [57](#), [59](#), [62](#), [64](#), [66](#), [69](#), [72](#),
[75](#), [77](#), [80](#), [82](#), [85](#), [87](#), [90](#), [93](#), [95](#), [97](#),
[99](#), [101](#), [104](#), [106](#), [108](#), [110](#), [113](#),
[115](#), [117](#), [119](#), [121](#), [124](#), [130](#), [132](#),
[134](#), [136](#), [138](#), [140](#), [143](#), [145](#), [147](#),
[149](#), [151](#), [153](#), [156](#), [158](#), [160](#), [162](#),
[164](#), [167](#), [170](#), [171](#), [173](#), [175](#), [177](#),
[179](#), [181](#), [183](#), [185](#), [188](#), [190](#), [192](#),
[194](#), [196](#), [199](#), [203](#), [205](#), [207](#), [209](#),
[211](#), [213](#), [216](#), [217](#), [226](#), [229](#), [232](#),
[236](#), [239](#), [243](#), [247](#)
- mlr_reflections\$task_col_roles, [63](#)
- mlr_tasks_boston_housing, [219](#)
- model.matrix(), [136](#)
- multiplicities, [20](#)
- Multiplicity, [7](#), [17](#), [35](#), [38](#), [53](#), [55](#), [86](#), [88](#),
[115](#), [137–140](#), [150–154](#), [166](#), [168](#),
[172](#), [173](#), [219](#), [219](#), [220](#), [221](#), [223](#),
[230](#), [232](#)
- na.omit, [120](#)
- nmf(), [145–147](#)
- NO_OP, [11](#), [17](#), [46](#), [47](#), [210](#), [211](#), [220](#), [220](#)
- opt, [32](#), [208](#)
- Optimizer, [32](#), [207](#), [208](#)
- ParamSet, [13](#), [18](#), [34](#), [222](#), [223](#), [228](#), [230](#), [233](#),
[236](#), [240](#), [244](#)
- ParamSetCollection, [222](#)
- pipeline_bagging (mlr_graphs_bagging),
[20](#)
- pipeline_branch (mlr_graphs_branch), [22](#)
- pipeline_convert_types
(mlr_graphs_convert_types), [23](#)
- pipeline_greplicate
(mlr_graphs_greplicate), [24](#)
- pipeline_ovr (mlr_graphs_ovr), [25](#)
- pipeline_robustify
(mlr_graphs_robustify), [26](#)
- pipeline_stacking
(mlr_graphs_stacking), [28](#)
- pipeline_targettrafo
(mlr_graphs_targettrafo), [30](#)
- PipeOp, [8–16](#), [20](#), [21](#), [23](#), [24](#), [30](#), [33–35](#),
[37–51](#), [53–56](#), [58–61](#), [63–71](#), [73](#), [74](#),
[76–84](#), [86–88](#), [90–95](#), [97–103](#),
[105–109](#), [111–116](#), [118–121](#), [123](#),
[124](#), [126–130](#), [132–145](#), [147–165](#),
[167–193](#), [195–200](#), [202–213](#),
[215–220](#), [221](#), [227–247](#), [249–251](#),
[253](#), [255](#), [257](#), [258](#)
- PipeOpADAS (mlr_pipeops_adas), [39](#)
- PipeOpBLSmote (mlr_pipeops_blsmote), [41](#)
- PipeOpBoxCox (mlr_pipeops_boxcox), [43](#)
- PipeOpBranch, [22](#), [35](#), [156](#), [209](#), [210](#)
- PipeOpBranch (mlr_pipeops_branch), [45](#)
- PipeOpChunk (mlr_pipeops_chunk), [48](#)
- PipeOpClassBalancing
(mlr_pipeops_classbalancing),
[49](#)
- PipeOpClassifAvg, [126](#), [230](#), [231](#)
- PipeOpClassifAvg
(mlr_pipeops_classifavg), [52](#)
- PipeOpClassWeights
(mlr_pipeops_classweights), [55](#)
- PipeOpColApply, [23](#)
- PipeOpColApply (mlr_pipeops_colapply),
[57](#)
- PipeOpCollapseFactors, [26](#)
- PipeOpCollapseFactors
(mlr_pipeops_collapsefactors),
[60](#)
- PipeOpColRoles (mlr_pipeops_colroles),
[62](#)
- PipeOpCopy, [45](#)
- PipeOpCopy (mlr_pipeops_copy), [64](#)
- PipeOpDateFeatures, [28](#)
- PipeOpDateFeatures
(mlr_pipeops_datefeatures), [67](#)
- PipeOpDecode (mlr_pipeops_decode), [69](#)
- PipeOpEncode (mlr_pipeops_encode), [73](#)
- PipeOpEncodeImpact

- (mlr_pipeops_encodeimpact), 76
- PipeOpEncodeLmer
 - (mlr_pipeops_encode_lmer), 78
- PipeOpEncodePL, 38, 40, 42, 45, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79–85, 87, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226, 227, 232, 235, 239, 243, 246
- PipeOpEncodePLQuantiles
 - (mlr_pipeops_encodeplquantiles), 80
- PipeOpEncodePLTree
 - (mlr_pipeops_encodepltree), 83
- PipeOpEnsemble, 32, 38, 40, 42, 45, 47, 49, 51, 53–56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 88, 90, 92, 94, 97, 99, 101, 103, 106, 107, 109, 112, 114, 116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151–153, 155, 157, 159, 161, 164–169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 220, 226, 229, 230, 235, 239, 243, 246
- PipeOpFeatureUnion, 124, 133, 157, 219
- PipeOpFeatureUnion
 - (mlr_pipeops_featureunion), 85
- PipeOpFilter, 9
- PipeOpFilter (mlr_pipeops_filter), 88
- PipeOpFixFactors, 23, 24, 26, 60, 111
- PipeOpFixFactors
 - (mlr_pipeops_fixfactors), 91
- PipeOpHistBin (mlr_pipeops_histbin), 93
- PipeOpICA (mlr_pipeops_ica), 95
- PipeOpImpute, 38, 40, 42, 45, 47, 49, 51, 54, 56, 59, 61, 64, 66, 69, 71, 74, 77, 79, 82, 84, 87, 90, 92, 94, 97–116, 118, 120, 123, 129, 132, 134, 136, 138, 140, 142, 144, 147, 149, 151, 153, 155, 157, 159, 161, 164, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 220, 226, 229, 230, 235, 239, 243, 246
- PipeOpImputeConstant
 - (mlr_pipeops_imputeconstant), 98
- PipeOpImputeHist, 26
- PipeOpImputeHist
 - (mlr_pipeops_imputehist), 100
- PipeOpImputeLearner
 - (mlr_pipeops_imputelearner), 102
- PipeOpImputeMean
 - (mlr_pipeops_imputemean), 105
- PipeOpImputeMedian
 - (mlr_pipeops_imputemedian), 106
- PipeOpImputeMode
 - (mlr_pipeops_imputemode), 108
- PipeOpImputeOOR, 26, 98, 133, 235
- PipeOpImputeOOR
 - (mlr_pipeops_imputeoor), 110
- PipeOpImputeSample
 - (mlr_pipeops_imputesample), 113
- PipeOpInfo (mlr_pipeops_info), 115
- PipeOpIsomap (mlr_pipeops_isomap), 117
- PipeOpKernelPCA
 - (mlr_pipeops_kernelpca), 119
- PipeOpLearner, 9, 11, 21, 30, 35, 52, 165, 224, 231
- PipeOpLearner (mlr_pipeops_learner), 121
- PipeOpLearnerCV, 35, 207, 231
- PipeOpLearnerCV
 - (mlr_pipeops_learner_cv), 124
- PipeOpLearnerPICVPlus
 - (mlr_pipeops_learner_pi_cvplus), 127
- PipeOpLearnerQuantiles
 - (mlr_pipeops_learner_quantiles), 130
- PipeOpMissInd, 26
- PipeOpMissInd (mlr_pipeops_missind), 133
- PipeOpModelMatrix
 - (mlr_pipeops_modelmatrix), 135
- PipeOpMultiplicityExply, 137, 138
- PipeOpMultiplicityExply
 - (mlr_pipeops_multiplicityexply),

- 137
- PipeOpMultiplicityImPLY, [139](#), [140](#)
- PipeOpMultiplicityImPLY
 - (mlr_pipeops_multiplicityimply), [139](#)
- PipeOpMutate (mlr_pipeops_mutate), [141](#)
- PipeOpNearmiss (mlr_pipeops_nearmiss), [143](#)
- PipeOpNMF (mlr_pipeops_nmf), [145](#)
- PipeOpNOP, [16](#)
- PipeOpNOP (mlr_pipeops_nop), [148](#)
- PipeOpOVRSplit, [25](#), [150](#), [152](#), [153](#), [219](#)
- PipeOpOVRSplit (mlr_pipeops_ovrsplit), [150](#)
- PipeOpOVRUnite, [25](#), [150](#), [151](#), [219](#)
- PipeOpOVRUnite (mlr_pipeops_ovrunite), [152](#)
- PipeOpPCA (mlr_pipeops_pca), [154](#)
- PipeOpProxy (mlr_pipeops_proxy), [156](#)
- PipeOpQuantileBin
 - (mlr_pipeops_quantilebin), [158](#)
- PipeOpRandomProjection
 - (mlr_pipeops_randomprojection), [160](#)
- PipeOpRandomResponse, [163](#)
- PipeOpRandomResponse
 - (mlr_pipeops_randomresponse), [162](#)
- PipeOpRegrAvg, [126](#), [165](#), [230](#), [231](#)
- PipeOpRegrAvg (mlr_pipeops_regravg), [164](#)
- PipeOpRemoveConstants, [134](#)
- PipeOpRemoveConstants
 - (mlr_pipeops_removeconstants), [168](#)
- PipeOpRenameColumns, [71](#)
- PipeOpRenameColumns
 - (mlr_pipeops_renamecolumns), [170](#)
- PipeOpReplicate, [172](#), [219](#)
- PipeOpReplicate
 - (mlr_pipeops_replicate), [172](#)
- PipeOpRowApply (mlr_pipeops_rowapply), [174](#)
- PipeOpScale (mlr_pipeops_scale), [175](#)
- PipeOpScaleMaxAbs
 - (mlr_pipeops_scalemaxabs), [178](#)
- PipeOpScaleRange
 - (mlr_pipeops_scalerange), [179](#)
- PipeOpSelect, [253](#)
- PipeOpSelect (mlr_pipeops_select), [181](#)
- PipeOpSmote (mlr_pipeops_smote), [183](#)
- PipeOpSmoteNC (mlr_pipeops_smotenc), [186](#)
- PipeOpSpatialSign
 - (mlr_pipeops_spatialsign), [188](#)
- PipeOpSubsample, [20](#), [21](#)
- PipeOpSubsample
 - (mlr_pipeops_subsample), [190](#)
- PipeOpTargetInvert, [30](#), [196](#), [198](#), [236](#)–[238](#)
- PipeOpTargetInvert
 - (mlr_pipeops_targetinvert), [192](#)
- PipeOpTargetMutate, [30](#), [211](#)
- PipeOpTargetMutate
 - (mlr_pipeops_targetmutate), [194](#)
- PipeOpTargetTrafo, [14](#), [20](#), [30](#), [38](#), [40](#), [42](#), [45](#), [47](#), [49](#), [51](#), [54](#), [56](#), [59](#), [61](#), [64](#), [66](#), [69](#), [71](#), [74](#), [77](#), [79](#), [82](#), [84](#), [87](#), [90](#), [92](#), [94](#), [97](#), [99](#), [101](#), [103](#), [106](#), [107](#), [109](#), [112](#), [114](#), [116](#), [118](#), [120](#), [123](#), [129](#), [132](#), [134](#), [136](#), [138](#), [140](#), [142](#), [144](#), [147](#), [149](#), [151](#), [153](#), [155](#), [157](#), [159](#), [161](#), [164](#), [167](#), [169](#), [171](#), [173](#), [175](#), [177](#), [179](#), [181](#), [183](#), [185](#), [187](#), [189](#), [191](#)–[193](#), [195](#)–[198](#), [202](#), [204](#), [206](#), [208](#), [210](#)–[212](#), [216](#), [218](#), [226](#), [229](#), [232](#), [235](#), [236](#), [243](#), [246](#), [247](#)
- PipeOpTargetTrafoScaleRange
 - (mlr_pipeops_targettrafoscalerange), [197](#)
- PipeOpTaskPreproc, [14](#), [20](#), [38](#)–[45](#), [47](#), [49](#)–[51](#), [54](#)–[56](#), [58](#)–[61](#), [63](#), [64](#), [66](#)–[71](#), [73](#), [74](#), [76](#)–[84](#), [87](#)–[97](#), [99](#), [101](#), [103](#), [106](#), [107](#), [109](#), [112](#), [114](#), [116](#)–[120](#), [123](#)–[127](#), [129](#), [132](#)–[136](#), [138](#), [140](#)–[147](#), [149](#), [151](#), [153](#)–[155](#), [157](#)–[161](#), [164](#), [167](#)–[171](#), [173](#)–[191](#), [193](#), [196](#), [198](#), [200](#), [202](#), [204](#)–[206](#), [208](#), [210](#), [212](#)–[214](#), [216](#)–[218](#), [226](#)–[229](#), [232](#), [235](#), [238](#), [239](#), [239](#), [244](#)–[247](#), [253](#)
- PipeOpTaskPreprocSimple, [14](#), [20](#), [38](#), [40](#), [42](#), [45](#), [47](#), [49](#), [51](#), [54](#), [56](#)–[61](#), [63](#), [64](#), [66](#), [67](#), [69](#)–[71](#), [73](#), [74](#), [76](#)–[80](#), [82](#)–[84](#), [87](#), [88](#), [90](#)–[94](#), [97](#), [99](#), [101](#), [103](#), [106](#), [107](#), [109](#), [112](#), [114](#), [116](#), [118](#), [120](#), [123](#), [129](#), [132](#)–[136](#), [138](#), [140](#)–[142](#), [144](#), [147](#), [149](#), [151](#), [153](#), [155](#),

- [157–161, 164, 167–171, 173–175, 177–183, 185, 187–189, 191, 193, 196, 198, 202, 204, 206, 208, 210, 212, 216, 218, 226–229, 232, 235, 238–240, 243, 243](#)
- PipeOpTextVectorizer, [28](#)
- PipeOpTextVectorizer
 - (mlr_pipeops_textvectorizer), [199](#)
- PipeOpThreshold
 - (mlr_pipeops_threshold), [203](#)
- PipeOpTomek (mlr_pipeops_tomek), [205](#)
- PipeOpTuneThreshold
 - (mlr_pipeops_tunethreshold), [207](#)
- PipeOpUnbranch, [22, 35, 45, 46](#)
- PipeOpUnbranch (mlr_pipeops_unbranch), [209](#)
- PipeOpUpdateTarget
 - (mlr_pipeops_updatetarget), [211](#)
- PipeOpVtreat (mlr_pipeops_vtreat), [213](#)
- PipeOpYeoJohnson
 - (mlr_pipeops_yeojohnson), [217](#)
- po, [247](#)
- po(), [249](#)
- po(imputelearner), [35](#)
- pos (po), [247](#)
- pos(), [248](#)
- ppl, [248](#)
- ppl(), [249](#)
- ppls (ppl), [248](#)
- prcomp(), [155](#)
- Prediction, [11, 30, 33, 52, 53, 122, 152, 162, 163, 165, 166, 192, 193, 195, 231, 237, 238](#)
- PredictionClassif, [53, 152, 162, 204, 207](#)
- PredictionRegr, [128, 130, 131, 162, 166](#)
- preproc, [249](#)
- quanteda::dfm, [200–202](#)
- quanteda::dfm(), [199, 200](#)
- quanteda::dfm_tfidf, [200](#)
- quanteda::dfm_tfidf(), [199](#)
- quanteda::dfm_trim, [200–202](#)
- quanteda::dfm_trim(), [199](#)
- quanteda::dfm_weight, [202](#)
- quanteda::dfm_weight(), [199](#)
- quanteda::docfreq, [202](#)
- quanteda::docfreq(), [199, 200](#)
- quanteda::tokens, [200–202](#)
- quanteda::tokens_ngrams, [200–202](#)
- R6, [220, 222](#)
- R6Class, [12, 18, 19, 32, 33, 37, 39, 41, 43, 46, 48, 50, 53, 55, 58, 60, 63, 65, 67, 70, 73, 76, 78, 80, 83, 86, 88, 91, 93, 95, 98, 100, 102, 105, 107, 108, 111, 113, 115, 117, 119, 121, 124, 128, 130, 133, 135, 137, 139, 141, 143, 145, 148, 150, 152, 154, 156, 158, 160, 162, 165, 168, 170, 172, 174, 176, 178, 180, 181, 184, 186, 188, 190, 192, 195, 197, 200, 203, 205, 207, 209, 211, 213, 217, 219, 221, 227, 230, 232, 236, 240, 244](#)
- register_autoconvert_function, [7, 251, 252](#)
- register_autoconvert_function(), [252](#)
- regression Tasks, [76](#)
- regression tasks, [213](#)
- resample, [125](#)
- ResamplingInsample, [207](#)
- reset_autoconvert_register, [7, 251, 252, 252](#)
- reset_class_hierarchy_cache, [7, 251, 252, 252](#)
- rnorm, [162, 163](#)
- S4, [120](#)
- scale(), [177](#)
- sd(), [176](#)
- Selector, [23, 181–183, 214, 234, 240, 241, 253, 253, 254, 255](#)
- selector_all (Selector), [253](#)
- selector_all(), [182](#)
- selector_cardinality_greater_than (Selector), [253](#)
- selector_grep (Selector), [253](#)
- selector_intersect (Selector), [253](#)
- selector_invert (Selector), [253](#)
- selector_missing (Selector), [253](#)
- selector_name (Selector), [253](#)
- selector_none (Selector), [253](#)
- selector_setdiff (Selector), [253](#)
- selector_type (Selector), [253](#)
- selector_union (Selector), [253](#)
- set_validate(), [257](#)
- set_validate.GraphLearner, [34, 123, 256](#)

setnames(), [195](#)
SMOTE(), [184](#)
smotefamily::ADAS, [39](#)
smotefamily::BLSMOTE, [41](#)
smotefamily::SMOTE, [184](#)
stats::contrasts, [74](#)
stats::glm(), [215](#)
stats::lm(), [215](#)
stats::mad, [176](#)
stats::median(), [107](#)
stats::model.matrix(), [135](#)
stats::prcomp, [155](#)
stats::prcomp(), [154](#)
stats::quantile, [81](#), [159](#)

Task, [14](#), [23](#), [27](#), [28](#), [38](#), [39](#), [41](#), [44](#), [48](#), [50](#), [55](#),
[56](#), [58](#), [60](#), [62](#), [63](#), [67](#), [70](#), [74](#), [76](#), [79](#),
[81](#), [83](#), [84](#), [86](#), [87](#), [89](#), [92](#), [94](#), [95](#), [98](#),
[100](#), [103](#), [105](#), [107](#), [109–111](#), [114](#),
[117](#), [118](#), [120](#), [122](#), [124](#), [125](#), [128](#),
[133](#), [135](#), [141](#), [144](#), [146](#), [154](#), [157](#),
[159](#), [161](#), [170](#), [171](#), [174](#), [176](#), [178](#),
[180–182](#), [184](#), [186](#), [189–191](#), [195](#),
[200](#), [206](#), [211](#), [214](#), [217](#), [221](#), [228](#),
[229](#), [233–235](#), [237–242](#), [244](#), [245](#),
[249](#), [253–255](#)
TaskClassif, [39](#), [41](#), [50](#), [56](#), [83](#), [144](#), [150](#),
[151](#), [184](#), [186](#), [191](#), [206](#)
TaskRegr, [83](#), [131](#), [197](#), [219](#)
Tasks, [84](#)
TaskSupervised, [76](#), [79](#), [214](#), [242](#), [249](#), [250](#)
TaskUnsupervised, [250](#)
themis::nearmiss, [143](#), [144](#)
themis::smotenc, [186](#), [187](#)
themis::tomek, [205](#)
TuneToken, [19](#)

Vectorize, [58](#)
visOptions, [14](#), [35](#)
vtreat::BinomialOutcomeTreatment(),
[213](#), [215](#)
vtreat::classification_parameters(),
[215](#)
vtreat::fit_prepare(), [213](#), [215](#)
vtreat::multinomial_parameters(), [215](#)
vtreat::MultinomialOutcomeTreatment(),
[213](#), [215](#)
vtreat::NumericOutcomeTreatment(), [213](#),
[215](#)
vtreat::prepare(), [213](#), [215](#)
vtreat::regression_parameters(), [215](#)
vtreat::track_values(), [215](#)

yeojohnson(), [217](#), [218](#)