

Package ‘routr’

November 18, 2025

Type Package

Title A Simple Router for HTTP and WebSocket Requests

Version 1.1.0

Maintainer Thomas Lin Pedersen <thomasp85@gmail.com>

Description In order to make sure that web request ends up in the correct handler function a router is often used. 'routr' is a package implementing a simple but powerful routing functionality for R based servers. It is a fully functional 'fiery' plugin, but can also be used with other 'httpuv' based servers.

License MIT + file LICENSE

Encoding UTF-8

Imports R6, reqres (>= 1.0.0), stringi, rlang (>= 1.1.0), cli, lifecycle, fs, promises (>= 1.5.0), brio, otel

RoxygenNote 7.3.3

Suggests testthat (>= 3.0.0), covr, fiery (>= 1.3.0), swagger, redoc, rapidoc, rmarkdown, quarto, mirai, knitr, later, jsonlite, yaml

URL <https://routr.data-imaginist.com>,
<https://github.com/thomasp85/routr>

BugReports <https://github.com/thomasp85/routr/issues>

Config/testthat/edition 3

NeedsCompilation no

Author Thomas Lin Pedersen [cre, aut] (ORCID:
<<https://orcid.org/0000-0002-5147-4711>>)

Depends R (>= 4.1.0)

Repository CRAN

Date/Publication 2025-11-18 08:10:02 UTC

Contents

AssetRoute	2
asset_route	4
openapi_route	5
report_route	6
resource_route	7
Route	9
route	13
RouteStack	14
route_add	19
route_merge	20
route_stack	21
shared_secret_route	22
sizelimit_route	23
Index	24

AssetRoute	<i>Static file serving</i>
------------	----------------------------

Description

A class for serving files from the server directly. The AssetRoute is fundamentally different than the other routes provided by routr. It is specific to httpuv and circumvents the standard dispatch entirely (the request never enters the R process). This makes it extremely fast but also somewhat limited as you can't pass the request through any middleware.

Active bindings

- at The url path to serve the assets on
- path The path to the file or directory to serve
- use_index Should an index.html file be served if present when a client requests the folder
- fallthrough Should requests that doesn't match a file enter the request loop or have a 404 response send directly
- html_charset The charset to report when serving html files
- headers A list of headers to add to the response.
- validation An optional validation pattern to compare to the request headers
- except One or more url paths that should be excluded from this route
- name An autogenerated name for the asset route

Methods

Public methods:

- [AssetRoute\\$new\(\)](#)
- [AssetRoute\\$print\(\)](#)
- [AssetRoute\\$on_attach\(\)](#)
- [AssetRoute\\$clone\(\)](#)

Method `new()`: Create a new AssetRoute

Usage:

```
AssetRoute$new(  
  at,  
  path,  
  use_index = TRUE,  
  fallthrough = FALSE,  
  html_charset = "utf-8",  
  headers = list(),  
  validation = NULL,  
  except = NULL  
)
```

Arguments:

`at` The url path to listen to requests on

`path` The path to the file or directory on the file system

`use_index` Should an `index.html` file be served if present when a client requests the folder

`fallthrough` Should requests that doesn't match a file enter the request loop or have a 404 response send directly

`html_charset` The charset to report when serving html files

`headers` A list of headers to add to the response. Will be combined with the global headers of the app

`validation` A string for validating incoming requests. See [httpuv::staticPath](#)

`except` One or more url paths that should be excluded from the route. Requests matching these will enter the standard router dispatch. The paths are interpreted as subpaths to `at`, e.g. the final path to exclude will be `at+exclude`

Method `print()`: Pretty printing of the object

Usage:

```
AssetRoute$print(...)
```

Arguments:

`...` Ignored

Method `on_attach()`: Method for use by `fiery` when attached as a plugin. Should not be called directly. This method creates a `RouteStack` with the asset route as the single route and then mounts that to the app. For more flexibility create the `RouteStack` manually

Usage:

```
AssetRoute$on_attach(app, on_error = deprecated(), ...)
```

Arguments:

app The Fire object to attach the router to
 on_error **[Deprecated]** A function for error handling
 ... Ignored

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
AssetRoute$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

 asset_route

High performance route for serving static files

Description

An `asset_route()` is fundamentally different than the other routes provided by `routr`. Conceptually it is akin to `resource_route()` in that it is used for serving static file content, but this route circumvents the standard dispatch entirely (the request never enters the R process). This makes it extremely fast but also somewhat limited as you can't pass the request through any middleware. The choice between `asset_route()` and `resource_route()` thus depends on your needs.

Usage

```
asset_route(
  at,
  path,
  use_index = TRUE,
  fallthrough = FALSE,
  html_charset = "utf-8",
  headers = list(),
  validation = NULL,
  except = NULL
)
```

Arguments

at	The url path to listen to requests on
path	The path to the file or directory on the file system
use_index	Should an <code>index.html</code> file be served if present when a client requests the folder
fallthrough	Should requests that doesn't match a file enter the request loop or have a 404 response send directly
html_charset	The charset to report when serving html files
headers	A list of headers to add to the response. Will be combined with the global headers of the app

validation	An optional validation pattern. Presently, the only type of validation supported is an exact string match of a header. For example, if validation is '"abc" = "xyz"', then HTTP requests must have a header named abc (case-insensitive) with the value xyz (case-sensitive). If a request does not have a matching header, than httpuv will give a 403 Forbidden response. If the character(0) (the default), then no validation check will be performed.
except	One or more url paths that should be excluded from the route. Requests matching these will enter the standard router dispatch. The paths are interpreted as subpaths to at, e.g. the final path to exclude will be at+exclude (see example)

Value

An [AssetRoute](#) object

See Also

Other Route constructors: [openapi_route\(\)](#), [resource_route\(\)](#), [shared_secret_route\(\)](#), [sizelimit_route\(\)](#)

Examples

```
asset_route("/wd", "./", except = "/private")
```

openapi_route

Create a route for serving OpenAPI documentation of your server

Description

This route facilitates serving the OpenAPI specs for your server, using either [RapiDoc](#), [Redoc](#) or [Swagger](#) as a UI for it. This function does not help you describe your API - you have to provide the description for it yourself.

Usage

```
openapi_route(
  spec,
  root = "__docs__",
  ui = c("rapidoc", "redoc", "swagger"),
  ...
)
```

Arguments

spec	The path to the json or yaml file describing your OpenAPI spec
root	The point from which you want to serve your UI from
ui	Either "rapidoc", "redoc" or "swagger", setting which UI to use
...	Further arguments passed on to the ui functions (e.g. rapidoc::rapidoc_spec())

Value

A [Route](#) object

See Also

Other Route constructors: [asset_route\(\)](#), [resource_route\(\)](#), [shared_secret_route\(\)](#), [sizelimit_route\(\)](#)

report_route	<i>Create a route that renders and serves an Rmarkdown or Quarto report</i>
--------------	---

Description

This route allows you to serve a report written as a Quarto/Rmarkdown document. The report will be rendered on demand using the query params as parameters for the report if they match, or by providing them in the body of a POST request. Depending on the value of the value of `max_age` the rendered report is kept and served without a re-render on subsequent requests. The rendering can happen asynchronously in which case a promise is returned.

Usage

```
report_route(
  path,
  file,
  ...,
  max_age = Inf,
  async = TRUE,
  finalize = NULL,
  continue = FALSE,
  ignore_trailing_slash = FALSE,
  cache_dir = tempfile(pattern = "routr_report"),
  cache_by_id = FALSE,
  param_caster = identity
)
```

Arguments

<code>path</code>	The url path to serve the report from
<code>file</code>	The quarto or rmarkdown file to use for rendering of the report
<code>...</code>	Further arguments to <code>quarto::quarto_render()</code> or <code>rmarkdown::render()</code>
<code>max_age</code>	The maximum age in seconds to keep a rendered report before initiating a re-render
<code>async</code>	Should rendering happen asynchronously (using mirai)
<code>finalize</code>	An optional function to run before sending the response back. The function will receive the request as the first argument, the response as the second, and the server as the third.

continue	A logical that defines whether the response is returned directly after rendering or should be made available to subsequent routes
ignore_trailing_slash	Should path be taken exactly or should both a version with and without a terminating slash be accepted
cache_dir	The location of the render cache. By default a temporary folder is created for it.
cache_by_id	Should caching be scoped by the user id. If the rendering is dependent on user-level access to different data this is necessary to avoid data leakage.
param_caster	An optional function to convert the query/body parameters into the expected type, or a list with elements query and body each holding a function to convert their respective parts into the expected type.

Details

Only the formats explicitly stated in the header of the report are allowed and they can be selected in multiple ways. Either by appending the name of the format as a subpath to the path (e.g. /report/revealjs), by appending the extension of the output type to the path (e.g. /report.pdf), or by standard content negotiation using the Content-Type header of the request. For the latter two, it is only possible to select the first format of any kind that has the same mime-type/extension.

Value

A [route](#) object

resource_route	<i>Create a route for fetching files</i>
----------------	--

Description

This function creates a route mapping different paths to files on the server filesystem. Different subpaths can be mapped to different locations on the server so that e.g. /data/ maps to /path/to/data/ and /assets/ maps to /a/completely/different/path/. The route support automatic expansion of paths to a default extension or file, using compressed versions of files if the request permits it, and setting the correct headers so that results are cached.

Usage

```
resource_route(
  ...,
  default_file = "index.html",
  default_ext = "html",
  finalize = NULL,
  continue = FALSE
)
```

Arguments

...	Named arguments mapping a subpath in the URL to a location on the file system. These mappings will be checked in sequence
default_file	The default file to look for if the path does not map to a file directly (see Details)
default_ext	The default file extension to add to the file if a file cannot be found at the provided path and the path does not have an extension (see Details)
finalize	An optional function to run if a file is found. The function will receive the request as the first argument, the response as the second, and anything passed on through ... in the dispatch method. Any return value from the function is discarded. The function must accept ...
continue	A logical that should be returned if a file is found. Defaults to FALSE indicating that the response should be send unmodified.

Details

The way paths are resolved to a file is, for every mounted location,

1. Check if the path contains the mount point. If not, continue to the next mount point
2. substitute the mount point for the local location in the path
3. if the path ends with / add the default_file (defaults to index.html)
4. see if the file exists along with compressed versions (versions with .gz, .zip, .br, .zz appended)
5. if any version exists, chose the prefered encoding based on the Accept-Encoding header in the request, and return.
6. if none exists and the path does not specify a file extension, add default_ext to the path and repeat 3-4
7. if none exists still and the path does not specify a file extension, add default_file to the path and repeat 3-4
8. if none exists still, continue to the next mount point

This means that for the path /data/mtcars, the following locations will be tested (assuming the /data/ -> /path/to/data/ mapping):

1. /path/to/data/mtcars, /path/to/data/mtcars.gz, /path/to/data/mtcars.zip, /path/to/data/mtcars.br, /path/to/data/mtcars.zz
2. /path/to/data/mtcars.html, /path/to/data/mtcars.html.gz, /path/to/data/mtcars.html.zip, /path/to/data/mtcars.html.br, /path/to/data/mtcars.html.zz
3. /path/to/data/mtcars/index.html, /path/to/data/mtcars/index.html.gz, /path/to/data/mtcars/index.html.br, /path/to/data/mtcars/index.html.zz

Assuming the default values of default_file and default_ext

If a file is not found, the route will simply return TRUE to hand of control to subsequent routes in the stack, otherwise it will return the logical value in the continue argument (defaults to FALSE, thus shortcutting any additional routes in the stack).

If a file is found the request headers If-Modified-Since and If-None-Match, will be fetched and, if exist, will be used to determine whether a 304 - Not Modified response should be send instead

of the file. If the file should be send, it will be added to the response along with the following headers:

- Content-Type based on the extension of the file (without any encoding extensions)
- Content-Encoding based on the negotiated file encoding
- ETag based on `rlang::hash()` of the last modified date
- Cache-Control set to `max-age=3600`

Furthermore Content-Length will be set automatically by httpuv

Lastly, if found, the finalize function will be called, forwarding the request, response and ... from the dispatch method.

Value

A [Route](#) object

See Also

Other Route constructors: [asset_route\(\)](#), [openapi_route\(\)](#), [shared_secret_route\(\)](#), [sizelimit_route\(\)](#)

Examples

```
# Map package files
res_route <- resource_route(
  '/package_files/' = system.file(package = 'routr')
)

rook <- fiery::fake_request('http://example.com/package_files/DESCRIPTION')
req <- reqres::Request$new(rook)
res_route$dispatch(req)
req$response$as_list()
```

Route

Single route dispatch

Description

Class for handling a single route dispatch

Details

The Route class is used to encapsulate a single URL dispatch, that is, chose a single handler from a range based on a URL path. A handler will be called with a request, response, and keys argument as well as any additional arguments passed on to `dispatch()`.

The path will strip the query string prior to assignment of the handler, can contain wildcards, and can be parameterised using the `:` prefix. If there are multiple matches of the request path the most specific will be chosen. Specificity is based on number of elements (most), number of parameters

(least), and number of wildcards (least), in that order. Parameter values will be available in the keys argument passed to the handler, e.g. a path of `/user/:user_id` will provide `list(user_id = 123)` for a dispatch on `/user/123` in the keys argument.

Handlers are only called for their side-effects and are expected to return either `TRUE` or `FALSE` indicating whether additional routes in a [RouteStack](#) should be called, e.g. if a handler is returning `FALSE` all further processing of the request will be terminated and the response will be passed along in its current state. Thus, the intend of the handlers is to modify the request and response objects, in place. All calls to handlers will be wrapped in `try()` and if an exception is raised the response code will be set to 500 with the body of the response being the error message. Further processing of the request will be terminated. If a different error handling scheme is wanted it must be implemented within the handler (the standard approach is chosen to avoid handler errors resulting in a server crash).

A handler is referencing a specific HTTP method (get, post, etc.) but can also reference `all` to indicate that it should match all types of requests. Handlers referencing `all` have lower precedence than those referencing specific methods, so will only be called if a match is not found within the handlers of the specific method.

Initialization

A new 'Route'-object is initialized using the `new()` method on the generator or alternatively by using `route()`:

Usage

```
route <- Route$new(...)
```

```
route <- route(...)
```

Active bindings

`root` The root of the route. Will be removed from the path of any request before matching a handler
`name` An autogenerated name for the route
`empty` Is the route empty

Methods

Public methods:

- `Route$new()`
- `Route$print()`
- `Route$add_handler()`
- `Route$remove_handler()`
- `Route$get_handler()`
- `Route$remap_handlers()`
- `Route$merge_route()`
- `Route$dispatch()`
- `Route$on_attach()`

- [Route\\$clone\(\)](#)

Method new(): Create a new Route

Usage:

```
Route$new(..., ignore_trailing_slash = FALSE)
```

Arguments:

... Handlers to add up front. Must be in the form of named lists where the names corresponds to paths and the elements are the handlers. The name of the argument itself defines the method to listen on (see examples)

ignore_trailing_slash Logical. Should the trailing slash of a path be ignored when adding handlers and handling requests. Setting this will not change the request or the path associated with but just ensure that both path/to/resource and path/to/resource/ ends up in the same handler. Because the request is left untouched, setting this to TRUE will not affect further processing by other routes

Method print(): Pretty printing of the object

Usage:

```
Route$print(...)
```

Arguments:

... Ignored

Method add_handler(): Add a handler to the specified method and path. The special method 'all' will allow the handler to match all http request methods. The path is a URL path consisting of strings, parameters (strings prefixed with :), and wildcards (*), separated by /. A wildcard will match anything and is thus not restricted to a single path element (i.e. it will span multiple / if possible). The handler must be a function containing the arguments request, response, keys, and ..., and must return either TRUE or FALSE. The request argument will be a [reqres::Request](#) object and the response argument will be a [reqres::Response](#) object matching the current exchange. The keys argument will be a named list with the value of all matched parameters from the path. Any additional argument passed on to the dispatch method will be available as well. This method will override an existing handler with the same method and path.

Usage:

```
Route$add_handler(method, path, handler, reject_missing_methods = FALSE)
```

Arguments:

method The http method to match the handler to

path The URL path to match to

handler A handler function

reject_missing_methods Should requests to this path that doesn't have a handler for the specific method automatically be rejected with a 405 Method Not Allowed response with the correct Allow header informing the client of the implemented methods. Assigning a handler to "all" for the same path at a later point will overwrite this functionality. Be aware that setting this to TRUE will prevent the request from falling through to other routes that might have a matching method and path.

Method remove_handler(): Removes the handler assigned to the specified method and path. If no handler have been assigned it will silently ignore it.

Usage:

```
Route$remove_handler(method, path)
```

Arguments:

method The http method of the handler to remove

path The URL path of the handler to remove

Method `get_handler()`: Returns a handler already assigned to the specified method and path. If no handler have been assigned it will return NULL.

Usage:

```
Route$get_handler(method, path)
```

Arguments:

method The http method of the handler to find

path The URL path of the handler to find

Method `remap_handlers()`: Allows you to loop through all added handlers and reassings them at will. A function with the parameters method, path, and handler must be provided which is responsible for reassigning the handler given in the arguments. If the function does not reassign the handler, then the handler is removed.

Usage:

```
Route$remap_handlers(.f)
```

Arguments:

.f A function performing the remapping of each handler

Method `merge_route()`: Merge another route into this one, adopting all its handlers. The other route will be empty after the merge.

Usage:

```
Route$merge_route(route, use_root = TRUE)
```

Arguments:

route A Route object

use_root Should the root of route be prepended to all paths from the route before adding them

Method `dispatch()`: Based on a [reqres::Request](#) object the route will find the correct handler and call it with the correct arguments. Anything passed in with ... will be passed along to the handler.

Usage:

```
Route$dispatch(request, ..., .require_bool_output = TRUE)
```

Arguments:

request The request to route

... Additional arguments to the handlers

.require_bool_output Should the dispatch enforce a boolean output. Mainly for internal use.

Method `on_attach()`: Method for use by fiery when attached as a plugin. Should not be called directly. This method creates a RouteStack with the route as the single route and then mounts that to the app. For more flexibility create the RouteStack manually

Usage:

```
Route$on_attach(app, on_error = deprecated(), ...)
```

Arguments:

app The Fire object to attach the router to
 on_error **[Deprecated]** A function for error handling
 ... Ignored

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
Route$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

See Also

[RouteStack](#) for binding multiple routes sequentially

Examples

```
# Initialise an empty route
route <- Route$new()

# Initialise a route with handlers assigned
route <- Route$new(
  all = list(
    '/' = function(request, response, keys, ...) {
      message('Request received')
      TRUE
    }
  )
)

# Remove it again
route$remove_handler('all', '/')
```

route

Construct a new route

Description

This function constructs a new [Route](#), optionally with a set of handlers already attached.

Usage

```
route(..., root = "")
```

Arguments

<code>...</code>	Handlers to add up front. Must be in the form of named lists where the names corresponds to paths and the elements are the handlers. The name of the argument itself defines the method to listen on (see examples)
<code>root</code>	The root of the route. Will be removed from the path of any request before matching a handler

Value

A [Route](#) object

Examples

```
# An empty route
route <- route()
route

# Prepopulating it at construction
route <- route(all = list(
  '/*' = function(request, response, keys, ...) {
    message('Request received')
    TRUE
  }
))
route
```

RouteStack

Combine multiple routes for sequential routing

Description

Combine multiple routes for sequential routing

Combine multiple routes for sequential routing

Details

The RouteStack class encapsulate multiple [Routes](#) and lets a request be passed through each sequentially. If a route is returning FALSE upon dispatch further dispatching is cancelled.

Initialization

A new 'RouteStack'-object is initialized using the `new()` method on the generator:

Usage

```
router <- RouteStack$new(..., path_extractor = function(msg, bin) '/')
```

Fiery plugin

A RouteStack object is a valid fiery plugin and can thus be passed in to the `attach()` method of a Fire object. When used as a fiery plugin it is important to be conscious for what event it is attached to. By default it will be attached to the request event and thus be used to handle HTTP request messaging. An alternative is to attach it to the header event that is fired when all headers have been received but before the body is. This allows you to short-circuit request handling and e.g. reject requests above a certain size. When the router is attached to the header event any handler returning `FALSE` will signal that further handling of the request should be stopped and the response in its current form should be returned without fetching the request body.

One last possibility is to attach it to the message event and thus use it to handle WebSocket messages. This use case is a bit different from that of request and header. As `routr` uses Request objects as a vessel between routes and WebSocket messages are not HTTP requests, some modification is needed. The way `routr` achieves this is by modifying the HTTP request that established the WebSocket connection and send this through the routes. Using the `path_extractor` function provided in the RouteStack constructor it will extract a path to dispatch on and assign it to the request. Furthermore it assigns the message to the body of the request and sets the Content-Type header based on whether the message is binary `application/octet-stream` or not `text/plain`. As WebSocket communication is asynchronous the response is ignored when attached to the message event. If communication should be send back, use `server$send()` inside the handler(s).

How a RouteStack is attached is defined by the `attach_to` field which must be either `'request'`, `'header'`, or `'message'`.

When attaching the RouteStack it is possible to modify how errors are handled, using the `on_error` argument, which will change the error handler set on the RouteStack. By default the error handler will be changed to using the fiery logging system if the Fire object supports it.

Active bindings

`attach_to` The event this `routr` should respond to
`name` An autogenerated name for the route stack
`routes` Gives the name of all routes in the stack
`empty` Is the route stack empty

Methods

Public methods:

- [RouteStack\\$new\(\)](#)
- [RouteStack\\$print\(\)](#)
- [RouteStack\\$add_route\(\)](#)
- [RouteStack\\$add_redirect\(\)](#)
- [RouteStack\\$get_route\(\)](#)
- [RouteStack\\$has_route\(\)](#)
- [RouteStack\\$remove_route\(\)](#)
- [RouteStack\\$dispatch\(\)](#)
- [RouteStack\\$dispatch_to_first_match\(\)](#)
- [RouteStack\\$on_attach\(\)](#)

- [RouteStack\\$merge_stack\(\)](#)
- [RouteStack\\$clone\(\)](#)

Method `new()`: Create a new RouteStack

Usage:

```
RouteStack$new(..., path_extractor = function(msg, bin) "/")
```

Arguments:

... Routes to add up front. Must be in the form of named arguments containing Route objects.
 path_extractor A function that returns a path to dispatch on from a WebSocket message.
 Will only be used if `attach_to == 'message'`. Defaults to a function returning `'/'`

Method `print()`: Pretty printing of the object

Usage:

```
RouteStack$print(...)
```

Arguments:

... Ignored

Method `add_route()`: Adds a new route to the stack. route must be a Route object, name must be a string. If after is given the route will be inserted after the given index, if not (or NULL) it will be inserted in the end of the stack.

Usage:

```
RouteStack$add_route(route, name, after = NULL)
```

Arguments:

route A Route object
 name The name of the route
 after The location in the stack to put the route

Method `add_redirect()`: Adds a permanent (308) or temporary (307) redirect from a path to another. The paths can contain path arguments and wildcards, but all those present in to must also be present in from (the reverse is not required)

Usage:

```
RouteStack$add_redirect(method, from, to, permanent = TRUE)
```

Arguments:

method The http method to match the handler to
 from The path the redirect should respond to
 to The path the redirect should signal to the client as the new path
 permanent Logical. If TRUE then a 308 Permanent Redirect is send back, instructing the client to update the URL in the browser to show the new path as well as avoid sending requests to the old URL again. If FALSE then a 307 Temporary Redirect is send back, instructing the client to proceed as if the response comes from the old path

Method `get_route()`: Get the route with a given name

Usage:

```
RouteStack$get_route(name)
```


Arguments:

name The name of the route to retrieve

Method `has_route()`: Test if the routestack contains a route with the given name.

Usage:

```
RouteStack$has_route(name)
```

Arguments:

name The name of the route to look for

Method `remove_route()`: Removes the route with the given name from the stack.

Usage:

```
RouteStack$remove_route(name)
```

Arguments:

name The name of the route to remove

Method `dispatch()`: Passes a [reqres::Request](#) through the stack of routes in sequence until one of the routes return FALSE or every route have been passed through. ... will be passed on to the dispatch of each Route on the stack.

Usage:

```
RouteStack$dispatch(request, ...)
```

Arguments:

request The request to route

... Additional arguments to pass on to the handlers

Method `dispatch_to_first_match()`: asses a [reqres::Request](#) through the stack of routes in sequence until a handler is found. ... will be passed on to the dispatch of each Route on the stack. This dispatch does not require the handler to return a boolean, and will return the value of the handler call or NULL if no handler is matched

Usage:

```
RouteStack$dispatch_to_first_match(request, ...)
```

Arguments:

request The request to route

... Additional arguments to pass on to the handlers

Method `on_attach()`: Method for use by fiery when attached as a plugin. Should not be called directly.

Usage:

```
RouteStack$on_attach(app, on_error = deprecated(), ...)
```

Arguments:

app The Fire object to attach the router to

on_error **[Deprecated]** A function for error handling

... Ignored

Method `merge_stack()`: Merge two route stacks together adding all routes from the other route to this. The other route stack will be empty after this.

Usage:

```
RouteStack$merge_stack(stack)
```

Arguments:

`stack` Another RouteStack object to merge into this one

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
RouteStack$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

[Route](#) for defining single routes

Examples

```
# Create a new stack
routes <- RouteStack$new()

# Populate it with routes
first <- Route$new()
first$add_handler('all', '*', function(request, response, keys, ...) {
  message('This will always get called first')
  TRUE
})
second <- Route$new()
second$add_handler('get', '/demo/', function(request, response, keys, ...) {
  message('This will get called next if the request asks for /demo/')
  TRUE
})
routes$add_route(first, 'first')
routes$add_route(second, 'second')

# Send a request through
rook <- fiery::fake_request('http://example.com/demo/', method = 'get')
req <- reqres::Request$new(rook)
routes$dispatch(req)
```

route_add	<i>Route handlers</i>
-----------	-----------------------

Description

These functions helps you to add, remove, and retrieve route handlers. They all (except for `route_get()`) returns the route for easy chaining.

Usage

```
route_add(x, method, path, handler)
```

```
route_remove(x, method, path)
```

```
route_get(x, method, path)
```

Arguments

x	A Route object
method	A request method for the handler. The special method "all" will allow the handler to match all http request methods that comes in.
path	A URL path for the handler. See Paths for more on path semantics
handler	A handler function. See Handlers for more about the semantics of handlers

Value

x, modified. `route_get()` returns the requested handler

Paths

The path is a URL path consisting of strings, parameters (strings prefixed with `:`), and wildcards (`*`), separated by `/`. A wildcard will match anything and is thus not restricted to a single path element (i.e. it will span multiple `/` if possible). When serving a request only a single handler is selected based on the path match that is most specific. Specificity is based on number of path parts (ie. number of elements separated by `/`), the more the better; number of wildcards, the fewer the better; and number of keys, the fewer the better. When printing the route you can see the priority of all the paths in the route as they are sorted by that

Handlers

The handler is a function. At the very least it should have a `...` argument and it must return either `TRUE` or `FALSE`. Returning `TRUE` means that the request is allowed to continue processing and can be passed on to the next route in the stack. Returning `FALSE` stops the processing of the request by the stack.

While any arguments besides `...` are optional, there are a few that will get passed in named:

- request will hold the request as a [reqres::Request](#) object

- response will hold the request as a `reqres::Response` object
- keys will be a named list containing the values of the matched path keys (see example)

Further, if `routr` is used as a fiery plugin, the handler will receive:

- `server` is the `fiery::Fire` object defining the app
- `id` is the id of the client sending the request, as provided by fiery
- `arg_list` is a list of values as calculated by the servers before-request event handlers

Any and all of the above can be ignored by your handler, but accepting the server is often paramount to more powerful features such as delayed execution or logging.

Examples

```
# Add a handler
route <- route() |>
  route_add("get", "":"/what", function(request, response, keys, ...) {
    message("Requesting", keys$what)
    TRUE
  })
route

# Retrieve the handler
route |> route_get("get", "":"/what")

# Remove the handler
route |> route_remove("get", "":"/what")
```

route_merge	<i>Merge one route into another</i>
-------------	-------------------------------------

Description

This function allows you to combine two separate routes into one. This is different from combining them in a routestack, because a request is only matched to one handler in each route (thus combining them with `route_merge()` will ensure only one handler is called).

Usage

```
route_merge(x, route, use_root = TRUE)
```

Arguments

<code>x, route</code>	<code>Route</code> objects to merge. <code>route</code> will be merged into <code>x</code>
<code>use_root</code>	Should the root of <code>route</code> be added to all its paths before it is merged into <code>x</code>

Value

x with route merged into it

Examples

```
route() |>
  route_add("HEAD", "*", function(...) {
    message("Someone's looking")
    TRUE
  }) |>
  route_merge(
    sizelimit_route()
  )
```

route_stack	<i>Combine routes in a stack</i>
-------------	----------------------------------

Description

This function allows you to combine multiple routes into a stack in order to dispatch on them until one of them returns FALSE. This allows you to have a router that can pass a request through multiple handlers before sending it along to the client or other middleware

Usage

```
route_stack(x, ...)
```

```
## Default S3 method:
route_stack(x, ...)
```

```
## S3 method for class 'Route'
route_stack(x, ...)
```

```
## S3 method for class 'AssetRoute'
route_stack(x, ...)
```

```
## S3 method for class 'RouteStack'
route_stack(x, ..., .after = NULL)
```

Arguments

- x A [Route](#) or [RouteStack](#) object
- ... one or more named [Route](#) objects
- .after Where in the stack should the new routes be placed. NULL means place them at the end.

Value

A [RouteStack](#) object. If x is a [RouteStack](#) then this will be returned, modified.

Examples

```
# Create an empty route stack
route_stack()

# Stack a route with another, returning a RouteStack
route(all = list("*" = function(...) TRUE)) |>
  route_stack(
    limit = sizelimit_route()
  )
```

shared_secret_route	<i>Reject requests not in possession of the correct shared secret</i>
---------------------	---

Description

This route is a simple authentication method that limits requests based on whether they are in possession of an agreed upon shared secret. Be aware that if the request is send over HTTP then the secret will be visible to anyone intercepting the request. For this reason you should only use this route in combination with HTTPS or accept the probability that the secret is exposed. If no shared secret is provided with the request *or* if the shared secret doesn't match a 400L Bad Request response is returned.

Usage

```
shared_secret_route(secret, header)
```

Arguments

secret	The secret to check for in a request
header	The name of the header to look for the secret

Value

A [Route](#) object

See Also

Other Route constructors: [asset_route\(\)](#), [openapi_route\(\)](#), [resource_route\(\)](#), [sizelimit_route\(\)](#)

sizelimit_route	<i>Limit the size of requests</i>
-----------------	-----------------------------------

Description

This route is meant for being called prior to retrieving of the request body. It inspects the Content-Length header and determines if the request should be allowed to proceed. The limit can be made variable by supplying a function to the `limit` argument returning a numeric. If the Content-Length header is missing and the limit is not `Inf` the response will be set to 411 - Length Required, If the header exists but exceeds the limit the response will be set to 413 - Request Entity Too Large. Otherwise the route will return `TRUE` and leave the response unchanged.

Usage

```
sizelimit_route(limit = 5 * 1024^2, method = "all", path = "*")
```

Arguments

<code>limit</code>	Either a numeric or a function returning a numeric when called with the request
<code>method</code>	The method this route should respond to. Defaults to "all"
<code>path</code>	The URL path this route should respond to. Defaults to "*" (any path)

Value

A [Route](#) object

See Also

Other Route constructors: [asset_route\(\)](#), [openapi_route\(\)](#), [resource_route\(\)](#), [shared_secret_route\(\)](#)

Examples

```
limit_route <- sizelimit_route() # Default 5Mb limit
rook <- fiery::fake_request('http://www.example.com', 'post',
                           headers = list(Content_Length = 30*1024^2))
req <- reqres::Request$new(rook)
limit_route$dispatch(req)
req$respond()
```

Index

* Route constructors

- asset_route, [4](#)
- openapi_route, [5](#)
- resource_route, [7](#)
- shared_secret_route, [22](#)
- sizelimit_route, [23](#)

asset_route, [4](#), [6](#), [9](#), [22](#), [23](#)

AssetRoute, [2](#), [5](#)

httpuv::staticPath, [3](#)

openapi_route, [5](#), [5](#), [9](#), [22](#), [23](#)

report_route, [6](#)

reqres::Request, [11](#), [12](#), [17](#), [19](#)

reqres::Response, [11](#), [20](#)

resource_route, [5](#), [6](#), [7](#), [22](#), [23](#)

resource_route(), [4](#)

rlang::hash(), [9](#)

Route, [6](#), [9](#), [9](#), [13](#), [14](#), [18–23](#)

route, [7](#), [13](#)

route(), [10](#)

route_add, [19](#)

route_get(route_add), [19](#)

route_merge, [20](#)

route_remove(route_add), [19](#)

route_stack, [21](#)

RouteStack, [10](#), [13](#), [14](#), [21](#), [22](#)

shared_secret_route, [5](#), [6](#), [9](#), [22](#), [23](#)

sizelimit_route, [5](#), [6](#), [9](#), [22](#), [23](#)

try(), [10](#)